

MICRO SWITCH

FREEPORT ILLINOIS U.S.A.
A DIVISION OF HONEYWELL

FED MFG CODE 91929

SWITCH-TOGGLE

CATALOG LISTING
1TL156 SERIES

CHART 1

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

CATALOG LISTING

WITH TOGGLE LEVER IN

| KEYWAY SIDE (1-2) | CENTER (1-2) | OPPOSITE KEYWAY (2-3) |
|-------------------|--------------|-----------------------|
|-------------------|--------------|-----------------------|

MILITARY RATING (AMPS)

| RESISTIVE LOAD | | | | | LAMP LOAD | | INDUCTIVE LOAD | |
|----------------|-----------|--------|---------|---------|-----------|---------|----------------|---------|
| DC VOLTS | JAC VOLTS | 28 VDC | 125 VAC | 250 VDC | 28 VDC | 125 VAC | 28 VDC | 125 VAC |

| | | | | | | | | | | | | |
|-----------|---------|------|--------|-------------------------------|-----|----|----|---|---|---|----|----|
| ITL156-1 | ON | OFF | ON | 20 | .75 | .5 | 15 | 6 | 5 | 3 | 15 | 10 |
| ITL156-2 | OFF | NONE | ON | | | | | | | | | |
| ⊙ | ON | NONE | ON | | | | | | | | | |
| ITL156-21 | NONE | OFF | ON | (REFER TO L191 FOR UL RATING) | | | | | | | | |
| ITL156-31 | NONE | ON | ON | | | | | | | | | |
| ITL156-4 | MOM OFF | NONE | ON | 15 | .75 | .5 | 15 | 6 | 4 | 2 | 10 | 7 |
| ITL156-5 | MOM ON | OFF | ON | | | | | | | | | |
| ITL156-6 | MOM ON | NONE | OFF | | | | | | | | | |
| ITL156-7 | MOM ON | OFF | MOM ON | | | | | | | | | |
| ITL156-8 | MOM ON | NONE | ON | | | | | | | | | |
| ITL156-51 | NONE | ON | MOM ON | (REFER TO L192 FOR UL RATING) | | | | | | | | |
| ITL156-61 | MOM ON | OFF | NONE | | | | | | | | | |

CATALOG LISTING
1TL156 SERIES CHART 1
PAGE 1 OF 1






ISSUE **M**
8

REVISIONS

| | | | |
|---|---------|-----|-----------|
| A | 0077942 | JAF | 28 JUN 94 |
| B | 94429 | CSL | 24 NOV 99 |
| C | 203554 | TSM | 20 AUG 01 |

FORMTEK
DRAWN
JAF 28 JUN 94

CHECK PR-8944 RELEASE NO



- NOTES
- SWITCHES ARE CAPABLE OF WITHSTANDING A TEMPERATURE OF 160°F CONTINUOUSLY AT FULL RATED LOAD
 - CIRCUIT DESIGNATION AND MICRO SWITCH CATALOG LISTING MARKED ON SIDE OF SWITCH
 - FURNISHED UNASSEMBLED
 - APPLIES ONLY TO "ON" AND "MOMENTARY ON" POSITIONS

SCALE FULL
DO NOT SCALE PRINT
UNLESS OTHERWISE NOTED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
ONE PLACE (.0)
TWO PLACE (.00)
THREE PLACE (.000)
ANGLES
WEIGHT .07 LBS APPROX

| | |
|---|---|
| 15A-125,250 OR 277VAC 1/2HP-125VAC;1HP-250,277VAC 5A-125VAC "L" CODE L191 | CE 10A-125,250 OR 277VAC 1/4HP-125VAC;1/2HP-250,277VAC 3A-125VAC "L" CODE L192 |
|---|---|

MICRO SWITCH

FREEPORT ILLINOIS U.S.A.
A DIVISION OF HONEYWELL

FED MFG CODE 91929

SWITCH-TOGGLE

CATALOG LISTING
1TL156 SERIES

CHART 1

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

CATALOG LISTING

WITH TOGGLE LEVER IN

| KEYWAY SIDE (1-2) | CENTER (1-2) | OPPOSITE KEYWAY (2-3) |
|-------------------|--------------|-----------------------|
| ON | OFF | ON |
| OFF | NONE | ON |
| ON | NONE | ON |
| NONE | OFF | ON |
| NONE | ON | ON |
| MOM OFF | NONE | ON |
| MOM ON | OFF | ON |
| MOM ON | NONE | OFF |
| MOM ON | OFF | MOM ON |
| MOM ON | NONE | ON |
| NONE | ON | MOM ON |
| MOM ON | OFF | NONE |

MILITARY RATING (AMPS)

| RESISTIVE LOAD | | | | | LAMP LOAD | | INDUCTIVE LOAD | |
|----------------|-----------|----------|-----------|----------|-----------|----------|----------------|-----|
| DC VOLTS | JAC VOLTS | DC VOLTS | JAC VOLTS | DC VOLTS | JAC VOLTS | DC VOLTS | JAC VOLTS | |
| 28 | 125 | 250 | 125 | 250 | 28 | 125 | 28 | 125 |
| | | | | | VDC | VAC | VDC | VAC |

20 .75 .5 15 6 5 3 15 10
(REFER TO L191 FOR UL RATING)




15 .75 .5 15 6 4 2 10 7
(REFER TO L192 FOR UL RATING)

CATALOG LISTING
1TL156 SERIES CHART 1
PAGE 1 OF 1

ISSUE
M
7

REVISIONS
A 0077942
JAF
28 JUN 94
B 94429
CSL
24 NOV 99

FORMTEK
DRAWN
JAF 28 JUN 94



NOTES

- 1 - SWITCHES ARE CAPABLE OF WITHSTANDING A TEMPERATURE OF 160°F CONTINUOUSLY AT FULL RATED LOAD
- 2 - CIRCUIT DESIGNATION AND MICRO SWITCH CATALOG LISTING MARKED ON SIDE OF SWITCH
- 3 FURNISHED UNASSEMBLED
- 4 APPLIES ONLY TO "ON" AND "MOMENTARY ON" POSITIONS

SCALE FULL
DO NOT SCALE PRINT
UNLESS OTHERWISE NOTED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
ONE PLACE (.0)
TWO PLACE (.00)
THREE PLACE (.000)
ANGLES
WEIGHT .07 LBS APPROX

| | |
|--|--|
| <p>15A-125,250 OR 277VAC 1/2HP-125VAC;1HP-250,277VAC 5A-125VAC "L" CODE L191</p> | <p>10A-125,250 OR 277VAC 1/4HP-125VAC;1/2HP-250,277VAC 3A-125VAC "L" CODE L192</p> |
|--|--|

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А