






PRODUCT NUMBER

SEE SHEET 2



spec ref				dr	Sunny2 Liu	2017/06/12	projection	MM	size	A3	scale	3:2
tolerance std				eng	Sunny2 Liu	2017/08/11			ecn no -			
ISO 406				chr	Kaka Zhang	2017/08/11			rel level			
ISO 1101				appr					Pei-Ming Zheng	2017/08/11	Released	
surface	linear	0.X	±0.5	Amphenol FCi	title 12HDP + 12S				dwg no	10106132-C003001		rev
		0.XX	±0.25									
		0.XXX	±0.10		RA STB PLUG							
	angular	0°	±2°									
ISO 1302				cat. no.			Product - Customer Drw				sheet 1 of 3	

PRODUCT NO.	ROWS		HIGH POWER												S				
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	1	2	3	E2	
10106132-C003001LF	DCBA		H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1		UUU	UUU	UUU	
																TTT	TTT	TTT	
																SSS	SSS	SSS	
																RRR	RRR	RRR	



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

spec ref				dr		Sunny2 Liu		2017/06/12		projection		MM		size		A3		scale		3:2													
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Sunny2 Liu		2017/08/11						ecn no																	
ISO 406						chr		Kaka Zhang		2017/08/11																							
ISO 1101						appr		Pei-Ming Zheng		2017/08/11						product family										PwrBlade+		rel level		Released			
surface		linear		0.X		±0.5		Amphenol FCI		title						12HDP + 12S						dwg no		10106132-C003001						rev		A	
				0.XX		±0.25																											
				0.XXX		±0.10																											
ISO 1302		angular		0°		±2°				cat. no.						Product - Customer Drw						sheet 2 of 3											

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THE HOUSING WILL WITHSTAND EXPOSURE TO 265 °C PEAK TEMPERATURE
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- 9) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 10) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref				dr		Sunny2 Liu	2017/06/12	projection				MM		size		A3	scale		3:2							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Sunny2 Liu	2017/08/11																	
ISO 406						chr		Kaka Zhang	2017/08/11																	
ISO 1101						appr		Pei-Ming Zheng		2017/08/11	product family										PwrBlade+		ecn no		-	
surface ISO 1302 				linear		0.X		±0.5		Amphenol FCi 12HDP + 12S RA STB PLUG						dwg no		10106132-C003001						rev		A
						0.XX		±0.25																		
						0.XXX		±0.10																		
				angular		0°		±2°		cat. no.						Product - Customer Drw						sheet 3 of 3				

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А