

# i.MX537 Applications Processor



## Enabling enhanced graphics and connectivity for industrial and medical devices

### Overview

The i.MX53 family of processors represents Freescale's next generation of advanced multimedia and power-efficient implementation of the ARM® Cortex™-A8 core. With core processing speeds up to 800 MHz, the i.MX537 is optimized for both performance and power to meet the demands of high-end, advanced applications. An integrated display controller, 1080p HD video decode and 720p video encode, enhanced graphics and connectivity features make the i.MX537 ideal for a wide range of applications that require rich user interfaces with high color displays, such as patient monitors and human-machine interfaces (HMI).

### Software Flexibility

Development on the i.MX537 is made easier with Freescale board support packages optimized for multimedia and low-power operation. BSPs are available for the following operating systems:

- Android™
- Windows® Embedded Compact 7
- Linux®

### Industrial Needs

Like the rest of the i.MX portfolio, the i.MX537 processor provides key environmental differentiators for the industrial market. These include 3.3-volt I/O support, an 0.8 mm pitch package to reduce PCB and manufacturing costs, extended temperature coverage for harsh environments, industrial qualification

for extended reliability, a formal long product supply guarantee to support product life spans and a strong ecosystem, including module manufacturers, software integrators and development tools.

### Target Applications

- HMI for appliances, building control, factory/home automation, printers and security panels
- Patient monitors
- Point of sale terminals
- Surveillance cameras
- Security
- Digital signage
- Telehealth
- Barcode scanners

### Benefits

- Ultra-fast processing and high-performance multimedia capabilities
- Complete hardware and software package provided to enable faster time to market and lower R&D investment
- Dedicated video and graphics hardware acceleration engines provides best-in-class performance for power
- Multi-standard HD 1080p decode
- HD 720p-ready videoconferencing
- Up to 2 GB external memory support prepares your end device for advanced computing applications and future OSs and browsers
- LP-DDR2, LV-DDR2, DDR2 and DDR3 ready for greater design flexibility
- Optimized for low-power operation to provide optimal performance for battery life
- Smartly integrated i.MX53 offers more on chip, including LVDS, USB PHYs, Ethernet and SATA, reducing the need for external components and passing on significant BOM cost savings

### Features

#### CPU Complex

- 800 MHz ARM Cortex-A8 CPU
- 32 KB instruction and data caches
- Unified 256 KB L2 cache
- NEON SIMD media accelerator
- Vector floating point coprocessor

#### Multimedia

- OpenGL® ES 2.0 and OpenVG™ 1.1 hardware accelerators
- Multi-format HD 1080p video decoder and HD 720p video encoder hardware engine
- 24-bit primary display support up to WSXGA resolution
- 18-bit secondary display support
- Analog HD 720p component TV output
- High-quality hardware video de-interlacing
- Image and video resize, inversion and rotation hardware
- Alpha blending and color space conversion
- Video/graphics combining: four planes plus hardware cursor
- Display quality enhancement: color correction, gamut mapping and gamma correction

#### External Memory Interface

- Up to 2 GB LP-DDR2, DDR2, LV-DDR2 and DDR3 SDRAM, 16/32-bit
- SLC/MLC NAND flash, 8/16-bit

#### Advanced Power Management

- Multiple independent power domains
- Dynamic voltage and frequency scaling

#### Connectivity

- High-Speed USB 2.0 OTG with PHY
- High-Speed USB 2.0 Host with PHY
- Two additional High-Speed USB controllers
- Integrated LVDS display interface
- Wide array of serial interfaces, including SDIO, SPI, I<sup>2</sup>C and UART

- I<sup>2</sup>S and S/PDIF audio interfaces
- 10/100 Ethernet controller with hardware capability to support IEEE® 1588 time stamping

- PATA
- SATA controller and PHY up to 1.5 Gbps
- CAN

### Security

- Security controller, including secure RAM and security monitor
- High assurance boot, JTAG controller and real-time clock
- Cipher and random number generator accelerators
- Run-time integrity checker
- Universal unique identification
- Tamper detection


### General

- 19 x 19 mm, 0.8 mm pitch TEPBGA-2 package
- Industrial temperature grade offered

### Multimedia Powerhouse

The multimedia performance of the i.MX53 processor is boosted by a multi-standard hardware video codec, autonomous image processing HD unit, NEON SIMD, accelerometer, Vector Floating Point coprocessor and a programmable Smart DMA (SDMA) controller. Powerful 3-D graphics acceleration is the key to mobile game designs. The i.MX537 processor provides an integrated 3-D graphics processing unit that provides an incredible 33 Mtri/sec and effective 800 Mpix/sec (with overdraw). The 3-D unit is provides an exceptional user experience with hardware-accelerated Flash Player 10.x, gaming and advanced user interfaces. In addition, i.MX537 incorporates a 2-D graphics processing unit to accelerate the windowing system and fonts.

## i.MX53 Block Diagram



## Ordering Information

| Part Number   | Description  | MSRP (USD) |
|---------------|--|------------|
| MCIMX53-START | i.MX53 Quick Start development board                     | \$149      |
| MCIMXHDMICARD | Optional HDMI board                                      | \$49       |
| MCIMX-LVDS1   | 10.1" 1024 x 768 LVDS panel with capacitive touch screen | \$499      |
| MCIMX28LCD    | Optional 4.3" WVGA TFT LCD                               | \$199      |
| MCIMX53SMD    | SABRE for tablet   | \$1499     |

### Smart Speed™ Technology

Advanced power management features throughout the i.MX53 processor enable a rich suite of multimedia features and peripherals while maintaining minimum system power consumption in active and low-power modes.

### Get Started Today

The i.MX53 Quick Start board is a \$149 open source development platform that supports the features of the i.MX53 applications processor and includes support for a VGA display as well as optional add-on boards to support LVDS, LCD and HDMI displays. For more information, visit [freescale.com/iMXQuickStart](http://freescale.com/iMXQuickStart).

The Smart Application Blueprint for Rapid Engineering (SABRE) platform for tablets based on the i.MX53 is the latest in a series of high-performance, market-focused reference designs engineered to introduce designers to advanced multimedia and connectivity applications on the i.MX53 applications processor. Designed with a tablet look and feel, the SABRE platform can be targeted toward any ultra low-power mobile device to enable an amazing user experience. For more information, visit [freescale.com/iMXSABRE](http://freescale.com/iMXSABRE).

For current information about Freescale products and documentation, please visit [freescale.com/iMX53](http://freescale.com/iMX53)

Join fellow i.MX developers at [imxcommunity.org](http://imxcommunity.org)



Freescale, the Freescale logo and the Energy Efficient Solutions logo are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. ARM is the registered trademark of ARM Limited. ARM Cortex-A8 is the trademark of ARM Limited. All other product or service names are the property of their respective owners. © 2011 Freescale Semiconductor, Inc.

Document Number: IMX537INDFS REV1

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А