












PRODUCT NUMBER
REFER TO TABLE



spec ref				dr	Suzie Nah	2015/01/26	projection 	MM 	size	A3	scale	3:1
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Siew-Leong Lim	2016/07/19			ecn no	ELX-M-24521-1		
				chr	Kok-Ong Tee	2016/07/20			rel level Released			
				appr	Koon-Poh Tay	2016/07/26						
surface  ASME Y14.5	linear	0.X	±0.25	Amphenol FCi	title 12G SAS PLUG R/A SMT TYPE ASSY	dwg no 10129900	rev B					
		0.XX	±0.15									
		0.XXX	±0.050									
	angular	0°	±2°		cat. no.	Product - Customer Drw				sheet 1 of 4		



SECTION J-J
SCALE 6:1

spec ref				dr	Suzie Nah	2015/01/26	projection			MM	size	A3	scale	3:1	
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Siew-Leong Lim	2016/07/19				ecn no	ELX-M-24521-1				
				chr	Kok-Ong Tee	2016/07/20									
				appr	Koon-Poh Tay	2016/07/26									
surface  ASME Y14.5	linear	0.X	±0.25	Amphenol FCI	title 12G SAS PLUG R/A SMT TYPE ASSY				dwg no 10129900				rev B		
		0.XX	±0.15												
		0.XXX	±0.050												
	angular	0°	±2°		cat. no.			Product - Customer Drw					sheet 2 of 4		


A

B


C

D





PRODUCT NUMBER	DIMENSION "A"	PCB THICKNESS	WITH ADHESIVE TAPE	WITH PICK-UP CAP	PACKAGING
10129900-001LF	2.40±0.15	1.60	NO		TRAY
10129900-002LF	2.00±0.15	1.20			
10129900-001TRLF	2.40±0.15	1.60			TAPE & REEL
△ B 10129900-001C-TRLF	2.40±0.15	1.60	N/A	10061860-003	TAPE & REEL
△ B 10129900-003C-TRLF	2.40±0.15	1.60	10113739-001	10061860-003	TAPE & REEL
△ B 10129900-004C-TRLF	2.00±0.15	1.20			




10129900-001/002



10129900-003/004



PLACEMENT OF PICKUP CAP





PLACEMENT OF PICKUP TAPE


spec ref				dr	Suzie Nah	2015/01/26	projection  MM 	size	A3	scale	3:1
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Siew-Leong Lim	2016/07/19		ecn no	ELX-M-24521-1		
				chr	Kok-Ong Tee	2016/07/20					
				appr	Koon-Poh Tay	2016/07/26					product family
surface ASME Y14.5	linear	0.X	±0.25	Amphenol FCi	title 12G SAS PLUG R/A SMT TYPE ASSY			dwg no	10129900		rev B
		0.XX	±0.15								
		0.XXX	±0.050								
	angular	0°	±2°		cat. no.			Product - Customer Drw			sheet 3 of 4

- NOTES:
1. MATERIAL:
HOUSING: LCP UL94V-0
CONTACT & HOLD DOWN: COPPER ALLOY
2. FINISH:
CONTACT: 1.27um Min. NICKEL UNDERPLATE OVERALL,
1.91um Min. 100% MATTE TIN(LEAD-FREE) ON SOLDER TAIL,
0.76um Min. GOLD ON CONTACT AREA
HOLD DOWN: 2.54um Min. 100% MATTE TIN(LEAD-FREE) OVER
1.27um Min. NICKEL UNDERPLATE OVERALL
3. PRODUCT SPEC: GS-12-282
4. PACKAGING SPEC: GS-14-952(TRAY); GS-14-1038(TAPE & REEL)
5. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
6. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN
7. HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN
8. A SYMBOL  WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION


RECOMMENDED PAD LAYOUT FOR 10129900-001/-002
SCALE 5:2



SCALE 7:2



RECOMMENDED PAD LAYOUT FOR 10129900-003/-004
(GENERAL TOLERANCE: ± 0.08)
SCALE 5:2

spec ref				dr	Suzie Nah	2015/01/26	projection 	MM 	size	A3	scale	3:1	
tolerance std				eng	Siew-Leong Lim	2016/07/19			ecn no				ELX-M-24521-1
ASME Y14.5				chr	Kok-Ong Tee	2016/07/20			rel level				Released
				appr	Koon-Poh Tay	2016/07/26			product family				
surface ✓ ASME Y14.5	linear	0.X	±0.25	Amphenol FCI	title 12G SAS PLUG R/A SMT TYPE ASSY				dwg no	10129900		rev B	
		0.XX	±0.15										
		0.XXX	±0.050										
angular				0°	±2°	cat. no.				Product - Customer Drw		sheet 4 of 4	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А