



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

# IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

## Table of Contents

Introduction .....	2
T200-Ident-Printer (Thermal Transfer) .....	3
Cable Identification markers .....	3
T200-Ident-Printer (Thermal Transfer) .....	4
Cable Identification Continuous Tube.....	4
T200-Ident-Printer (Thermal Transfer) .....	5
Labels.....	5
T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued) .....	6
Cable Identification markers .....	6
Labels.....	6
T200-Label-Printer (Thermal Transfer) .....	7
Labels (Only) .....	7
TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer) .....	8
Cable Identification markers .....	8
TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer) .....	9
Cable Identification Continuous Tube.....	9
TE3112-Printer and TE3124-Printer (Thermal Transfer).....	10
Labels.....	10
T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer) .....	11
Cable Identification markers .....	11
T312M-Printer and T312Mi-Printer (Thermal Transfer).....	12
Labels.....	12
T6112DS-Printer (Thermal Transfer) .....	12
T6112DS-Printer (Thermal Transfer) .....	14
Cable Identification Markers and Continuous Tube .....	14
T612M-DS-Printer (Thermal Transfer) (Printer Discontinued) .....	15
TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued) .....	16
(Thermal Transfer) .....	16
Labels (only).....	16
TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued) .....	17
(Thermal Transfer) .....	17
Labels (only).....	17
TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued) .....	18
TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued) .....	19
T408M-Printer (Thermal Transfer) (Printer Discontinued).....	20
T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued).....	21
Labels (only).....	21
T2000CT-Printer (Thermal Transfer) (Printer Discontinued).....	22

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 1 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

LQ870 (Dot Matrix) (Printer Discontinued).....	23
LQ590 (Dot Matrix) .....	23
Lexmark 2390 (Dot Matrix) (Printer Discontinued).....	24
AM6310 / AM6310D (Dot Matrix) (Printer Discontinued) .....	24
OKI-380 (Dot Matrix) (Printer Discontinued) .....	25
Epson WF-R5190DW (Inkjet) .....	26
Epson B-310N (Inkjet) (Printer Discontinued) .....	26
Epson Stylus Photo R285 (Inkjet) (Printer Discontinued).....	26
Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued).....	26
BTT-02 (card printer) .....	27
Ribbon ordering details .....	28
Cable Identification markers (25.4MM ID core) .....	28
Cable Identification markers (12.7MM ID core) .....	28
Labels (25.4MM ID core).....	29
Labels (12.7MM ID core).....	29
BTT-02 (card printer) .....	30
Dot Matrix Inks ordering details .....	30
Trademarks.....	30
Related Documents: .....	30

### Introduction

It is essential that the combination of Printers, Products and Ribbons or Inks are correct, to ensure the best print quality and mark permanence.

Each combination of Printer, Product, Ribbon and Ink have been evaluated for Print quality and tested for mark permanence. Any deviation from the information contained in this document will invalidate any assurances of print quality and mark permanence.

This document supersedes all previous documents detailing Identification printer, ribbon and product combinations.

When selecting a ribbon width, it is essential that the ribbon width covers the entire area of the label, to avoid missed print and damage to the print head.

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 2 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T200-Ident-Printer (Thermal Transfer)

#### Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON ( For Superior performance)
H LXNEL	1966-RIBBON
HS	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS	1966-RIBBON (For Superior performance)
HS	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
HX-SCE	1966-RIBBON
MultiMark	TMS-RJS-RIBBON-4RPSCE
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
NBC-SCE	TMS-RJS-RIBBON-4HT
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
ZHD-SCE	1966-RIBBON
ZTSL	1966-RIBBON

When printing CM-SCE-TP, the smooth side of the marker must be used to print onto when using a Thermal Transfer printer.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 3 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T200-Ident-Printer (Thermal Transfer)

#### Cable Identification Continuous Tube

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT Sizes 25.4 and above	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)
WM-SCE	LBF-2000P-RIBBON-1966-MED
ZHDCT Sizes 38.1 and above	1966-RIBBON
ZHDCT Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 4 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T200-Ident-Printer (Thermal Transfer)

#### Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
EET...P-8A EET...P-9 EET...P-4  EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300
HPK	1330-0607-10
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 KTT	For labels with liner width of 60mm or smaller: TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529
Kapton® polyimide (T1K/T2K )	1330-0619-10
Nylon cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
SB Plus	TMS-RJS-RIBBON-4RPSCE
SP	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
WV	1330-0607-10
WPM	1330-0607-10

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 5 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued)

#### Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-101-RIBBON-4DSCE
HLXNEL*	T200-RIBBON-1966
HPK	1330-0607-T200
HT-SCE	TMS-101-RIBBON-4HT
HT-SCE (Black)	T200-RIBBON-WH-4HT
HX-SCE*	T200-RIBBON-1966
NBC-SCE	TMS-101-RJS-RIBBON-4HT
RPS	TMS-101-RIBBON-4RPSCE
Shrinkmark	TMS-101-RIBBON-4RPSCE
TMS-SCE and TMS-SCE 2X	TMS-101-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-101-RIBBON-4AG (silver) T200-RIBBON-WH (White)
TMS-90-SCE*	T200-RIBBON-1966

#### Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-T200
Destructible Polyethylene (TN)	1330-0607-T200
EP Paper Labels	1330-0600-T200
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-T200
Nylon Cloth (NC)	1330-0607-T200
Polyesters (WP/MP/HW/HM/MV/HMM)	1330-0607-T200
Self Lams (SBP)	TMS-101-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-101TT
Self Lams (SP)	1330-0607-T200
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-101TT
White Vinyl (WV)	1330-0607-T200

\* HX-SCE, HLXNEL & TMS-90-SCE for T212M only

Note: T208M-PRINTER has been superseded by T200-LABEL-PRINTER, for label products only.

Note: T212M-PRINTER has been superseded by the T200-IDENT-PRINTER, for both Label and cable Ident products.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 6 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T200-Label-Printer (Thermal Transfer)

#### Labels (Only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-T200
Destructible Polyethylene (TN)	1330-0607-T200
EET (P-8A, P-9, P-4)	1330-TTB-T200
EET (PY-9)	1330-TTB-T200
EET (G-4)	1330-TTB-T200
EET (V-8A, V-4-W, SL...V-4-W)	1330-TTB-T200
EET (V-9)	1330-TTB-T200
EET (K-9)	1330-TTB-T200
HPK	1330-0607-T200
Kapton (T1K/T2K)	1330-0619-T200
KTT	1330-TTB-T200
Nylon Cloth (NC)	1330-0607-T200
Paper (EP)	1330-0600-T200
Polyesters (WP/MP/HW/HM/MV/HMM)	1330-0607-T200
PPT	1330-TTB-T200
Self Lams (SBP)	TMS-101-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-101TT
Self Lams (SP)	1330-0607-T200
SOLAR LABELS	1330-0607-T200
Tedlar (TTVF/PVF)	1330-3300-101TT
White Vinyl (WV)	1330-0607-T200

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 7 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

#### Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-NMX (TE3112 only)	1330-3300-10
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HL	1966-RIBBON (For Superior performance)
HL	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HLX	1966-RIBBON
HLX	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
MultiMark	TMS-RJS-RIBBON-4RPSCE
HTCM-SCE-TP	TMS-RJS-RIBBON-4HT
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
HS/HC	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS/HC	1966-RIBBON (For Superior performance)
HS/HC	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
HX	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NCM-SCE-TP	1966-RIBBON
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
UV-SCE	T300-UV-SCE-RIBBON
ZHD-SCE	1966-RIBBON
ZTSL	1966-RIBBON

When printing CM-SCE-TP, CM-NMX, NCM-SCE-TP or HTCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 8 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*





Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

#### ***Cable Identification Continuous Tube***

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-SP	TMS-RJS-RIBBON-4DSCE
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HXCT Sizes 25.4 and above	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)
WM-SCE	LBF-2000P-RIBBON-1966-MED
ZHDCT sizes 38.1	1966-RIBBON
ZHDCT sizes 25.4 and bellow	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 9 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TE3112-Printer and TE3124-Printer (Thermal Transfer)

#### Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...G-4 EET...PY-9 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4, DF-9 KTT	For labels with liner width of 60mm or smaller : TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-114SC/360AQ529
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KMT	TTB-110SC/300WH
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Self Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-10
Self Lams (SP)	1330-0607-10
SOLAR LABELS	1330-0607-10
TP Tape	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 10 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer)

#### Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-NMX	1330-3300-10
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
<sup>1</sup> HL	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
<sup>1</sup> HL	1966-RIBBON (For Superior performance)
HLX	1966-RIBBON
HS/HC	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS/HC	1966-RIBBON (For Superior performance)
HTCM-SCE-TP	TMS-RJS-RIBBON-4HT
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT (white)
HX	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NCM-SCE-TP	1966-RIBBON
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE and TMS-SCE-2X	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
* TMS-SCE and TMS-SCE 2X	*1966-RIBBON (For Superior performance)
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
UV-SCE	T300-UV-SCE-RIBBON
ZHD-SCE	1966-RIBBON

<sup>1</sup>Note: HL sizes HL253 and HL203 can be printed on TE3112 only

Note: T312M is superseded by the T312Mi

\*Note: When printing with 1966-RIBBON. Select High energy and half speed check boxes. This feature is only available in WinTotal 5.4.03 or higher

When printing CM-SCE-TP, HTCM-SCE-TP, NCM-SCE-TP or CM-NMX, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 11 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T312M-Printer and T312Mi-Printer (Thermal Transfer)

#### Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Self Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-10
Self Lams (SP)	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

### T6112DS-Printer (Thermal Transfer)

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 12 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### Cable Identification Markers and Continuous Tube

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
D-SCE-SP	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE-SP	1966-RIBBON (For Superior performance)
D-SCE-SP	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less).
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HT-SCE	TMS-RJS-RIBBON-4HT
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT, sizes 38.1 and above	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (2X)	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 13 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T6112DS-Printer (Thermal Transfer)

#### Cable Identification Markers and Continuous Tube

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
ZTSL	1966-RIBBON
ZHD-SCE	1966-RIBBON
ZHDCT sizes 38.1	1966-RIBBON
ZHDCT sizes 25.4 and bellow	1966-RIBBON LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 14 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T612M-DS-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HT-SCE	TMS-RJS-RIBBON-4HT
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE	TMS-RJS-RIBBON-4RPSCE
TMS-SCE-2X	TMS-RJS-RIBBON-4RPSCE

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 15 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

#### Labels (only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...G-4 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9	For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/36-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529 When "Ink in" is required delete "S" (TTB-040SC/450AQ529)
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 16 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*





Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

**Labels (only)**

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
PPT...DF-4	For labels with liner width of 76mm or smaller: TTB-076SC/300WH
PPT...DF-9	For labels with liner width of 84mm to 76mm: TTB-084SC/300WH
KMT	For labels with liner width of 110mm to 84mm: TTB-110SC/300WH
EP	For labels with liner width of 145mm to 110mm: TTB-145SC/300WH
	For labels with liner width of 170 to 145mm: TTB-170SC/300WH

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 17 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
IKT...PV-4 IKT...PY-9  IMT...PV-4 IMT...PY-9  EET...PY-9 EET...V-8A EET...G-4  EET...V-4-W EET-SL...V-4-W  EET...K-9 PPT...DF-4  PPT...DF-9	For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S  For labels with liner width of 90mm to 76mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360-AQ529  For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529S When "Ink in" is required delete "S" (TTB-040SC/450AQ529)
EET...P-8A  EET...P-9  EET...P-4  EET...V-9  SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 18 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
PPT...DF-4	For labels with liner width of 76mm or smaller: TTB-076SC/300WH
PPT...DF-9	For labels with liner width of 84mm to 76mm: TTB-084SC/300WH
KMT	For labels with liner width of 110mm to 84mm: TTB-110SC/300WH
EP	For labels with liner width of 145mm to 110mm: TTB-145SC/300WH
	For labels with liner width of 170mm to 145mm: TTB-170SC/300WH

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 19 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T408M-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HL	TMS-RJS-RIBBON-4RPSCE
HLX	1966-RIBBON
HPK	1330-0607-10
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KTT	TTB-114SC/360
NBC-SCE	TMS-RJS-RIBBON-4HT
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
RPS	TMS-RJS-RIBBON-4RPSCE
Self-Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self-Lams (PVF)	1330-3300-10
Self-Lams (SP)	1330-0607-10
Shrinmark	TMS-RJS-RIBBON-4RPSCE
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	T300-RIBBON-WH (White) or TMS-RJS-RIBBON-4AG (Silver)
TMS-90-SCE	1966-RIBBON
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 20 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued)

#### Labels (only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KTT	TTB-114SC/360-AQ529
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Self-Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self-Lams (PVF)	1330-3300-10
Self-Lams (SP)	1330-0607-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 21 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### T2000CT-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT Sizes 25.4 and above	1966-RIBBON

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 22 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### LQ870 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-SYSTEM-SIX-RIBBON-A
D-SCE	TMS-SYSTEM-SIX-RIBBON-A
CM-SCE	TMS-SYSTEM-SIX-RIBBON-A
NCM-SCE	TMS-SYSTEM-SIX-RIBBON-A
Shrinkmark	TMS-SYSTEM-SIX-RIBBON-A
NMX (Nomex)	1330-0037-00
Raymark (RMK6)	TMS-SYSTEM-SIX-RIBBON-A
Tedlar (DMVF)	1330-0037-00
Self Lams (TW/PV)	1330-0037-00
Kapton (K)	1330-0037-00
Vinyl Cloth (C)	1300-0037-00
Polyesters (E/M)	1330-0037-00

### LQ590 (Dot Matrix)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-LQ590-RIBBON
D-SCE	TMS-LQ590-RIBBON
CM-SCE	TMS-LQ590-RIBBON
CM-SCE	LQ590-RIBBON
NCM-SCE	TMS-LQ590-RIBBON
Shrinkmark	TMS-LQ590-RIBBON
Raymark (RMK6)	TMS-LQ590-RIBBON
Raymark (RMK6)	LQ590-RIBBON

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 23 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### Lexmark 2390 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-SYSTEM-SIX-RIBBON-B
D-SCE	TMS-SYSTEM-SIX-RIBBON-B
CM-SCE	TMS-SYSTEM-SIX-RIBBON-B
NCM-SCE	TMS-SYSTEM-SIX-RIBBON-B
Shrinkmark	TMS-SYSTEM-SIX-RIBBON-B
Raymark (RMK6)	TMS-SYSTEM-SIX-RIBBON-B

### AM6310 / AM6310D (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	<b>1892BK04-RIBBON</b>
D-SCE	
CM-SCE	
Raymark (RMK6)	
HL	
HS/HC	
MultiMark (HM)	
Shrinkmark	
NMX (Nomex)	<b>1892BK03-HIGH-PERF-RIBBON</b>
Tedlar (DMVF)	
Self Lams (TW/PV)	
Kapton (K)	
HX	
HX-SCE	
HLX	
Vinyl Cloth (CW)	
Polyesters (E/M)	

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 24 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*





Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### OKI-380 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
HL	18910000-OKI380-RIBBON
HS	
HX	
MultiMark (HM)	

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 25 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### Epson WF-R5190DW (Inkjet)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	DURA BRITE ULTRA (Epson ink)

### Epson B-310N (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	DURA BRITE ULTRA (Epson ink)

(Recommended for enhanced humidity resistance)

### Epson Stylus Photo R285 (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	Claria Photographic ink (Epson ink)

### Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD INK
Raymark 1	Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink
Raymark A4 Sheets	Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 26 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005

Issue: 19

Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### BTT-02 (card printer)

COMPATIBLE PRODUCTS	STANDARD RIBBON
BGS	BBB-060SC/200 (black). BBB-060WE/200 (white). BBB-060BL/200 (blue). BBB-060RT/200 (red).
BGF	
BET	
BTS	
BBK	
BBL	
BBS	
BKB	

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 27 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### Ribbon ordering details

#### Cable Identification markers (25.4MM ID core)

DESCRIPTION	TE PART NUMBER
1330-3300-10	980892-000
1966-RIBBON	F55931-000
LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)	6-1768383-4
2000P-RIBBON-4TT-MED	893803-000
2000P-RIBBON-4TT-NAR	277493-000
TMS-RJS-RIBBON-4DSCE	311292-000
TMS-RJS-RIBBON-4RPSCE	557721-000
TMS-RJS-RIBBON-4HT	754073-000
T300-RIBBON-WH-4HT (White)	154739-000
2000P-RIBBON-WH-MED (White)	094514-000
2000P-RIBBON-WH-NAR (White)	530304-000
TMS-RJS-RIBBON-4AG (Silver)	124503-000
2000P-RIBBON-4AG-MED	351013-000
2000P-RIBBON-4AG-NAR	346933-000
1330-0607-10	742412-000
T300-UV-SCE-RIBBON	EC8932-000

#### Cable Identification markers (12.7MM ID core)

DESCRIPTION	TE PART NUMBER
TMS-101-RIBBON-4DSCE	505478-000
T200-RIBBON-1966	D60849-000
1330-0607-T200	E45478-000
TMS-101-RIBBON-4HT	746617-000
T200-RIBBON-WH-4HT (White)	086961-000
TMS-101-RIBBON-4RPSCE	310109-000
TMS-101-RIBBON-4AG (Silver)	252557-000

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 28 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005  
 Issue: 19  
 Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### Labels (25.4MM ID core)

DESCRIPTION	TE PART NUMBER
1330-0607-10	742412-000
TTB-060SC/300	2-1768049-6
TTB-076SC/300	3-1768049-0
TTB-084SC/300	C75514-000
TTB-110SC/300	3-1768049-6
TTB-060SC/450AQ529	2-1768049-7
TTB-090SC/360-AQ529	3-1768049-4
TTB-110SC/300AQ529	3-1768049-7
1330-0619-10	952888-000
TTB-110SC/300WH	3-1768049-8
1330-0600-10	143060-000
TMS-RJS-RIBBON-4RPSCE	557721-000
1330-3300-10 (For labels with liner width of 110mm or smaller)	980892-000
1330-3300-15 (For labels with liner width of 110mm to 165mm)	562492-000

### Labels (12.7MM ID core)

DESCRIPTION	TE PART NUMBER
1330-0607-T200	E45478-000
1330-0619-T200	C49013-000
TMS-101-RIBBON-4RPSCE	310109-000
1330-3300-101TT	C95590-000
1330-TTB-T200	1-1768384-8
1330-0600-T200	C36369-000

Author: I. Ridgeway  
 Print date: 7-Jul-15  
 Issue date: Jul 2015:  
 Page: 29 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
 If this document is printed it becomes uncontrolled



Doc. No: 411-121005  
Issue: 19  
Date: July 2015

## IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

### BTT-02 (card printer)

DESCRIPTION	TE PART NUMBER
BBB-060SC/200 (black).	1-1768016-4
BBB-060WE/200 (white).	1-1768016-5
BBB-060BL/200 (blue).	1-1768016-1
BBB-060RT/200 (red).	1-1768016-3

### Dot Matrix Inks ordering details

DESCRIPTION	TE PART NUMBER
LQ590-RIBBON	1-2186029-1
TMS-SYSTEM-SIX-RIBBON-A (Obsolete)	310347-000
TMS-SYSTEM-SIX-RIBBON-B (Obsolete)	264327-000
TMS-LQ590-RIBBON	CC3130-000
1892BK04-RIBBON (Obsolete)	D06106-000
1892BK03-HIGH-PERF-RIBBON (Obsolete)	A72722-000
18910000-OKI380-RIBBON (Obsolete)	856832-000
1330-0037-00 (Obsolete)	9-1198202-3

### Trademarks

TMS, TE Connectivity (TE) logo and Tyco Electronics are trademarks of the Tyco Electronics group of companies and its licensors. Other products, logos, and Company names mentioned herein may be trademarks of their respective owners.

Kapton and Tedlar are trademarks of E I du Pont de Nemours & Company for polyimide films.

### Related Documents:

404-121000 WinTotal Ribbon List  
TTDS-257 Printing Ribbons and Inks

Author: I. Ridgeway  
Print date: 7-Jul-15  
Issue date: Jul 2015:  
Page: 30 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.  
If this document is printed it becomes uncontrolled*

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А