


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E3	PART STATUS UPDATED	09JAN2018	RK	PS

Technical drawing of a mechanical part with the following dimensions and tolerances:

- Top width: 5.06 REF
- Height: 6.2
- Bottom width: $7.65^{+0.1}_{-0.3}$
- Bottom thickness: $0.5^{+0.2}_{-0.1}$
- Left side features:
 - Feature 6: A triangular feature on the left side.
 - Feature 4: A triangular feature on the left side, with a 45°±2° angle indicated.
- Right side feature: A rectangular feature with a width of 0.15.



Technical drawing of a PCB layout for a 6x2 array of components. The drawing shows a rectangular board with a wavy bottom edge. A 6x2 grid of components is centered. Each component is represented by a rectangle with a dashed vertical line through its center. The components are spaced 2.54 mm apart horizontally and 8.4 mm apart vertically. The total width of the component array is $A \pm 0.08$ mm. The total height of the board is 1.5 mm minimum. A dimension line indicates a 2.54 mm spacing between the center lines of the components. A circular feature with a diameter of $\varnothing 1.2 \pm 0.08$ mm is shown on the right side of the board. A label "LÖTSTELLE" points to the right side of the board. A triangular feature with a width of 5 mm is shown on the left side of the board.

6 BEND ANGLE WILL BE $80^{\circ} \pm 5^{\circ}$ WHEN PRODUCED AT DIFFERENT EQUIPMENT (SEMI-AUTOMATIC) DUE TO CAPACITY OR MIX OF LOAD.

2	-	HV 100 KONTAKT / HV 100 CONTACT	Cu Sn		2
1	-	HV 100 GEHÄUSE / HV 100 HOUSING	LCP	SCHWARZ / BLACK	1
POS.	STÜCK / PIECE	BENENNUNG EINZELTEIL PART DESCRIPTION	WERKSTOFF MATERIAL	OBERFLÄCHE / FARBE SURFACE / COLOR	SI No

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. STEIN 20-OCT-97		 TE Connectivity							
		CHK F. REICHARDT 20-OCT-97									
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: TOL ± 0.2 		NAME HV100 REC. CONNECTOR, SMD, DOUBLE ROW WITH ADAPTER PACKED IN BLISTER BELT —							
		APVD G. Feldmeier —		PRODUCT SPEC 108-19056							
		APPLICATION SPEC —		SIZE A2		GAGE CODE 00779		DRAWING NO C-969973		RESTRICTED TO —	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT —		SCALE 1:2		SHEET 1 of 3		REV E3	
CUSTOMER DRAWING											

Technical drawing of a 32 REF cable assembly. The drawing shows five different connector types, labeled 969973-6, 969973-5, 969973-4, 969973-3, and 969973-2, arranged vertically. Each connector is shown in a cross-sectional view, revealing internal components like pins and a central cavity. The connectors are connected to a central cable with a wavy, flexible appearance. The overall height of the assembly is indicated as 32 REF. A dimension line on the right side shows the total height of the assembly, labeled 32 REF. A dimension line on the left side shows the width of the assembly, labeled 32 REF.

Technical drawing showing three views of a mechanical component, likely a bracket or plate, with dimensions and a reference table.

Dimensions:

- Overall width: 100
- Overall height: 100
- Top flange width: 10
- Top flange height: 10
- Bottom flange width: 10
- Bottom flange height: 10
- Central rectangular cutout width: 40
- Central rectangular cutout height: 40
- Side flange width: 10
- Side flange height: 10
- Internal rectangular cutout width: 40
- Internal rectangular cutout height: 40

Reference Table:

REF	72
1-969973-0	
1-969973-8	

		TE Connectivity	
NAME			
HV100 REC. CONNECTOR, SMD, DOUBLE ROW WITH ADAPTER PACKED IN BLISTER BELT			
-			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-969973	-
SCALE 1:2		SHEET 3 OF 3	REV F3

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А