



Expertise Applied | Answers Delivered

World Headquarters

Littelfuse, Inc.
800 E. Northwest Highway
Des Plaines, IL 60016, USA
www.littelfuse.com

**International Sales,
Distribution and
Engineering Facilities:**

North America

• Des Plaines, Illinois USA
Phone: +1 847 391 0512
Fax: +1 847 391 0584

• Birmingham, Michigan USA
Phone: +1 248 988 8530
Fax: +1 248 723 1739

Central and South America

• São Paulo, Brasil
Phone: +55 113 835 3780
Fax: +55 113 645 0612

Europe

• Dünsen, Germany
Phone: +49 4244 819 0
Fax: +49 4244 819 139

• Utrecht, The Netherlands
Phone: +31 30 299 9900
Fax: +31 30 299 9800

Asia/Pacific

• Hong Kong, China
Phone: +852 2810 5099
Fax: +852 2810 5500

• Beijing, China
Phone: +86 10 8454 9408
Fax: +86 10 8454 9409

• Shanghai, China
Phone: +86 21 5383 8016
Fax: +86 21 5383 7476

• Singapore
Phone: +65 6885 9111
Fax: +65 6885 9113

• Shin-Yokohama, Japan
Phone: +81 45 478 1088
Fax: +81 45 478 1089

• Seoul, Korea
Phone: +82 2 6000 8600
Fax: +82 2 6000 8655

• Taipei, Taiwan
Phone: +886 2 8751 1234
Fax: +886 2 8751 1177

India

• Bangalore, India
Phone: +91 984 5119349
Fax: +65 6885 9113

**Research and
Manufacturing Facilities:**

• Dongguan, China

• Suzhou, China

• Wuxi, China

• Dünsen, Germany

• Dundalk, Ireland

• Matamoros, Mexico

• Piedras Negras, Mexico

• Lipa, Philippines

• Yangmei, Taiwan

• Swindon, United Kingdom

• Arcola, IL, United States

• Des Plaines, IL, United States

• Irving, TX, United States

AUTOMOTIVE AFTERMARKET
CIRCUIT PROTECTION PRODUCTS



Expertise Applied | Answers Delivered



Fuses

Fuseholders

Relays

Terminals

Connectors

Blister Packs

Assortment Boxes



FORM NO. AUT030
© February 2008 Littelfuse Inc.

Specifications descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to changes without notice. Visit www.littelfuse.com for the most up-to-date technical information. Littelfuse reserves the right to change the design or construction of any product without notice.

Littelfuse®

The World's Leading Provider of Circuit Protection Solutions

Littelfuse is committed to providing every one of our customers with the right solutions to meet all of your circuit protection needs. That is why we carry the broadest range of technologies available on the market today.

The breadth of our offering, combined with our depth of product and application expertise, gives us the freedom to provide objective, comprehensive solutions to meet the specific needs of each application. This allows for a true partnership with our customers.

The Industries We Serve

Solutions from Littelfuse can be found in virtually every application that uses electrical energy, including:

- Automotive Applications
- Off-Road, Truck & Bus
- Digital Consumer Electronics
- Industrial/Electrical Applications
- Telecom/Datacom Circuits

Solutions for the Automotive Aftermarket

Recognized the world over as the leader in overcurrent and overvoltage circuit protection, Littelfuse is the first choice for all automotive applications. Littelfuse's innovative and reliable circuit protection solutions are designed specifically to guard against over-load or fault currents to ensure that all your circuit protection needs are covered. We offer a broad range of products, packaged in several configurations for the Automotive Aftermarket. This ensures that consumers have access to the same high quality products that we are known for. Our aftermarket products are available for car, truck, bus, commercial, construction and agricultural vehicles. Our range of products include special blisterpacks for supermarkets, fuel station outlets and to auto repair shops.

Choose from fuses, fuseholders, fuselinks, blocks, clips and a range of terminals and tools to meet your needs.

As a full service provider, our customers can select from several products and solutions that are right for you.

Littelfuse is recognized as the world's leader in automotive aftermarket products supplier and for 80 years has maintained its focus on circuit protection. This focus is as strong today as ever.

An Exceptional Portfolio Makes All the Difference

From consumer electronics and telecom circuits to automobiles and industrial equipment, our portfolio of nine technologies, our global footprint, and our reputation as the world's preeminent circuit protection solutions provider continue to make us the partner of choice.



Contents

Fuses

- Blade Type Fuses
- Bolt-Down Fuses
- Fuse Strips
- Cartridge Fuses
- Torpedo Type Fuses
- Glass Fuses
- Smart Glow Fuses
- Diodes

Holders & Pullers

- Holders
- Pullers & Tester

Relays

- ISO MINI® Relays
- Micro Relays
- Starter Relays

Terminals & Accessories

- Non-Insulated Terminals
- Insulated Terminals
- Thermo-Seal Terminals
- Terminal Tools
- Crimping Tools
- Connectors
- Connector Blocks
- Cable Ties

Blister Packs

- MINI® Style Fuses
- Low Profile MINI® Style Fuses
- ATO® Style Fuses
- MAXI™ Style Fuses
- MIDI® Style Fuses
- PAL Style Fuses
- Torpedo Style Fuses
- Glass Fuses
- SmartGlow® Style Fuses
- Fuse Holders
- Relays
- Pullers
- Connectors
- Terminals

Assortment Boxes

- MINI Fuses
- Low Profile MINI Fuse & Low Profile JCASE
- ATO Fuses
- MAXI Fuses
- ATO/MINI//MAXI Fuses
- ATO/Torpedo/Glass Fuses
- ATO/Torpedo/Glass Fuses
- MINI/MAXI Fuses/Fuse holders/Pullers
- ATO/Torpedo/Glass Fuses/Fuseholders
- PAL Fuses
- Insulated Terminals with crimping tool
- Insulated Terminals

Section Contents

Fuses

- Blade Type Fuses
 - MINI®
 - Low Profile MINI®
 - ATO®
 - FKS ATO® Style
 - MAXI™
 - FK3 MAXI™ Style
- Bolt-Down Fuses
 - BF1
 - MIDI®
 - MEGA®
 - CF8
 - Strip
- Cartridge Fuses
 - JCASE®
 - Low Profile JCASE®
 - PAL
- Torpedo Type Fuses
- Glass Fuses
- Smart Glow Fuses
- Diodes

MINI® Blade Fuse

Series: 0297 Voltage Rating: 32 VDC Packaging: 50/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0297002.LXN | 2 A | Grey |
| 0297003.LXN | 3 A | Purple |
| 0297004.LXN | 4 A | Pink |
| 0297005.LXN | 5 A | Brown |
| 029707.5LXN | 7.5 A | Brown |
| 0297010.LXN | 10 A | Red |
| 0297015.LXN | 15 A | Blue |
| 0297020.LXN | 20 A | Yellow |
| 0297025.LXN | 25 A | White |
| 0297030.LXN | 30 A | Green |

Low Profile MINI® Fuses

Series: 0891 Voltage Rating: 58 VDC Packaging: 100/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0891002.H | 2 A | Grey |
| 0891005.H | 5 A | Brown |
| 089107.5.H | 7.5 A | Brown |
| 0891010.H | 10 A | Red |
| 0891015.H | 15 A | Blue |
| 0891020.H | 20 A | Yellow |
| 0891025.H | 25 A | White |
| 0891030.H | 30 A | Green |

ATO® Blade Fuse

Series: 0257 Voltage Rating: 32 VDC Packaging: 50/Pk



| Part Number | Current Rating | Color |
|--------------|----------------|--------|
| 0257001.LXN | 1 A | Black |
| 0257002.LXN | 2 A | Grey |
| 0257003.LXN | 3 A | Purple |
| 0257004.LXN | 4 A | Pink |
| 0257005.LXN | 5 A | Brown |
| 025707.5.LXN | 7.5 A | Brown |
| 0257010.LXN | 10 A | Red |
| 0257015.LXN | 15 A | Blue |
| 0257020.LXN | 20 A | Yellow |
| 0257025.LXN | 25 A | White |
| 0257030.LXN | 30 A | Green |
| 0257035.LXN | 35 A | Blue |
| 0257040.LXN | 40 A | Yellow |

FKS ATO® Style Blade Fuse

Series: 162.6185 Voltage Rating: 32 VDC Packaging: 100/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|------------|
| 162.6185.4106 | 1 A | Black |
| 162.6185.4206 | 2 A | Grey |
| 162.6185.4306 | 3 A | Purple |
| 162.6185.4406 | 4 A | Pink |
| 162.6185.4506 | 5 A | Brown |
| 162.6185.4756 | 7.5 A | Brown |
| 162.6185.5106 | 10 A | Red |
| 162.6185.5156 | 15 A | Blue |
| 162.6185.5206 | 20 A | Yellow |
| 162.6185.5256 | 25 A | White |
| 162.6185.5306 | 30 A | Green |
| 162.6185.5356 | 35 A | Dark Green |
| 162.6185.5406 | 40 A | Orange |

FKS ATO® Style Blade Fuse - 80V

Series: 166.7000 Voltage Rating: 80 VDC Packaging: 100/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|--------|
| 166.7000.4306 | 3 A | Purple |
| 166.7000.4406 | 4 A | Pink |
| 166.7000.4506 | 5 A | Brown |
| 166.7000.4756 | 7.5 A | Brown |
| 166.7000.5106 | 10 A | Red |
| 166.7000.5156 | 15 A | Blue |
| 166.7000.5206 | 20 A | Yellow |
| 166.7000.5256 | 25 A | White |
| 166.7000.5306 | 30 A | Green |

MAXI™ Blade Fuse

Series: 0299 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0299020.TXN | 20 A | Yellow |
| 0299025.TXN | 25 A | Grey |
| 0299030.TXN | 30 A | Green |
| 0299035.TXN | 35 A | Brown |
| 0299040.TXN | 40 A | Orange |
| 0299050.TXN | 50 A | Red |
| 0299060.TXN | 60 A | Blue |
| 0299070.TXN | 70 A | Brown |
| 0299080.TXN | 80 A | White |

FK3 MAXI™ Style Blade Fuse

Series: 169.6885 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|--------|
| 169.6885.5201 | 20 A | Yellow |
| 169.6885.5301 | 30 A | Green |
| 169.6885.5401 | 40 A | Orange |
| 169.6885.5501 | 50 A | Red |
| 169.6885.5601 | 60 A | Blue |
| 169.6885.5701 | 70 A | Brown |
| 169.6885.5801 | 80 A | White |
| 169.6885.6101 | 100 A | Purple |

FK3 MAXI™ Style Blade Fuse-80V

Series: 166.6885 Voltage Rating: 80 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|--------|
| 166.6885.5201 | 20 A | Yellow |
| 166.6885.5301 | 30 A | Green |
| 166.6885.5401 | 40 A | Orange |
| 166.6885.5501 | 50 A | Red |

BF1 Fuse

Series: 153.5631 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|--------|
| 153.5631.5301 | 30 A | Orange |
| 153.5631.5401 | 40 A | Green |
| 153.5631.5501 | 50 A | Red |
| 153.5631.5601 | 60 A | Yellow |
| 153.5631.5701 | 70 A | Brown |
| 153.5631.5801 | 80 A | White |
| 153.5631.6101 | 100 A | Blue |
| 153.5631.6121 | 125 A | Pink |
| 153.5631.6151 | 150 A | Grey |

MIDI® Fuse

Series: 0498 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0498030.TXN | 30 A | Orange |
| 0498040.TXN | 40 A | Green |
| 0498050.TXN | 50 A | Red |
| 0498060.TXN | 60 A | Yellow |
| 0498070.TXN | 70 A | Brown |
| 0498080.TXN | 80 A | White |
| 0498100.TXN | 100 A | Blue |
| 0498125.TXN | 125 A | Pink |
| 0498150.TXN | 150 A | Grey |
| 0498200.TXN | 200 A | Purple |

MEGA® Fuse

Series: 0298 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0298080.TXN | 80 A | Red |
| 0298100.TXN | 100 A | Yellow |
| 0298125.TXN | 125 A | Green |
| 0298150.TXN | 150 A | Orange |
| 0298175.TXN | 175 A | White |
| 0298200.TXN | 200 A | Blue |
| 0298225.TXN | 225 A | Brown |
| 0298250.TXN | 250 A | Pink |
| 0298300.TXN | 300 A | Grey |
| 0298350.TXN | 350 A | Green |
| 0298400.TXN | 400 A | Purple |
| 0298450.TXN | 450 A | Yellow |
| 0298500.TXN | 500 A | Brown |

Compact Fuse

Series: 155.0892 Voltage Rating: 58 VDC Packaging: 100/Pk



| Part Number | Current Rating |
|---------------|----------------|
| 155.0892.5501 | 50 A |
| 155.0892.5751 | 75 A |
| 155.0892.6101 | 100 A |
| 155.0892.6121 | 125 A |
| 155.0892.6151 | 150 A |
| 155.0892.6171 | 175 A |
| 155.0892.6201 | 200 A |
| 155.0892.6251 | 250 A |
| 155.0892.6301 | 300 A |

Fuse Strips without Housing

Series: 156.5610 Voltage Rating: 36 VDC Packaging: 100/Pk



| Part Number | Current Rating |
|---------------|----------------|
| 156.5610.5251 | 25 A |
| 156.5610.5301 | 30 A |
| 156.5610.5401 | 40 A |
| 156.5610.5501 | 50 A |
| 156.5610.5601 | 60 A |
| 156.5610.5701 | 70 A |
| 156.5610.5801 | 80 A |
| 156.5610.6101 | 100 A |
| 156.5610.6111 | 120 A |
| 156.5610.6121 | 125 A |
| 156.5610.6151 | 150 A |

Fuse Strips with Housing

Series: 156.5611 Voltage Rating: 80 VDC Packaging: 50/Pk



| Part Number | Current Rating |
|---------------|----------------|
| 156.5611.5301 | 30 A |
| 156.5611.5401 | 40 A |
| 156.5611.5501 | 50 A |
| 156.5611.5601 | 60 A |
| 156.5611.5701 | 70 A |
| 156.5611.5801 | 80 A |
| 156.5611.6101 | 100 A |
| 156.5611.6111 | 120 A |
| 156.5611.6121 | 125 A |
| 156.5611.6151 | 150 A |

HSB Fuse

Series: 156.5677 Voltage Rating: 32 VDC Packaging: 100/Pk



| Part Number | Current Rating |
|---------------|----------------|
| 156.5677.5301 | 30 A |
| 156.5677.5401 | 40 A |
| 156.5677.5501 | 50 A |
| 156.5677.5601 | 60 A |
| 156.5677.5801 | 80 A |
| 156.5677.6111 | 110 A |
| 156.5677.6151 | 150 A |
| 156.5677.6171 | 175 A |

Fuse Strips without Housing

Series: 157.5700 Voltage Rating: 80 VDC Packaging: 50/Pk

for Battery-Powered Vehicles



| Part Number | | Current Rating |
|---------------|---------------|----------------|
| a = 11 mm | a = 9 mm* | |
| 157.5700.5351 | 157.5916.5351 | 35 A |
| 157.5700.5401 | – | 40 A |
| 157.5700.5501 | 157.5916.5501 | 50 A |
| 157.5700.5631 | 157.5916.5631 | 63 A |
| 157.5700.5801 | 157.5916.5801 | 80 A |
| 157.5700.6101 | 157.5916.6101 | 100 A |
| 157.5700.6121 | 157.5916.6121 | 125 A |
| 157.5700.6131 | 157.5916.6131 | 130 A |
| 157.5700.6141 | 157.5916.6141 | 135 A |
| 157.5700.6151 | 157.5916.6151 | 150 A |
| 157.5700.6161 | 157.5916.6161 | 160 A |
| 157.5700.6171 | 157.5916.6171 | 175 A |
| 157.5700.6201 | 157.5916.6201 | 200 A |
| 157.5700.6231 | – | 225 A |
| 157.5700.6251 | 157.5916.6251 | 250 A |
| 157.5700.6271 | – | 275 A |
| 157.5700.6301 | – | 300 A |
| 157.5700.6331 | – | 325 A |
| 157.5700.6351 | – | 355 A |
| 157.5700.6401 | – | 400 A |
| 157.5700.6421 | – | 425 A |
| 157.5700.6501 | – | 500 A |

Fuse Strips with Housing

Series: 157.5701 Voltage Rating: 80 VDC Packaging: 50/Pk

for Battery-Powered Vehicles



| Part Number | | Current Rating |
|---------------|---------------|----------------|
| a = 11 mm | a = 9 mm* | |
| 157.5701.5351 | 157.5917.5351 | 35 A |
| 157.5701.5401 | – | 40 A |
| 157.5701.5501 | 157.5917.5501 | 50 A |
| 157.5701.5631 | 157.5917.5631 | 63 A |
| 157.5701.5801 | 157.5917.5801 | 80 A |
| 157.5701.6101 | 157.5917.6101 | 100 A |
| 157.5701.6121 | 157.5917.6121 | 125 A |
| 157.5701.6131 | – | 130 A |
| 157.5701.6141 | 157.5917.6141 | 135 A |
| 157.5701.6151 | 157.5917.6151 | 150 A |
| 157.5701.6161 | 157.5917.6161 | 160 A |
| 157.5701.6171 | 157.5917.6171 | 175 A |
| 157.5701.6201 | 157.5917.6201 | 200 A |
| 157.5701.6231 | 157.5917.6231 | 225 A |
| 157.5701.6251 | 157.5917.6251 | 250 A |
| 157.5701.6271 | 157.5917.6271 | 275 A |
| 157.5701.6301 | – | 300 A |
| 157.5701.6331 | 157.5917.6331 | 325 A |
| 157.5701.6351 | 157.5917.6351 | 355 A |
| 157.5701.6401 | – | 400 A |
| 157.5701.6421 | 157.5917.6421 | 425 A |
| 157.5701.6501 | 157.5917.6501 | 500 A |

JCASE® Cartridge Fuse

Series: 0495 Voltage Rating: 32 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0495020.TXN | 20 A | Blue |
| 0495025.TXN | 25 A | White |
| 0495030.TXN | 30 A | Pink |
| 0495040.TXN | 40 A | Green |
| 0495050.TXN | 50 A | Red |
| 0495060.TXN | 60 A | Yellow |
| 0495070.TXN | 70 A | Brown |
| 0495080.TXN | 80 A | Black |

Low Profile JCASE® Fuse

Series: 0895 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0895020.TXN | 20 A | Blue |
| 0895025.TXN | 25 A | White |
| 0895030.TXN | 30 A | Pink |
| 0895040.TXN | 40 A | Green |
| 0895050.TXN | 50 A | Red |
| 0895060.TXN | 60 A | Yellow |

PAL - Female

Series: 0293 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0293020.TXN | 20 A | Blue |
| 0293030.TXN | 30 A | Pink |
| 0293040.TXN | 40 A | Green |
| 0293050.TXN | 50 A | Red |
| 0293060.TXN | 60 A | Yellow |

PAL - Female Slot

Series: 02935 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|-------|
| 0293525.TXN | 25 A | Brown |
| 0293530.TXN | 30 A | Green |
| 0293545.TXN | 45 A | Red |
| 0293565.TXN | 65 A | Black |
| 0293575.TXN | 75 A | Grey |

PAL - Female Small


Series: 02938 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|-------|
| 0293830.TXN | 30 A | Pink |
| 0293840.TXN | 40 A | Green |

PAL - Male


Series: 0294 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0294030.TXN | 30 A | Pink |
| 0294040.TXN | 40 A | Green |
| 0294050.TXN | 50 A | Red |
| 0294060.TXN | 60 A | Yellow |
| 0294070.TXN | 70 A | Brown |
| 0294080.TXN | 80 A | Black |
| 0294100.TXN | 100 A | Blue |
| 0294120.TXN | 120 A | White |

PAL - Bent


Series: 0295 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0295030.TXN | 30 A | Yellow |
| 0295040.TXN | 40 A | Green |
| 0295050.TXN | 50 A | Red |
| 0295060.TXN | 60 A | Yellow |
| 0295070.TXN | 70 A | Brown |
| 0295080.TXN | 80 A | Black |
| 0295100.TXN | 100 A | Blue |
| 0295120.TXN | 120 A | White |

PAL - Bent Short

Series: 0283 Voltage Rating: 58 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0283030.TXN | 30 A | Yellow |
| 0283040.TXN | 40 A | Green |
| 0283050.TXN | 50 A | Red |
| 0283060.TXN | 60 A | Yellow |
| 0283070.TXN | 70 A | Brown |
| 0283080.TXN | 80 A | Black |
| 0283100.TXN | 100 A | Blue |
| 0283120.TXN | 120 A | White |

Thermoplastic Fuse

Series: 0214 Voltage Rating: 36 VDC Packaging: 50/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| 0214005.LXN | 5A | Yellow |
| 0214008.LXN | 8A | White |
| 0214016.LXN | 16A | Red |
| 0214025.LXN | 25A | Blue |
| 0214040.LXN | 40A | Black |

ATS Ceramic Fuse

Series: 151.51xx Voltage Rating: 36 VDC Packaging: 100/Pk



| Part Number | Current Rating | Color |
|---------------|----------------|--------|
| 151.5100.4506 | 5 A | Yellow |
| 151.5112.4806 | 8 A | White |
| 151.5182.5166 | 16 A | Red |
| 151.5182.5256 | 25 A | Blue |

Glass 5 x 20mm Fast-Acting

Series: 0217 Voltage Rating: 250 VDC Packaging: 10 x 10



| Part Number | Current Rating |
|-------------|----------------|
| 0217.500TXP | .500 A |
| 0217.630TXP | .630 A |
| 0217.800TXP | .800 A |
| 0217001.TXP | 1 A |
| 02171.25TXP | 1.25 A |
| 021701.6TXP | 1.6 A |
| 0217002.TXP | 2 A |
| 021702.5TXP | 2.5 A |
| 02173.15TXP | 3.15 A |
| 0217004.TXP | 4 A |
| 0217005.TXP | 5 A |
| 021706.3TXP | 6.3 A |
| 0217008.TXP | 8 A |
| 0217010.TXP | 10 A |

Glass 5 x 20mm Time-Lag

Series: 0218 Voltage Rating: 250 VDC Packaging: 10 x 10



| Part Number | Current Rating |
|-------------|----------------|
| 0218.500TXP | .500 A |
| 0218.630TXP | .630 A |
| 0218.800TXP | .800 A |
| 0218001.TXP | 1 A |
| 02181.25TXP | 1.25 A |
| 021801.6TXP | 1.6 A |
| 0218002.TXP | 2 A |
| 021802.5TXP | 2.5 A |
| 02183.15TXP | 3.15 A |
| 0218004.TXP | 4 A |
| 0218005.TXP | 5 A |
| 021806.3TXP | 6.3 A |
| 0218008.TXP | 8 A |
| 0218010.TXP | 10 A |

Glass 6.35 x 32mm Fast-Acting

Series: 0312 Voltage Rating: 32/250V Packaging: 100/Pk



| Part Number | Current Rating | Voltage |
|-------------|----------------|---------|
| 0312005.HXP | 5 A | 250 V |
| 0312010.HXP | 10 A | 250 V |
| 0312015.HXP | 15 A | 32 V |
| 0312020.HXP | 20 A | 32 V |
| 0312025.HXP | 25 A | 32 V |
| 0312030.HXP | 30 A | 32 V |
| 0312035.HXP | 35 A | 32 V |

Smart Glow - MINI®

Series: OCAM Voltage Rating: 12 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|--------|
| OCAM003.T | 3 A | Purple |
| OCAM005.T | 5 A | Orange |
| OCAM07.5.T | 7.5 A | Brown |
| OCAM10.T | 10 A | Red |
| OCAM15.T | 15 A | Blue |
| OCAM20.T | 20 A | Yellow |
| OCAM25.T | 25 A | White |
| OCAM30.T | 30 A | Green |

Smart Glow - Standard


Series: OCAS Voltage Rating: 12 VDC Packaging: 10/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|---------------|
| OCAS003.T | 3 A | Purple |
| OCAS005.T | 5 A | Orange |
| OCAS07.5.T | 7.5 A | Brown |
| OCAS10.T | 10 A | Red |
| OCAS15.T | 15 A | Blue |
| OCAS20.T | 20 A | Yellow |
| OCAS25.T | 25 A | White |
| OCAS30.T | 30 A | Green |
| OCAS35.T | 35 A | Light Blue |
| OCAS40.T | 40 A | Yellow-Orange |

ATO & MINI Diodes

Series: 0240 Voltage Rating: 1 VDC Packaging: 50/Pk



| Part Number | Current Rating | Color |
|-------------|----------------|-------|
| 02400103 | 1 A | Black |
| 02400104 | 1 A | Black |


Section Contents

Holders & Pullers

- In-Line Splash-Waterproof Fuseholder for MINI® Style Blade Fuse
- PCB Mount Fuseholder for MINI® Style Blade Fuse
- PCB Mount Fuseholder for MINI® Style Blade Fuse Rated 125V
- In-Line Fuseholder for ATO® Style Blade Fuse
- In-Line Splash-Waterproof Fuseholder for ATO® Style Blade Fuse
- Add-a-Circuit MINI® Style
- Add-a-Circuit ATO® Style
- Stackable Panel Mount Fuseholder for ATO® Style Blade Fuse
- Snap Mount Fuseholder for ATO® Style Blade Fuse
- Stackable Panel Mount Fuseholder for ATO® Style Blade Fuse
- FH2 Stackable Block Fuseholder for ATO® Style Blade Fuse Rated 80V
- FH2 Stackable Block Fuseholder for ATO® Style Blade Fuse Rated 58V
- FKH Fuseholder for ATO® Style Blade Fuse Rated 80V
- FKH Stackable Fuseholder for ATO® Style Blade Fuse Rated 58V
- FLR PCB Fuseholder for ATO® Style Blade Fuse Rated 80V
- FLR PCB Fuseholder for ATO® Style Blade Fuse Rated 58V
- FKH Stackable Fuseholder with 90° connection for ATO® Style Blade Fuse Rated 80V
- 5 position Block Fuseholder for ATO® Style Blade Fuse
- Cable Connector for ATO® Style Fuse
- PCB Fuse Clip for ATO® Style Blade Fuse
- Fuseholder for MAXI™ Style Blade Fuse
- Splash-Waterproof Fuseholder for MAXI™ Style Blade Fuse
- Splash-Waterproof MAXI™ Components
- In-Line Fuseholder for MAXI™ Style Blade Fuse
- Fuseholder for BF1 Style Bolt-Down Fuse
- Fuseholder for MEGA® Style Bolt-Down Fuse
- Splash-Waterproof Fuseholder for MEGA® Style Bolt-down Fuse
- Fuse Bases for Fuse Strips Rated 80V - Single
- Fuse Bases for Fuse Strips Rated 80V - Double
- Battery Clamp for CF8 Fuses Rated 58V
- Insulating Nuts for CF8 Fuses
- ATS In-Line Fuseholder for Torpedo Style Fuse rated 36V
- 5 x 20 mm Glass Fuseholder
- 6.35 x 32 mm Glass Fuseholder
- Various Pullers and Tester

In-Line Splash-Waterproof Fuseholder for MINI® Style Fuse

Packaging: 50/Pk



| Part Number. | Description | Fuse Rating |
|--------------|-----------------------------------|-------------|
| 0FHM0001LXN | 14AWG/2.1mm² stranded black wire | 20 A |
| 0FHM0002LXN | 12AWG/3.3mm² stranded orange wire | 30 A |

Holders & Pullers

PCB Mount Fuseholder for MINI® Style Fuse


Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|-------------------------------------|-------------|
| 01530007LXN | Horizontal Mount | 15 A |
| 01530008LXN | Single vertical Mount (or End Unit) | 15 A |
| 01530009LXN | Stackable vertical Mount | 15 A |

PCB Mount Fuseholder for MINI® Style Fuse - 125V


Packaging: 100/Pk



| Part Number | Description | Contact Temperature |
|---------------|-------------|---------------------|
| 178.6764.0001 | Complete | max. 130°C |

In-Line Fuseholder for ATO® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| 0FHA0001LXN | 16AWG/1.3mm ² stranded black wire | 20 A |
| 0FHA0002LXN | 12AWG/3.3mm ² stranded orange wire | 30 A |

In-Line Splash-Waterproof Fuseholder for ATO® Style Fuse


Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| FHAC0001LXN | 16AWG/1.3mm ² stranded black wire | 20 A |
| FHAC0002LXN | 12AWG/3.3mm ² stranded orange wire | 30 A |

Add-A-Circuit Fuseholder for MINI® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| 0FHM0200Z | Fusetap and holder for installing additional accessories without splicing | 10 A |

Add-A-Circuit Fuseholder for ATO® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| 0FHA0200Z | Fusetap and holder for installing additional accessories without splicing | 10 A |

Stackable Panel Mount Fuseholder for ATO® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| 01550300LXN | 14AWG/2.1mm ² stranded black wire | 20 A |
| 01550400LXN | 10AWG/5.3mm ² stranded orange wire | 30 A |

Snap Mount Fuseholder for ATO® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|--|-------------|
| 01510001LXN | Snap-mount holder assembled, color black | 20 A |

Holders & Pullers

Holders & Pullers

Stackable Panel Mount Fuseholder for ATO® Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|---|-------------|
| 08680900LXN | Assortment: Holders with brackets and terminals, color black - 50 pcs | 20 A |

FKH Stackable Fuseholder for ATO® Style Fuse - 80V

Packaging: 100/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------------------------|---------------------|
| 178.6152.0001 | Complete with DFK 1.5 - 2.5 mm² | max. 130°C |

FH2 Stackable Block Fuseholder for ATO® Style Fuse - 80V

Packaging: 100/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------------------------|---------------------|
| 178.6105.0001 | Complete with DFK 1.5 - 2.5 mm² | max. 130°C |

FKH Stackable Fuseholder for ATO® Style Fuse - 58V

Packaging: 1000/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------------------------|---------------------|
| 178.4252.0002 | Complete with DFK 1.5 - 2.5 mm² | max. 130°C |

FH2 Stackable Block Fuseholder for ATO® Style Fuse - 58V

Packaging: 1000/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------------------------|---------------------|
| 178.4205.0002 | Complete with DFK 1.5 - 2.5 mm² | max. 130°C |

FLR PCB Fuseholder for ATO® Style Fuse - 80V

Packaging: 100/Pk



| Part Number | Description | Contact Temperature |
|---------------|-------------|---------------------|
| 178.6165.0001 | Complete | max. 130°C |

Holders & Pullers

Holders & Pullers

FLR PCB Fuseholder for ATO® Style Fuse - 58V

Packaging: 500/Pk



| Part Number | Description | Contact Temperature |
|---------------|-------------|---------------------|
| 178.4265.0002 | Complete | max. 130°C |

Cable Connector for ATO Style Fuse


Packaging: 50/Pk



| Part Number | Description | Contact Temperature |
|-------------|--|---------------------|
| 178.000100 | Cable connector ofr ATO Style Blade Fuse | max. 130°C |

FKH Fuseholder with 90° connection for ATO® Style Fuse - 80V

Packaging: 100/Pk



| Part Number | Description | Contact Temperature |
|---------------|-------------|---------------------|
| 178.7017.0001 | Complete | max. 130°C |

PCB Fuse Clip for ATO® Style Fuse

Packaging: 100/Pk



| Part Number | Description | Fuse Rating |
|-------------|------------------------------------|-------------|
| 01000057H | Tin plated for P.C. Board mounting | 15 A |

5 position Block Fuseholder for ATO® Style Fuse

Packaging: 10/Pk



| Part Number | Description | Fuse Rating |
|-------------|--|-------------|
| 03500417TXN | ATO® block 5 positions, horizontal contacts | 15 A |
| 03500418TXN | ATO® block 5 positions, vertical contacts | 15 A |
| 03500419TXN | ATO® block 5 positions, horizontal + vertical contacts | 15 A |
| 03500420TXN | ATO® block 5 positions, P.C. Board contacts | 15 A |

Fuseholder for MAXI™ Style Fuse

Packaging: 10/Pk



| Part Number | Description | Fuse Rating |
|----------------|---|-------------|
| 01520001TXN940 | Assortment: Fuseholder with screws and terminals - 10 pcs. | 60 A |
| 01520001TXN941 | Assortment: Fuseholder, Cover with screws and terminals - 10 pcs. | 60 A |

Components

| Part Number | Description | Packaging |
|-------------|----------------------------------|-----------|
| 01520001TXN | Fuse holder | 10/pk |
| 01520900TXN | Cover | 10/pk |
| 09130653LXN | Terminals for wire Ø 2.5 - 6 mm2 | 50/pk |
| 09130654LXN | Terminals for wire Ø 5 - 10 mm2 | 50/pk |
| 09130550LXN | Screws Ø 5.3 mm, M 5x8 | 50/pk |

Splash-waterproof fuseholder for MAXI™ Style Fuse

Packaging: 10/Pk



| Part Number | Description | Fuse Rating |
|----------------|---|-------------|
| 01520003TXN941 | Assortment: Fuseholder 01520003 with terminals, seals and cover for 4-6mm ² - 10 pcs. | 60 A |
| 01520003TXN942 | Assortment: Fuseholder 01520003 with terminals, seals and cover for 6-10mm ² - 10 pcs. | 60 A |
| 279.6850.0402 | Assortment: Fuseholder 279.6800.000 with terminals, seals and cover for 4mm ² - 10 pcs. | 80 A |
| 279.6850.0602 | Assortment: Fuseholder 279.6800.000 with terminals, seals and cover for 6-10mm ² - 10 pcs. | 80 A |
| 279.6850.1602 | Assortment: Fuseholder 279.6800.000 with terminals, seals and cover for 16mm ² - 10 pcs. | 80 A |

Components

Packaging: 10/Pk

| Part Number | Description | Fuse Rating |
|---------------|---|-------------|
| 279.6800.0001 | Fuseholder UL 94-V0 ** | 80 A |
| 01520003TXN | Fuseholder PA66-GF30* | 60 A |
| 01520903TXN | Cover | - |
| 09130726TXN | Loose terminals for wire Ø 2.5 - 4 mm ² - 10 pcs | - |
| 09130727TXN | Loose terminals for wire Ø 4 - 6 mm ² - 10 pcs | - |
| 09130728TXN | Loose terminals for wire Ø 6 - 10 mm ² - 10 pcs | - |
| 08680905TXN | Wire seals for wire Ø 2.5 - 6 mm ² - 10 pcs | - |
| 08680906TXN | Wire seals for wire Ø 6 - 10 mm ² - 10 pcs | - |

**UL94-V0: Self extinguishing
*PA66-GF30: Heat resistant

In-Line Fuseholder for MAXI™ Style Fuse

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|------------------|-------------|
| 0MAH0001Z | Wire color black | 60 A |

Fuseholder for BF1 Style Fuse

Packaging: 10/Pk



| Part Number | Description | Fuse Rating |
|-------------|----------------|-------------|
| 0498900.TXN | Holder & Cover | 200 A |

Fuseholder for MEGA® Style Fuse

Packaging: 10/Pk



| Part Number | Description | Fuse Rating |
|-------------|----------------|-------------|
| 02980900TXN | Holder & Cover | 500 A |

Splash-Waterproof Fuseholder for MEGA® Style Fuse

Packaging: Varies



| Part Number | Description | Fuse Rating |
|-------------|----------------|-------------|
| 298907-030 | Holder 140 pcs | 250 A |
| 298907-040 | Cover 270 pcs. | - |

Fuse Base for Fuse Strips - 80V (Single)

Packaging: 10/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------|---------------------|
| 177.5701.0001 | Fuse base | max. 425 A |
| 177.5731.0001 | Fuse base | max. 425 A |
| 192.5710.0001 | Phase barrier | - |

Fuse Base for Fuse Strips - 80V (Double)

Packaging: 10/Pk



| Part Number | Description | Contact Temperature |
|---------------|---------------|---------------------|
| 177.5702.0001 | Fuse base | max. 250 A |
| 177.5741.0001 | Fuse base | max. 250 A |
| 192.5710.0001 | Phase barrier | - |

Battery Clamp for CF8 Fuse - 58V

Packaging: 100 & 50/Pk



| Part Number | Description | Fuse Rating | Pk. |
|---------------|----------------------|----------------------|-----|
| 255.1000.0001 | Battery clamp 1 pole | max. 250 A (23+-5°C) | 100 |
| 255.2000.0001 | Battery clamp 2 pole | max. 250 A (23+-5°C) | 50 |

Insulating Nuts for CF8 Fuse

Packaging: Varies



| Part Number | Description | Contact Temperature |
|-------------------------|--|------------------------|
| 255.0808.0001 250/pk | Insulating nut (Duroplastic) | max. 300 A (23°C+-5°C) |
| 255.0899.4001 100/pk | Insulating nut with locking hook 4.9mm (Thermoplastic) (Red) | max. 150 A (23°C+-5°C) |
| 255.0899.5001 100/pk | Insulating nut with locking hook 5.9mm (Thermoplastic) (Black) | max. 150 A (23°C+-5°C) |

ATS In-line Fuseholder for Torpedo Style Fuse - 36V

Packaging: 100/Pk



| Part Number | Description |
|---------------|--------------------|
| 276.5105.0002 | Without fuse link |
| 276.5105.4802 | With fuse link 8A |
| 276.5105.5162 | With fuse link 16A |

5 x 20mm Glass Fuseholder

Packaging: 100/Pk



| Part Number | Description | Fuse Rating |
|---------------|-------------|-------------|
| 271.1101.0002 | 250 V | 6.3 A |

6.35 x 32mm Glass Fuseholder

Packaging: 50/Pk



| Part Number | Description | Fuse Rating |
|-------------|------------------------------------|-------------|
| 01550100LXN | 14 AWG/2.1 mm2-stranded red wire | 20 A |
| 04450004LXN | 16 AWG/1.3 mm2-stranded black wire | 20 A |

Pullers

Packaging: Varies



| Part Number | Description | Pk. |
|----------------|----------------------------|------|
| 165.0020.0002 | ATO® / MINI® / MAXI™ Style | 500 |
| 00970021HXNVDL | ATO® / MINI® Style | 100 |
| 00970023HXN | ATO® / MINI® / Glass Style | 100 |
| 00970024Z | MINI® Style | 500 |
| 00970027LXN | MAXI™ Style | 50 |
| 00970053Z | JCASE® Style | 1 |
| 00970999P | ATO® Style | 2000 |


Puller / Tester

Packaging: 10/Pk



| Part Number | Description |
|-------------|------------------|
| 00970019X | ATO®/MINI® Style |

Section Contents



Relays

- ISO MINI® Relays
- Micro Relays
- Starter Relays

ISO MINI® Relays

Series: 020407

Packaging: 10/Pk



Normally open relay

| Part Number | Volt | Ampere | Feature |
|-------------|------|--------|----------|
| 02040701TXN | 12V | 30A | – |
| 02040705TXN | 12V | 30A | Resistor |
| 02040715TXN | 12V | 40A | Resistor |
| 02040709TXN | 12V | 30A | Diode |
| 02040702TXN | 24V | 20A | – |
| 02040706TXN | 24V | 20A | Resistor |
| 02040710TXN | 24V | 20A | Diode |

Change over relay

| Part Number | Volt | Ampere | Feature |
|-------------|------|--------|----------|
| 02040703TXN | 12V | 20/30A | – |
| 02040707TXN | 12V | 20/30A | Resistor |
| 02040711TXN | 12V | 20/30A | Diode |
| 02040716TXN | 12V | 30/40A | Diode |
| 02040704TXN | 24V | 10/20A | – |
| 02040708TXN | 24V | 10/20A | Resistor |
| 02040712TXN | 24V | 10/20A | Diode |

MICRO Relays

Series: 020406

Packaging: 10/Pk



Normally open relay

| Part Number | Volt | Ampere | Feature |
|-------------|------|--------|----------|
| 02040601TXN | 12V | 25A | – |
| 02040605TXN | 12V | 25A | Resistor |
| 02040609TXN | 12V | 25A | Diode |
| 02040602TXN | 24V | 10A | – |
| 02040606TXN | 24V | 10A | Resistor |
| 02040610TXN | 24V | 10A | Diode |

Change over relay

| Part Number | Volt | Ampere | Feature |
|-------------|------|--------|----------|
| 02040603TXN | 12V | 20/10A | – |
| 02040607TXN | 12V | 20/10A | Resistor |
| 02040611TXN | 12V | 20/10A | Diode |
| 02040604TXN | 24V | 15/10A | – |
| 02040608TXN | 24V | 15/10A | Resistor |
| 02040612TXN | 24V | 15/10A | Diode |

STARTER Relays

Series: 020405

Packaging: 10/Pk



Normally open relay

| Part Number | Volt | Ampere |
|-------------|------|--------|
| 02040502TXN | 12V | 50A |
| 02040501TXN | 12V | 70A |
| 02040505TXN | 24V | 30A |
| 02040504TXN | 24V | 40A |
| 02040503TXN | 24V | 50A |

Bracket

Packaging: 10/Pk



Bracket for ISO MINI Relay or STARTER Relay

| Part Number |
|-------------|
| 02040700TXN |

Section Contents

Terminals & Accessories

- Non-Insulated Terminals
- Insulated Terminals
- Thermo-Seal Terminals
- Terminal Tools
- Crimping Tools
- Connectors
- Connector Blocks
- Cable Ties

Non-Insulated Terminals

| Terminal Type | mm ² | Dimensions | Material | Plating | Part Number | Ref. | Pack Size |
|---|-----------------|------------|----------|---------|--------------|------|-----------|
|  | 0.5 - 2.5 | M4 | CuZn | Sn | 09130595HXN* | 254 | 100 |
| | 0.5 - 2.5 | M5 | CuZn | Sn | 09130596HXN* | 255 | 100 |
| | 0.5 - 2.5 | M6 | CuZn | Sn | 09130597HXN* | 259 | 100 |
| | 0.5 - 2.5 | M8 | CuZn | Sn | 09130598HXN* | 258 | 100 |
| | 4.0 - 6.0 | M10 | CuZn | Sn | 09130599HXN* | 251 | 100 |
|  | 1.5 - 2.5 | M4 | CuZn | Sn | 09130593HXN | 252 | 100 |
|  | 1.0 - 2.5 | Ø 4 mm | CuZn | -- | 09130607HXN | 294 | 100 |
| | 1.0 - 2.5 | Ø 5 mm | CuZn | -- | 09130609HXN | 296 | 100 |
|  | 1.0 - 2.5 | Ø 5 mm | CuSnZn | -- | 09130610HXN | 297 | 100 |
|  | 0.75 - 1.5 | Ø 1.6 mm | CuSn | Sn | 09130713LXN | 713 | 50 |
|  | 0.5 - 1.0 | Ø 1.6 mm | CuSn | Sn | 09130715LXN | 715 | 50 |
| | 1.5 - 2.5 | Ø 1.6 mm | CuZn | Sn | 09130725LXN | 725 | 50 |
|  | 0.5 - 1.0 | Ø 3.5 mm | CuSn | Sn | 09130706LXN | 3706 | 50 |
| | 1.0 - 2.5 | Ø 3.5 mm | CuSn | Sn | 09130705LXN | 3705 | 50 |







* DIN 46225 / 46236 / 46247 / 46248 / 36340 / 46342 / 46343 / 46346 / 46347

Non-Insulated Terminals

| Terminal Type | mm ² | Dimensions | Material | Plating | Part Number | Ref. | Pack Size |
|---|-----------------|------------|----------|---------|--------------|------|-----------|
|  | 0.75 - 1.5 | Ø 1.6 mm | CuZn | Sn | 09130712LXN | 712 | 50 |
|  | 0.5 - 1.0 | Ø 3.5 mm | CuSn | Sn | 09130707LXN | 707 | 50 |
| | 1.0 - 2.5 | Ø 3.5 mm | CuSn | Sn | 09130708LXN | 3708 | 50 |
|  | 0.5 - 1.0 | 2.8x0.5 mm | CuZn | -- | 09130603HXX | 2921 | 100 |
| | 0.5 - 1.0 | 2.8x0.5 mm | CuZn | Sn | 09130606HXX | 2923 | 100 |
| | 0.75 - 1.5 | 2.8x0.8 mm | CuZn | -- | 09130717LXN | 717 | 50 |
|  | 0.75 - 1.5 | 6.3x0.8 mm | CuZn | -- | 09130602HXX* | 292 | 100 |
| | 1.0 - 2.5 | 6.3x0.8 mm | CuZn | -- | 09130605HXX* | 2922 | 100 |
|  | 0.5 - 1.0 | 6.3x0.8 mm | CuZn | Sn | 09130701LXN* | 701 | 50 |
| | 1.0 - 2.5 | 6.3x0.8 mm | CuZn | Sn | 09130702LXN* | 702 | 50 |
|  | 1.0 - 2.5 | 6.3x0.8 mm | CuZn | Ag | 09130716LXN* | 716 | 50 |

* DIN 46225 / 46236 / 46247 / 46248 / 36340 / 46342 / 46343 / 46346 / 46347

Non-Insulated Terminals

| Terminal Type | mm ² | Dimensions | Material | Plating | Part Number | Ref. | Pack Size |
|---|-----------------|------------|----------|---------|--------------|------|-----------|
|  | -- | 6.3 mm | PA | -- | 08690909HXX | 909 | 100 |
|  | -- | 6.3x0.8 mm | CuZn | -- | 09130620HXX* | 289 | 100 |
|  | 0.5 - 1.0 | 2.8x0.8 mm | CuZn | Sn | 09130721LXN* | 2924 | 50 |
| | 1.0 - 2.5 | 6.3x0.8 mm | CuZn | -- | 09130604HXX | 2911 | 100 |
|  | 0.5 - 1.0 | 6.3x0.8 mm | CuZn | Sn | 09130704LXN | 3704 | 50 |
| | 1.0 - 2.5 | 6.3x0.8 mm | CuZn | Sn | 09130703LXN | 703 | 50 |
|  | 1.5 - 2.5 | 2.8x0.8 mm | CuSn | Sn | 09130711LXN | 711 | 50 |
|  | 0.5 - 1.0 | 4.8x0.8 mm | CuSn | Sn | 09130709LXN | 709 | 50 |
| | 1.5 - 2.5 | 4.8x0.8 mm | CuZn | Sn | 09130710LXN | 3710 | 50 |

* DIN 46225 / 46236 / 46247 / 46248 / 36340 / 46342 / 46343 / 46346 / 46347






Insulated Terminals

| Terminal Type | Dimensions | Material | Plating | Red Wire: Ø 0.5 - 1.5 mm ² | | Blue Wire: Ø 1.5 - 2.5 mm ² | | Yellow Wire: Ø 2.5 - 6.0 mm ² | |
|---|------------|----------|---------|--|------|---|------|---|------|
| | | | | Part Number | Ref. | Part Number | Ref. | Part Number | Ref. |
|  | M3 | Cu | Sn | 09130511LXN | 556 | 09130527LXN | 558 | -- | -- |
| | M4 | Cu | Sn | 09130512LXN | 535 | 09130528LXN | 536 | 09130568LXN | 674 |
| | M5 | Cu | Sn | 09130513LXN | 557 | 09130529LXN | 537 | 09130539LXN | 538 |
| | M6 | Cu | Sn | 09130553LXN | 636 | 09130530LXN | 560 | 09130540LXN | 539 |
| | M8 | Cu | Sn | 09130578LXN | 638 | 09130562LXN | 658 | 09130541LXN | 563 |
| | M10 | Cu | Sn | 09130579LXN | 640 | 09130563LXN | 660 | 09130542LXN | 554 |
|  | M3 | Cu | Sn | 09130554LXN | 643 | 09130564LXN | 663 | -- | -- |
| | M4 | Cu | Sn | 09130555LXN | 644 | 09130531LXN | 552 | 09130582LXN | 684 |
| | M5 | Cu | Sn | 09130556LXN | 645 | 09130532LXN | 553 | 09130573LXN | 685 |
|  | Ø 4 mm | CuZn | Sn | 09130509LXN | 547 | 09130523LXN | 1550 | -- | -- |
| | Ø 5 mm | CuZn | Sn | | | 09130521LXN | 550 | 09130537LXN | 850 |
|  | Ø 4 mm | CuZn | Sn | 09130510LXN | 548 | 09130524LXN | 1549 | -- | -- |
| | Ø 5 mm | CuZn | Sn | | | 09130522LXN | 549 | 09130538LXN | 849 |

Insulated Terminals


| Terminal Type | Material | Plating | Dim | Red Wire: Ø 0.5 - 1.5 mm ² | | Blue Wire: Ø 1.5 - 2.5 mm ² | | Yellow Wire: Ø 2.5 - 6.0 mm ² | |
|---|----------|---------|-----------|--|------|---|-------------|---|-----------|
| | | | | Part Number | Ref. | Part Number | Ref. | Part Number | Ref. |
|  | Cu | Sn | | 09130508LXN | 545 | 09130520LXN | 546 | 09130536LXN | 551 |
|  | CuZn | Sn | 2.8x0.8mm | 09130500LXN | 559 | -- | -- | -- | -- |
| | CuZn | Sn | 4.8x0.8mm | 09130502LXN | 741 | 4.8x0.8mm | 09130514LXN | 742 | -- |
| | CuZn | Sn | 6.3x0.8mm | 09130503LXN | 541 | 6.3x0.8mm | 09130515LXN | 542 | 6.3x0.8mm |
|  | | | -- | -- | -- | 8.0x0.8mm | 09130519LXN | 544 | 9.5x1.2mm |
| | CuZn | Sn | 2.8x0.8mm | 09130501LXN | 940 | -- | -- | -- | -- |
| | CuZn | Sn | 4.8x0.8mm | 09130851LXN | -- | 4.8x0.8mm | 09130657LXN | 743 | -- |
|  | CuZn | Sn | 6.3x0.8mm | 09130505LXN | 540 | 6.3x0.8mm | 09130517LXN | 740 | 6.3x0.8mm |
| | CuZn | Sn | 6.3x0.8mm | 09130504LXN | 1541 | 6.3x0.8mm | 09130516LXN | 1542 | 6.3x0.8mm |
|  | CuZn | Sn | 6.3x0.8mm | 09130506LXN | 561 | 6.3x0.8mm | 09130518LXN | 562 | 6.3x0.8mm |
|  | Cu | Sn | Ø 1.9 mm | 09130558LXN | 566 | Ø 1.9 mm | 09130525LXN | 564 | Ø 2.6 mm |

ThermoSeal Insulated Terminals

| Terminal Type | Red Wire: Ø 0.5 - 1.5 mm ² | | | Blue Wire: Ø 1.5 - 2.5 mm ² | | | Yellow Wire: Ø 4.0 - 6.0 mm ² | | |
|---|--|-------------|------|---|-------------|------|---|-------------|------|
| | Dim | Part Number | Ref. | Dim | Part Number | Ref. | Dim | Part Number | Ref. |
|  | M4 | 09130662LXN | 1401 | M4 | 09130668LXN | 1402 | M4 | 09130673LXN | 1403 |
| | M5 | 09130663LXN | 1501 | M5 | 09130669LXN | 1502 | M5 | 09130674LXN | 1503 |
| | M6 | 09130664LXN | 1601 | M6 | 09130670LXN | 1602 | M6 | 09130675LXN | 1603 |
| | M8 | 09130665LXN | 1801 | M8 | 09130671LXN | 1802 | M8 | 09130676LXN | 1803 |
| | M10 | 09130666LXN | 1991 | M10 | 09130672LXN | 1992 | M10 | 09130677LXN | 1993 |
|  | M4 | 09130681LXN | 2401 | M4 | 09130682LXN | 2402 | M4 | 09130684LXN | 2403 |
| | -- | -- | -- | M5 | 09130683LXN | 2502 | -- | -- | -- |
|  | 6.3x0.8mm | 09130686LXN | 3631 | 6.3x0.8mm | 09130687LXN | 3632 | -- | -- | -- |
|  | 6.3x0.8mm | 09130688LXN | 4631 | 6.3x0.8mm | 09130689LXN | 4632 | -- | -- | -- |
|  | -- | 09130678LXN | 0001 | -- | 09130679LXN | 0002 | -- | 09130680LXN | 0003 |

Applies to all products: Material: CuAlloy; Plating: Sn; Pack Size: 50

Terminal Tools



| Part Number | Description |
|-------------|----------------------|
| 00970966XXN | Terminal Tool for EU |
| 00970967XXN | Terminal Tool for US |

Crimping Tools

Packaging: 1/Pk



| Part Number | Description |
|-------------|----------------------------------|
| 00970958XXN | For non-insulated terminals |
| 00970954XXN | For non-insulated terminals |
| 00970960XXN | For insulated terminals |
| 00970950XXN | For insulated terminals |
| 00970951XXN | For insulated terminals (D.I.Y.) |
| 00970956XXN | For ThermoSeal terminals |

Line Splice Connectors

Packaging: Varies



| Part Number | Description | Pack Size |
|-------------|----------------------|-----------|
| 299.000100 | 1/1 pole, 12 st./pcs | 25 |
| 299.111100 | 1/ 2 pole | 50 |
| 299.222100 | 1/3 pole | 50 |

Terminals & Accessories

Terminals & Accessories

Connectors


Packaging: 50/Pk



| Part Number | Wire Ø | Size |
|-------------|---------------|--------|
| 08690914LXN | 0.5 - 1.5 mm | -- |
| 08690904LXN | 0.5 - 1.0 mm | 6.3 mm |
| 08690915LXN | 1.5 - 2.5 mm | -- |
| 08690905LXN | 0.75 - 2.0 mm | 6.3 mm |
| 08690916LXN | 4.0 - 6.0 mm | -- |
| 08690906LXN | 3.0 mm | 6.3 mm |

Connectors 3 M

Packaging: 50/Pk



| Part Number | Ref: | Description |
|-------------|------|-------------------------------|
| 08690903LXN | 1563 | Quick splice connector Red |
| 08690900LXN | 1560 | Quick splice connector Blue |
| 08690901LXN | 1561 | Quick splice connector Brown |
| 08690902LXN | 1562 | Quick splice connector Yellow |

Connectors


Packaging: 50/Pk



| Part Number | Reference | Description |
|-------------|-----------|-------------------------------|
| 08690943LXN | QS 43 | Quick splice connector Red |
| 08690940LXN | QS 40 | Quick splice connector Blue |
| 08690942LXN | QS 42 | Quick splice connector Yellow |

Connector Blocks

Packaging: 10/Pk



| Part Number | Wire Ø | Pos. |
|-------------|--------|------|
| 08690952TXN | 2.5 mm | 12 |
| 08690953TXN | 6 mm | 12 |
| 08690954TXN | 10 mm | 12 |
| 08690955TXN | 16 mm | 12 |

Cable Ties

Packaging: 100/Pk

Terminals & Accessories

















| Part Number | Description | Length (mm) | Width (mm) | Strength (kg) | Max. bundle | Ref. |
|-------------|-------------|-------------|------------|---------------|-------------|---------|
| 05800999HXN | White | 98 | 2.5 | 8 | 21 | W98 |
| 05800989HXN | Black | 98 | 2.5 | 8 | 21 | B98 |
| 05800998HXN | White | 140 | 3.6 | 13 | 35 | W140 |
| 05800988HXN | Black | 140 | 3.6 | 13 | 35 | B140 |
| 05800981HXN | White | 160 | 4.5 | 20 | 40 | W160 |
| 05800979HXN | Black | 160 | 4.5 | 20 | 40 | B160 |
| 05800978HXN | White | 200 | 2.6 | 8 | 52 | W200/26 |
| 05800977HXN | Black | 200 | 2.6 | 8 | 52 | B200/26 |
| 05800996HXN | White | 200 | 3.6 | 13 | 50 | W200/36 |
| 05800986HXN | Black | 200 | 3.6 | 13 | 50 | B200/36 |
| 05800991HXN | White | 200 | 4.8 | 22 | 50 | W200/48 |
| 05800992HXN | Black | 200 | 4.8 | 22 | 50 | B200/48 |
| 05800990HXN | Black | 240 | 7.8 | 55 | 63 | B240 |
| 05800995HXN | White | 250 | 4.8 | 22 | 68 | W250 |
| 05800985HXN | Black | 250 | 4.8 | 22 | 68 | B250 |
| 05800982HXN | White | 290 | 3.6 | 13 | 80 | W290 |
| 05800980HXN | Black | 290 | 3.6 | 13 | 80 | B290 |
| 05800994HXN | White | 360 | 4.8 | 22 | 103 | W360 |
| 05800984HXN | Black | 360 | 4.8 | 22 | 103 | B360 |
| 05800976HXN | Black | 365 | 7.8 | 55 | 100 | B365 |
| 05800983HXN | Black | 540 | 7.8 | 55 | 158 | B540 |

Section Contents



Blister Packs

-  MINI® Style Fuses
-  Low Profile MINI® Style Fuses
-  ATO® Style Fuses
-  MAXI™ Style Fuses
-  MIDI® Style Fuses
-  PAL Style Fuses
-  Torpedo Style Fuses
-  Glass Fuses
-  SmartGlow® Style Fuses
-  Fuse Holders
-  Relays
-  Pullers
-  Connectors
-  Terminals

MINI® Style Blister Packs

Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-----------------|------------------------|-------------|
| 0297002.XBP | 2 A | 5 |
| 0297003.XBP | 3 A | 5 |
| 0297004.XBP | 4 A | 5 |
| 0297005.XBP | 5 A | 5 |
| 029707.5XBP | 7.5 A | 5 |
| 0297010.XBP | 10 A | 5 |
| 0297015.XBP | 15 A | 5 |
| 0297020.XBP | 20 A | 5 |
| 0297025.XBP | 25 A | 5 |
| 0297030.XBP | 30 A | 5 |
| 00960302XBP | 3/4/5/7.5/10 A | 5 |
| 00960303XBP | 10/15/20/25/30 A | 5 |
| 00981630XXMINI7 | 5/7.5/10/15/20/25/30 A | 7 |

Low Profile MINI® Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|------------------------|-------------|
| 0891002.XBP | 2 A | 5 |
| 0891005.XBP | 5 A | 5 |
| 089107.5XBP | 7.5 A | 5 |
| 0891010.XBP | 10 A | 5 |
| 0891015.XBP | 15 A | 5 |
| 0891020.XBP | 20 A | 5 |
| 0891025.XBP | 25 A | 5 |
| 0891030.XBP | 30 A | 5 |
| 00960304XBP | 5/7.5/10/15/20/25/30 A | 7 |

ATO® Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-----------------|------------------------|-------------|
| 0257001.XBP | 1 A | 5 |
| 0257002.XBP | 2 A | 5 |
| 0257003.XBP | 3 A | 5 |
| 0257004.XBP | 4 A | 5 |
| 0257005.XBP | 5 A | 5 |
| 025707.5XBP | 7.5 A | 5 |
| 0257010.XBP | 10 A | 5 |
| 0257015.XBP | 15 A | 5 |
| 0257020.XBP | 20 A | 5 |
| 0257025.XBP | 25 A | 5 |
| 0257030.XBP | 30 A | 5 |
| 00960203XBP | 3/4/5/7.5/10 A | 5 |
| 00960204XBP | 10/15/20/25/30 A | 5 |
| 00981630XX2AT07 | 5/7.5/10/15/20/25/30 A | 7 |

MAXI™ Style Blister Packs

Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0299020.XBP | 20 A | 1 |
| 0299030.XBP | 30 A | 1 |
| 0299040.XBP | 40 A | 1 |
| 0299050.XBP | 50 A | 1 |
| 0299060.XBP | 60 A | 1 |
| 0299070.XBP | 70 A | 1 |
| 0299080.XBP | 80 A | 1 |

MIDI® Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0498050.XBP | 50 A | 1 |
| 0498080.XBP | 80 A | 1 |

PAL—Female Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0293020.XBP | 20 A | 1 |
| 0293030.XBP | 30 A | 1 |
| 0293040.XBP | 40 A | 1 |
| 0293050.XBP | 50 A | 1 |
| 0293060.XBP | 60 A | 1 |

PAL—Male Blister Packs

Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0294030.XBP | 30 A | 1 |
| 0294040.XBP | 40 A | 1 |
| 0294060.XBP | 60 A | 1 |
| 0294080.XBP | 80 A | 1 |

Torpedo Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0214005.XBP | 5 A | 5 |
| 0214008.XBP | 8 A | 5 |
| 0214016.XBP | 16 A | 5 |
| 0214025.XBP | 25 A | 5 |
| 00960143XBP | 5/2x8/16/25 A | 5 |
| 00960144XBP | 5/5x8/3x16/25A | 10 |

Glass 5x20mm Fast-Acting Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|----------------|-------------|
| 0217002.XBP | 2 A | 5 |
| 02173.15XBP | 3.15 A | 5 |

Glass 6.35x32mm Fast-Acting Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|-------------|-----------------|-------------|
| 0312005.XBP | 5 A | 5 |
| 0312010.XBP | 10 A | 5 |
| 0312015.XBP | 15 A | 5 |
| 0312020.XBP | 20 A | 5 |
| 0312025.XBP | 25 A | 5 |
| 0312030.XBP | 30 A | 5 |
| 00960137XBP | 5/10/15/20/30 A | 5 |

Smart Glow Fuse—MINI® Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|---------------|----------------------|-------------|
| 0MIN003.VPGLO | 3 A | 2 |
| 0MIN005.VPGLO | 5 A | 2 |
| 0MIN07.5VPGLO | 7.5 A | 2 |
| 0MIN010.VPGLO | 10 A | 2 |
| 0MIN015.VPGLO | 15 A | 2 |
| 0MIN020.VPGLO | 20 A | 2 |
| 0MIN025.VPGLO | 25 A | 2 |
| 0MIN030.VPGLO | 30 A | 2 |
| 0MIN010.TPGLO | 10 A | 10 |
| 0MIN015.TPGLO | 15 A | 10 |
| 0MIN020.TPGLO | 20 A | 10 |
| 0MIN025.TPGLO | 25 A | 10 |
| 0MIN030.TPGLO | 30 A | 10 |
| 00940362ZPGLO | 10/15/20/25/30 A | 5 |
| 00940462ZGLO | 6x5/10/15/20/25/30 A | 36 |

Smart Glow Fuse—Standard Style Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|---------------|----------------------|-------------|
| 0ATO003.VPGLO | 3 A | 2 |
| 0ATO005.VPGLO | 5 A | 2 |
| 0ATO07.5VPGLO | 7.5 A | 2 |
| 0ATO010.VPGLO | 10 A | 2 |
| 0ATO015.VPGLO | 15 A | 2 |
| 0ATO020.VPGLO | 20 A | 2 |
| 0ATO025.VPGLO | 25 A | 2 |
| 0ATO030.VPGLO | 30 A | 2 |
| 0ATO035.VPGLO | 35 A | 10 |
| 0ATO040.VPGLO | 40 A | 10 |
| 0ATO010.TPGLO | 10 A | 10 |
| 0ATO015.TPGLO | 15 A | 10 |
| 0ATO020.TPGLO | 20 A | 10 |
| 0ATO025.TPGLO | 25 A | 10 |
| 0ATO030.TPGLO | 30 A | 10 |
| 00940202ZPGLO | 10/15/20/25/30 A | 5 |
| 00940400ZGLO | 7x5/10/15/20/25/30 A | 42 |

Blister Packs

Smart Glow Fuse—MAXI™ Style Blister Packs

Blister Packs



| Part Number | Current Rating | Quantity/Pk |
|---------------|----------------|-------------|
| OMAX020.XPGLO | 20 A | 1 |
| OMAX030.XPGLO | 30 A | 1 |
| OMAX040.XPGLO | 40 A | 1 |
| OMAX050.XPGLO | 50 A | 1 |
| OMAX060.XPGLO | 60 A | 1 |
| OMAX070.XPGLO | 70 A | 1 |
| OMAX080.XPGLO | 80 A | 1 |
| OMAX100.XPGLO | 100 A | 1 |

Fuse Holders Blister Packs



| Part Number | Description | Quantity/Pk |
|----------------|--|-------------|
| OFHM0200XBP | Add-A-Circuit MINI + 3/5/7.5/10A MINI Fuse | 1+4 |
| OFHM0200XBP945 | Add-A-Circuit MINI + 10A MINI Fuse | 1+1 |
| OFHA0001XBP | In-line Fuse holder ATO Fuse 20A | 1 |
| OFHA0002XBP | In-line Fuse holder ATO Fuse 30A | 1 |
| OFHA0200XBP | Add-A-Circuit ATO + 3/5/7.5/10A ATO Fuse | 1+4 |
| OFHA0200XBP945 | Add-A-Circuit ATO + 10A ATO Fuse | 1+1 |
| 01500258XBP | In-line Fuse Holder Torpedo Fuse | 1 |
| 01550100XBP | In-line Fuse holder Glass Fuse 6.35x32mm 20A | 1 |

Relays Blister Packs



| Part Number | Description | Quantity/Pk |
|-------------|---------------------|-------------|
| 02040701XBP | 12V - 30 A 4-Pin | 1 |
| 02040703XBP | 12V - 20/30 A 5-Pin | 1 |

Pullers Style Blister Packs



| Part Number | Description | Quantity/Pk |
|-------------|------------------------|-------------|
| 00970019XBP | tester/puller ATO/MINI | 1 |

Connectors Blister Packs



| Part Number | Description | Quantity/Pk |
|-------------|-------------|-------------|
| 08690900XBP | Blue | 5 |

Blister Packs

Terminals Blister Packs

Blister Packs















| Part Number | Terminal Ref. | Quantity/Pk |
|--|----------------------------------|-------------|
| Red wire Ø 0.5 - 1.5 mm ² | | |
| 09130509XBP | 547 | 5 |
| 09130510XBP | 548 | 5 |
| 09130508XBP | 545 | 5 |
| 09130500XBP | 559 | 5 |
| 09130502XBP | 741 | 5 |
| 09130505XBP | 540 | 5 |
| 09130503XBP | 541 | 5 |
| 09130504XBP | 1541 | 5 |
| 00960152XBP | 561/2x540/2x1541 | 5 |
| 00960156XBP | 557/2x559/2x741 | 5 |
| Blue wire Ø 1.5 - 2.5 mm ² | | |
| 09130528XBP | 536 | 5 |
| 09130530XBP | 560 | 5 |
| 09130521XBP | 550 | 5 |
| 09130522XBP | 549 | 5 |
| 09130520XBP | 546 | 5 |
| 09130517XBP | 740 | 5 |
| 09130515XBP | 542 | 5 |
| 09130516XBP | 1542 | 5 |
| 09130518XBP | 562 | 5 |
| 00960151XBP | 562/2x542/2x740 | 5 |
| 00960154XBP | 562/2x740/2x1542 | 5 |
| 00960155XBP | 1560/2x536/2x537 | 5 |
| 00960158XBP | 5x542/5x740/5x546 5x562/5x541 | 25 |
| Yellow wire Ø 2.5 - 6.0 mm ² | | |
| 09130541XBP | 563 | 5 |
| 09130533XBP | 543 | 5 |

Section Contents



Assortment Boxes

-  MINI Fuses
-  Low Profile MINI Fuse & Low Profile JCASE
-  ATO Fuses
-  MAXI Fuses
-  ATO/MINI//MAXI Fuses
-  ATO/Torpedo/Glass Fuses
-  ATO/Torpedo/Glass Fuses
-  MINI/MAXI Fuses/Fuse holders/Pullers
-  ATO/Torpedo/Glass Fuses/Fuseholders
-  PAL Fuses
-  Insulated Terminals with crimping tool
-  Insulated Terminals

MINI®

Part Number: 00950011XXN

Assortment Boxes



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0297002 | 2 A | 10 |
| 0297003 | 3 A | 10 |
| 0297004 | 4 A | 10 |
| 0297005 | 5 A | 10 |
| 029707.5 | 7.5 A | 10 |
| 0297010 | 10 A | 10 |
| 0297015 | 15 A | 10 |
| 0297020 | 20 A | 10 |
| 0297025 | 25 A | 10 |
| 0297030 | 30 A | 10 |
| 00970021 | puller | 1 |

MAXI™

Part Number: 00950018XXN

Assortment Boxes



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0299020 | 20 A | 2 |
| 0299030 | 30 A | 6 |
| 0299040 | 40 A | 6 |
| 0299050 | 50 A | 4 |
| 0299060 | 60 A | 4 |
| 0299070 | 70 A | 2 |
| 0299080 | 80 A | 1 |
| 00970027 | puller | 1 |

Low Profile MINI® & Low Profile JCASE® Part Number: 00950025XXN



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0891005 | 5 A | 10 |
| 089107.5 | 7.5 A | 10 |
| 0891010 | 10 A | 10 |
| 0891015 | 15 A | 10 |
| 0891020 | 20 A | 10 |
| 0891025 | 25 A | 10 |
| 0891030 | 30 A | 10 |
| 0895020 | 20 A | 5 |
| 0895030 | 30 A | 5 |
| 0895040 | 40 A | 5 |
| 0895050 | 50 A | 5 |
| 0895060 | 60 A | 5 |

ATO®/MINI®/MAXI® Part Number: 00950014XXN



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0257005 | 5 A | 20 |
| 025707.5 | 7.5 A | 20 |
| 0257010 | 10 A | 20 |
| 0257015 | 15 A | 20 |
| 0257020 | 20 A | 20 |
| 0257025 | 25 A | 20 |
| 0257030 | 30 A | 20 |
| 0297005 | 5 A | 15 |
| 029707.5 | 7.5 A | 15 |
| 0297010 | 10 A | 15 |
| 0297015 | 15 A | 15 |
| 0297020 | 20 A | 15 |
| 0297025 | 25 A | 15 |
| 0297030 | 30 A | 15 |
| 0299030 | 30 A | 3 |
| 0299040 | 40 A | 3 |
| 0299050 | 50 A | 2 |
| 0299060 | 60 A | 2 |

ATO® Part Number: 00940957XXN



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0257001 | 1 A | 5 |
| 0257002 | 2 A | 5 |
| 0257003 | 3 A | 5 |
| 0257004 | 4 A | 5 |
| 0257005 | 5 A | 10 |
| 025707.5 | 7.5 A | 10 |
| 0257010 | 10 A | 15 |
| 0257015 | 15 A | 15 |
| 0257020 | 20 A | 10 |
| 0257025 | 25 A | 5 |
| 0257030 | 30 A | 15 |
| 00970021 | Puller | 1 |

ATO®/Torpedo/Glass Part Number: 00950000XXN



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0257005 | 5 A | 10 |
| 025707.5 | 7.5 A | 10 |
| 0257010 | 10 A | 50 |
| 0257015 | 15 A | 50 |
| 0257020 | 20 A | 25 |
| 0257025 | 25 A | 10 |
| 0257030 | 30 A | 25 |
| 0214005 | 5 A | 10 |
| 0214008 | 8 A | 50 |
| 0214016 | 16 A | 50 |
| 0214025 | 25 A | 10 |
| 0217002 | 2 A | 25 |
| 0217005 | 5 A | 10 |
| 0311010 | 10 A | 25 |
| 0311015 | 15 A | 25 |
| 0307020 | 20 A | 15 |

ATO®/Torpedo/Glass

Part Number: 00950001XXN

Assortment Boxes



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0257005 | 5 A | 50 |
| 025707.5 | 7.5 A | 50 |
| 0257010 | 10 A | 100 |
| 0257015 | 15 A | 100 |
| 0257020 | 20 A | 50 |
| 0257025 | 25 A | 50 |
| 0257030 | 30 A | 50 |
| 0214008 | 8 A | 200 |
| 0214016 | 16 A | 100 |
| 0214025 | 25 A | 50 |
| 0217002 | 2 A | 50 |
| 0311005 | 5 A | 20 |
| 0311010 | 10 A | 20 |
| 0311015 | 15 A | 20 |
| 0307020 | 20 A | 20 |
| 0311025 | 25 A | 20 |

PAL

Part Number: 00950002XXN

Assortment Boxes



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0293020 | 20 A | 1 |
| 0293030 | 30 A | 3 |
| 0293040 | 40 A | 4 |
| 0293050 | 50 A | 1 |
| 0293060 | 60 A | 2 |
| 0294030 | 30 A | 3 |
| 0294040 | 40 A | 1 |
| 0294060 | 60 A | 3 |
| 0294080 | 80 A | 3 |
| 0294100 | 100 A | 1 |
| 0295030 | 30 A | 2 |
| 0295040 | 40 A | 2 |
| 0293525 | 25 A | 2 |
| 0293530 | 30 A | 2 |

MINI®/MAXI™/FuseHolders/Pullers

Part Number: 00940993XXN



| Contents | Current Rating | Qty |
|----------|----------------|-----|
| 0299020 | 20 A | 2 |
| 0299030 | 30 A | 5 |
| 0299040 | 40 A | 5 |
| 0299050 | 50 A | 5 |
| 0299060 | 60 A | 5 |
| 0299070 | 70 A | 2 |
| 0299080 | 80 A | 1 |
| 01520001 | MAXI Holder | 5 |
| 09130550 | Screws 5.3mm | 10 |
| 0FHM0002 | MINI Holder | 5 |
| 0297002 | 2 A | 5 |
| 0297003 | 3 A | 5 |
| 0297004 | 4 A | 5 |
| 0297005 | 5 A | 5 |
| 029707.5 | 7.5 A | 10 |
| 0297010 | 10 A | 10 |
| 0297015 | 15 A | 10 |
| 0297020 | 20 A | 10 |
| 0297025 | 25 A | 10 |
| 0297030 | 30 A | 10 |
| 00970027 | Puller | 1 |
| 00970021 | Puller | 1 |

Insulated Terminals with Crimping Tool

Part Number: 00940956XXN



| Contents | Reference | Qty |
|----------|-----------|-----|
| 09130506 | 561 | 25 |
| 09130515 | 542 | 50 |
| 09130516 | 1542 | 100 |
| 09130517 | 740 | 50 |
| 09130518 | 562 | 25 |
| 09130523 | 1550 | 25 |
| 09130524 | 1549 | 25 |
| 09130528 | 536 | 20 |
| 09130533 | 543 | 20 |
| 09130536 | 551 | 20 |
| 09130540 | 539 | 20 |
| 09130541 | 563 | 20 |
| 09130542 | 554 | 25 |
| 00970950 | 704 | 1 |

ATO®/Torpedo/Glass/Fuseholders

Part Number: 00940960XXN



| Contents | Current Rating | Qty |
|---------------|----------------|-----|
| 03500417 | ATO Block | 1 |
| 0FHA0001 | ATO Holder | 10 |
| 0FHA0002 | ATO Holder | 5 |
| FHAC0001 | ATO Holder | 10 |
| FHAC0002 | ATO Holder | 5 |
| 276.5105.0002 | Torpedo Holder | 5 |
| 01500274 | Glass Holder | 5 |
| 0257005 | 5 A | 10 |
| 025707.5 | 7.5 A | 10 |
| 0257010 | 10 A | 50 |
| 0257015 | 15 A | 50 |
| 0257020 | 20 A | 25 |
| 0257025 | 25 A | 10 |
| 0257030 | 30 A | 25 |
| 0214008 | 8 A | 50 |
| 0214016 | 16 A | 50 |
| 0217002 | 2 A | 25 |

Insulated Terminals

Part Number: 00950004XXN



| Contents | Reference | Qty |
|----------|-----------|-----|
| 09130508 | 545 | 100 |
| 09130509 | 547 | 50 |
| 09130510 | 548 | 50 |
| 09130500 | 559 | 50 |
| 09130502 | 741 | 50 |
| 09130503 | 541 | 50 |
| 09130504 | 1541 | 100 |
| 09130505 | 540 | 100 |
| 09130520 | 546 | 100 |
| 09130521 | 550 | 50 |
| 09130522 | 549 | 50 |
| 09130515 | 542 | 100 |
| 09130516 | 1542 | 100 |
| 09130517 | 740 | 100 |
| 09130529 | 537 | 50 |
| 09130530 | 560 | 50 |



World Headquarters

Littelfuse, Inc.
 800 E. Northwest Highway
 Des Plaines, IL 60016, USA
 www.littelfuse.com
 email: autos@littelfuse.com

Facilities:

Des Plaines, Illinois USA
 Arcola, Illinois USA
 Irving, Texas USA
 Campbell, California USA
 Piedras Negras, Mexico
 Matamoros, Mexico
 Sao Paulo, Brazil
 Dundalk, Ireland
 Swindon, England
 Utrecht, The Netherlands
 Essen, Germany
 Düsen, Germany
 Munich, Germany

Beijing, China
 Dongguan, China
 Shanghai, China
 Shenzhen, China
 Suzhou, China
 Wuxi, China
 Hong Kong, China
 Seoul, Korea
 Naida, India
 Yokohama, Japan
 Taipei, Taiwan
 Yangmei, Taiwan
 Lipa City, Philippines
 Singapore, Republic of Singapore



Expertise Applied | Answers Delivered

Helping to make the World a Cleaner Place to Live

Littelfuse and the Environment

As members of the global community, we at Littelfuse have always strived to understand the impact of what we do, and of what we create, on the world around us. Because of this, our concern for the environment has always been an integral and fundamental part of our business. We continually work to balance our business objectives with the need to protect and improve the local and global environment.

The Littelfuse strategy for eco-friendly products is specifically designed to help support our worldwide customers in their transition to Lead-Free processing.



All products considered to be lead-free are marked with this symbol. Littelfuse defines lead-free as products which contain less than 1000ppm (0.1%) Lead, measured by weight of the entire product.

Our Strategy for the Design of Eco-friendly Products

Littelfuse has established a focused program committed to developing high-performance eco-friendly products along with a comprehensive set of processing/reliability data and technical process expertise. This includes processes for eliminating, detecting and documenting the presence of hazardous materials such as

- Lead
- Cadmium
- Hexavalent Chromium
- Mercury
- Brominated flame-retardants (PBBs and PBDEs)



All RoHS compliant products are marked with this symbol.

Littelfuse follows the requirement set by the European Union for all RoHS compliant products. The European Union Directive 2002/95/EC RoHS restricts the use of Lead, Mercury, Hexavalent Chromium, Cadmium and Brominated flame-retardants (PBBs and PBDEs)

Visit www.littelfuse.com/lead-free for further information.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А