


## Self-Laminating Labels for Laser AND Ink Jet Printers

- Same label can be printed on laser or ink jet printer
- White print-on area with clear overlamine for permanent protected identification
- Thin film with permanent adhesive



### US Letter Sheet Format (8.5" x 11" / 215.9mm x 279.4 mm)

Part Number	Material	Label Size A x B x C In. (mm)	Nominal Cable O.D. Range In. (mm)	Typical Electrical (THHN)	Typical UTP	Std. Pkg. Qty.*
LJSL1-Y3-5	GMY6 Self- Laminating Polyester	0.50 x 0.75 x 0.34 (12.7 x 19.1 x 8.6)	0.11 - 0.13 (2.7 - 3.3)	12 AWG	—	5000
LJSL2-Y3-5		0.50 x 1.50 x 0.50 (12.7 x 38.1 x 12.7)	0.16 - 0.32 (4.0 - 8.1)	8-6 AWG	4 Pair	5000
LJSL3-Y3-2.5		1.00 x 0.75 x 0.34 (25.4 x 19.1 x 8.6)	0.11 - 0.13 (2.7 - 3.3)	12 AWG	—	2500
LJSL3-Y3-5						5000
LJSL4-Y3-2.5†		1.00 x 1.00 x 0.34 (25.4 x 25.4 x 8.6)	0.11 - 0.21 (2.7 - 5.3)	12-10 AWG	—	2500
LJSL5-Y3-1		1.00 x 1.33 x 0.47 (25.4 x 33.8 x 11.9)	0.15 - 0.27 (3.8 - 6.8)	10-6 AWG	4 Pair	1000
LJSL5-Y3-2.5†						2500
LJSL20-Y3-1		1.00 x 1.33 x 0.50 (25.4 x 33.8 x 12.7)	0.16 - 0.26 (4.0 - 6.7)	8-6 AWG	4 Pair	1000
LJSL6-Y3-1		1.00 x 3.17 x 0.97 (25.4 x 80.5 x 24.6)	0.31 - 0.70 (7.8 - 17.8)	4 AWG-4/0	4-50 Pair	1000
LJSL19-Y3-1		1.00 x 5.45 x 1.00 (25.4 x 138.4 x 25.4)	0.32 - 1.42 (8.1 - 36.0)	4 AWG- 1000 MCM	4-300 Pair	1000
LJSL18-Y3-1		1.88 x 3.17 x 0.97 (47.8 x 80.5 x 24.6)	0.31 - 0.70 (7.8 - 17.8)	4 AWG-4/0	4-50 Pair	1000
LJSL7-Y3-1		2.00 x 1.50 x 0.50 (50.8 x 38.1 x 12.7)	0.16 - 0.32 (4.0 - 8.1)	8-6 AWG	4 Pair	1000
LJSL8-Y3-1		2.00 x 3.17 x 1.00 (50.8 x 80.5 x 25.4)	0.32 - 0.69 (8.1 - 17.5)	4 AWG-4/0	4-50 Pair	1000

### DIN A4 Sheet Format (8.26" x 11.69" / 210 mm x 297 mm)

Part Number	Material	Label Size A x B x C In. (mm)	Nominal Cable O.D. Range In. (mm)	Typical Electrical (THHN)	Typical UTP	Std. Pkg. Qty.*
LJSL9-Y3-2.5†	GMY6 Self- Laminating Polyester	0.70 x 1.33 x 0.33 (17.8 x 33.8 x 8.4)	0.11 - 0.32 (2.7 - 8.1)	12-6 AWG	4 Pair	2500
LJSL10-Y3-1		0.90 x 2.17 x 0.50 (22.9 x 55.0 x 12.7)	0.16 - 0.53 (4.0 - 13.5)	8 AWG-1/0	4-25 Pair	1000
LJSL21-Y3-1†		0.90 x 2.17 x 0.67 (22.9 x 55.0 x 17.0)	0.21 - 0.48 (5.3 - 12.1)	8-1 AWG	4-25 Pair	1000
LJSL11-Y3-1†		1.00 x 2.67 x 0.67 (25.4 x 67.8 x 16.9)	0.21 - 0.64 (5.3 - 16.2)	8 AWG-3/0	4-50 Pair	1000
LJSL12-Y3-1		1.20 x 2.67 x 0.83 (30.5 x 67.8 x 21.1)	0.26 - 0.58 (6.6 - 14.9)	6 AWG-2/0	4-25 Pair	1000
LJSL17-Y3-0.5†		1.40 x 3.67 x 1.00 (35.6 x 93.1 x 25.4)	0.32 - 0.85 (8.1 - 21.6)	4 AWG- 350 MCM	4-50 Pair	500
LJSL14-Y3-0.5		1.40 x 5.50 x 1.00 (35.6 x 139.7 x 25.4)	0.32 - 1.40 (8.1 - 35.6)	4 AWG- 1000 MCM	4-300 Pair	500
LJSL15-Y3-0.5		1.80 x 5.50 x 1.17 (45.7 x 139.7 x 29.6)	0.37 - 1.38 (9.5 - 35.0)	2 AWG- 1000 MCM	4-300 Pair	500
LJSL21-PO3-1	GMPO6 Polyolefin	0.90 x 2.17 x 0.67 (22.9 x 55.0 x 17.0)	0.21 - 0.48 (5.3 - 12.1)	8-1 AWG	4-25 Pair	1000

† Labels available with TIA Specified Colored Print-On Area. To order, insert color designation after 'Y3' in part number: BLU for blue, BRN for Brown, GRN for Green, GRY for Gray, ORN for Orange, PUR for Purple, RED for Red, or YEL for Yellow. I.E. order LJSL4-Y3BLU-2.5 for Blue Print-On Area.

\*Order number of labels required in multiples of Std. Pkg. Qty.

# PANDUIT® Self-Laminating Labels for Laser and Ink Jet Printers

## Cross Reference to Other Panduit Part Numbers

The new LJSL series is replacing many older Panduit label parts. Users of JSL, PEL and PLL self-laminating labels should refer to the chart below to determine the new LJSL part number to order.

Old Part Number	LJSL Part Number
JSL1-Y3-5	LJSL1-Y3-5
JSL2-Y3-5	LJSL2-Y3-5
JSL3-Y3-2.5	LJSL3-Y3-2.5
JSL4-Y3-2.5	LJSL4-Y3-2.5
JSL5-Y3-1	LJSL5-Y3-1
JSL5-Y3-2.5	LJSL5-Y3-2.5
JSL6-Y3-1	LJSL6-Y3-1
JSL7-Y3-1	LJSL7-Y3-1
JSL8-Y3-1	LJSL8-Y3-1
JSL9-Y3-2.5	LJSL9-Y3-2.5
JSL10-Y3-1	LJSL10-Y3-1
JSL11-Y3-1	LJSL11-Y3-1
JSL12-Y3-1	LJSL12-Y3-1
PEL-17-BLU-2.5	LJSL9-Y3BLU-2.5
PEL-17-BRN-2.5	LJSL9-Y3BRN-2.5
PEL-17-GRN-2.5	LJSL9-Y3GRN-2.5
PEL-17-GRY-2.5	LJSL9-Y3GRY-2.5
PEL-17-ORN-2.5	LJSL9-Y3ORN-2.5
PEL-17-PUR-2.5	LJSL9-Y3PUR-2.5
PEL-17-RED-2.5	LJSL9-Y3RED-2.5
PEL-17-Y3-2.5	LJSL9-Y3-2.5
PEL-17-YEL-2.5	LJSL9-Y3YEL-2.5
PEL-18-BLU-1	LJSL21-Y3BLU-1
PEL-18-BRN-1	LJSL21-Y3BRN-1
PEL-18-GRN-1	LJSL21-Y3GRN-1
PEL-18-GRY-1	LJSL21-Y3GRY-1
PEL-18-ORN-1	LJSL21-Y3ORN-1
PEL-18-PO3-1	LJSL21-PO3-1

Old Part Number	LJSL Part Number
PEL-18-PUR-1	LJSL21-Y3PUR-1
PEL-18-RED-1	LJSL21-Y3RED-1
PEL-18-Y3-1	LJSL21-Y3-1
PEL-18-YEL-1	LJSL21-Y3YEL-1
PEL-19-BLU-1	LJSL11-Y3BLU-1
PEL-19-BRN-1	LJSL11-Y3BRN-1
PEL-19-GRN-1	LJSL11-Y3GRN-1
PEL-19-GRY-1	LJSL11-Y3GRY-1
PEL-19-ORN-1	LJSL11-Y3ORN-1
PEL-19-PUR-1	LJSL11-Y3PUR-1
PEL-19-RED-1	LJSL11-Y3RED-1
PEL-19-Y3-1	LJSL11-Y3-1
PEL-19-YEL-1	LJSL11-Y3YEL-1
PEL-20-Y3-1	LJSL12-Y3-1
PEL-21-BLU-0.5	LJSL17-Y3BLU-.5
PEL-21-BRN-0.5	LJSL17-Y3BRN-.5
PEL-21-GRN-0.5	LJSL17-Y3GRN-.5
PEL-21-GRY-0.5	LJSL17-Y3GRY-.5
PEL-21-ORN-0.5	LJSL17-Y3ORN-.5
PEL-21-PUR-0.5	LJSL17-Y3PUR-.5
PEL-21-RED-0.5	LJSL17-Y3RED-.5
PEL-21-Y3-0.5	LJSL17-Y3-0.5
PEL-21-YEL-0.5	LJSL17-Y3YEL-.5
PEL-22-Y3-0.5	LJSL14-Y3-0.5
PEL-23-Y3-0.5	LJSL15-Y3-0.5
PEL-30-Y3-1	LJSL10-Y3-1
PLL-3-Y3-5	LJSL1-Y3-5
PLL-10-Y3-2.5	LJSL3-Y3-2.5

Old Part Number	LJSL Part Number
PLL-10-Y3-5	LJSL3-Y3-5
PLL-11-Y3-2.5	LJSL4-Y3-2.5
PLL-11-Y3B-2.5	LJSL4-Y3BLU-2.5
PLL-11-Y3BR-2.5	LJSL4-Y3BRN-2.5
PLL-11-Y3G-2.5	LJSL4-Y3GRN-2.5
PLL-11-Y3IG-2.5	LJSL4-Y3GRY-2.5
PLL-11-Y3OR-2.5	LJSL4-Y3ORN-2.5
PLL-11-Y3PR-2.5	LJSL4-Y3PUR-2.5
PLL-11-Y3RD-2.5	LJSL4-Y3RED-2.5
PLL-11-Y3Y-2.5	LJSL4-Y3YEL-2.5
PLL-12-Y3-1	LJSL5-Y3-1
PLL-12-Y3-2.5	LJSL5-Y3-2.5
PLL-12-Y3B-2.5	LJSL5-Y3BLU-2.5
PLL-12-Y3BR-2.5	LJSL5-Y3BRN-2.5
PLL-12-Y3G-2.5	LJSL5-Y3GRN-2.5
PLL-12-Y3IG-2.5	LJSL5-Y3GRY-2.5
PLL-12-Y3OR-2.5	LJSL5-Y3ORN-2.5
PLL-12-Y3PR-2.5	LJSL5-Y3PUR-2.5
PLL-12-Y3RD-2.5	LJSL5-Y3RED-2.5
PLL-12-Y3Y-2.5	LJSL5-Y3YEL-2.5
PLL-13-Y3-1	LJSL6-Y3-1
PLL-21-Y3-1	LJSL8-Y3-1
PLL-33-Y3-5	LJSL2-Y3-5
PLL-37-Y3-1	LJSL18-Y3-1
PLL-38-Y3-1	LJSL19-Y3-1
PLL-39-Y3-1	LJSL20-Y3-1
PLL-40-Y3-1	LJSL7-Y3-1

Our products are warranted to be free from defects in material and workmanship at the time of sale but our obligation under this warranty is limited to the replacement of any product proved to be defective within 6 months (for product) or 90 days (for tools) from the date of delivery. Tool warranty is void if Panduit tools are modified, altered or misused in any way. Use of Panduit tooling with any product other than the specified Panduit products for which the tool was designed, constitutes misuse. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith.

This warranty is made in lieu of and excludes all other warranties, expressed or implied. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE ARE SPECIFICALLY EXCLUDED. Neither seller nor manufacturer shall be liable for any other injury, loss or damage, whether direct or consequential, arising out of the use of, or the inability to use, the product.

The information contained in this literature is based on our experience to date and is believed to be reliable. It is intended as a guide for use by persons having technical skill at their own discretion and risk. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. For specific dimensional requirements consult the factory. This publication is not to be taken as a license to operate under, or a recommendation to infringe any existing patents. This supersedes and voids all previous literature, etc.



ELECTRICAL GROUP

Panduit Corp.  
17301 Ridgeland Avenue  
Tinley Park, IL 60477-3091  
Phone: 888-506-5400, Ext. 7337  
FAX: 770-889-9264  
Email: [info@panduit.com](mailto:info@panduit.com)  
Website: <http://www.panduit.com>

Panduit Canada  
Div. of Panduit Corp.  
140 Amber Street  
Markham, Ontario L3R 3J8  
Phone: 800-387-9689  
FAX: 905-475-6998

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

*For Pricing and Further Information –  
Contact your local  
PANDUIT Distributor or Sales Office*

DRAFT COPY  
Printed in U.S.A.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А