








LOC		DIST		REVISONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	A	RELEASED		12FEB2007	RG	PR	




1. MATERIAL:
HOUSING - BLACK THERMOPLASTIC, PBT FLAMMMABILITY RATING UL 94V-0
SHIELD -0.2 MM THICK BRASS - PLATED 1.27µm MIN THK NICKEL.
FRONT DRAWN SHELL - CARBON STEEL - PLATED WITH 5.08µm MIN NICKEL
BOARD LOCKS - BRASS PLATED WITH 1.27µm MIN TIN OVER 1.27µm MIN NICKEL
CONTACTS - 0.254 MM THK. PHOSPHOR BRONZE - ENTIRE TERMINAL PLATED WITH 2.54µm MIN NICKEL. MATING AREA PLATED WITH GOLD FLASH OVER 0.76µm MIN Pd-Ni . PRESS FIT TAILS PLATED WITH 1.98µm MIN TIN
INSERTS, THREADED - MILD STEEL
SCREW LOCKS - STAINLESS STEEL.

- 2 THE SCREW LOCKS ARE FOR USE WITH JACKSCREWS TO PROVIDE CABLE RETENTION. RECOMMENDED TORQUE FOR SCREW LOCK IS 4 IN-LB MAX
3 SCREWLOCK PART NUMBER 1339381-2 OR -4 MUST BE ORDERED SEPARATELY
4 DATE CODE AND PART NUMBER LABEL IN APPROXIMATE AREA SHOWN
5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER



1888844-1		PART NUMBER	
DWN		Tyco Electronics	
CHK		Harrisburg, PA 17105-3608	
APVD		NAME	
DIMENSIONS:		PRODUCT SPEC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	
mm		SIZE	
9 PLC ±		CAGE CODE	
1 PLC ±0.1		DRAWING NO	
2 PLC ±0.10		RESTRICTED TO	
3 PLC ±		A 00779 C=1888844	
4 PLC ±		SCALE	
ANGLES ±°		6:1	
FINISH		SHEET	
SEE NOTE 1		1 OF 3	
MATERIAL		REV	
SEE NOTE 1		A	
CUSTOMER DRAWING			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-	-	SEE SHEET 1	-	-	-



PROPOSED PAIR GROUPING

MODULAR PLUG AND RJ-21 PIN-OUT FOR USE IN 10/100/1000 BASE-T APPLICATIONS

GIG ETHERNET PORT	PLUG POSN.	COLOR	10/100 ETHERNET PORT	PLUG POSN.	COLOR	RJ-21 PIN	MRJ 21 PIN	MRJ 21 PAIR NUM
1	5	WHT/BLU	1	1	WHT/BLU	26	1	1
	4	BLU/WHT		2	BLU/WHT	1	2	
	3	WHT/ORG		3	WHT/ORN	27	13	2
	6	ORG/WHT		6	ORN/WHT	2	14	
	1	WHT/GRN	2	1	WHT/GRN	28	3	3
	2	GRN/WHT		2	GRN/WHT	3	4	
	7	WHT/BRN		3	WHT/BRN	29	15	4
	8	BRN/WHT		6	BRN/WHT	4	16	
2	5	WHT/GRY	3	1	WHT/GRY	30	25	5
	4	GRY/WHT		2	GRY/WHT	5	26	
	3	RED/BLU		3	RED/BLU	31	37	6
	6	BLU/RED		6	BLU/RED	6	38	
	1	RED/ORG	4	1	RED/ORN	32	27	7
	2	ORG/RED		2	ORN/RED	7	28	
	7	RED/GRN		3	RED/GRN	33	39	8
	8	GRN/RED		6	GRN/RED	8	40	
3	5	RED/BRN	5	1	RED/BRN	34	5	9
	4	BRN/RED		2	BRN/RED	9	6	
	3	RED/GRY		3	RED/GRAY	35	17	10
	6	GRY/RED		6	GRY/RED	10	18	
	1	BLK/BLU	6	1	BLK/BLU	36	7	11
	2	BLU/BLK		2	BLU/BLK	11	8	
	7	BLK/ORG		3	BLK/ORN	37	19	12
	8	ORG/BLK		6	ORN/BLK	12	20	
4	5	BLK/GRN	7	1	BLK/GRN	38	29	13
	4	GRN/BLK		2	GRN/BLK	13	30	
	3	BLK/BRN		3	BLK/BRN	39	41	14
	6	BRN/BLK		6	BRN/BLK	14	42	
	1	BLK/GRY	8	1	BLK/GRY	40	31	15
	2	GRY/BLK		2	GRY/BLK	15	32	
	7	YEL/BLU		3	YEL/BLU	41	43	16
	8	BLU/YEL		6	BLU/YEL	16	44	
5	5	YEL/ORG	9	1	YEL/ORN	42	9	17
	4	ORG/YEL		2	ORN/YEL	17	10	
	3	YEL/GRN		3	YEL/GRN	43	21	18
	6	GRN/YEL		6	GRN/YEL	18	22	
	1	YEL/BRN	10	1	YEL/BR	44	11	19
	2	BRN/YEL		2	BR/YEL	19	12	
	7	YEL/GRY		3	YEL/GRY	45	23	20
	8	GRY/YEL		6	GRY/YEL	20	24	
6	5	VIO/BLU	11	1	VIO/BLU	46	33	21
	4	BLU/VIO		2	BLU/VIO	21	34	
	3	VIO/ORG		3	VIO/ORN	47	45	22
	6	ORG/VIO		6	ORN/VIO	22	46	
	1	VIO/GRN	12	1	VIO/GRN	48	35	23
	2	GRN/VIO		2	GRN/VIO	23	36	
	7	VIO/BRN		3	VIO/BRN	49	47	24
	8	BRN/VIO		6	BRN/VIO	24	48	

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES AND IN THE QUANTITIES SPECIFIED BY THE CUSTOMER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

LOC: AA DIST: 00

DIMENSIONS:
mm

MATERIAL: SEE NOTE 1

TOLERANCES UNLESS OTHERWISE SPECIFIED:
9 PLC ±.1
2 PLC ±0.1
3 PLC ±.1
4 PLC ±.1
ANGLE: 30°

FINISH: SEE NOTE 1

DWN: R. GRZYBOWSKI 21DEC2006
CHK: P. RECCE 21DEC2006
APVD: S. FLICKINGER 21DEC2006

NAME: ASSEMBLY, MRJ21 RECEPTACLE, 48 POSITION, PRESS FIT

PRODUCT SPEC: 108-2064
APPLICATION SPEC: -


WEIGHT: -

CUSTOMER DRAWING

tyco
Electronics

Tyco Electronics
Harrisburg, PA 17105-3608

SIZE: A CASE CODE: 00779 DRAWING NO: C=1888844
SCALE: 6:1 SHEET: 2 OF 3 REV: A

AMP 4805 REV 31MAR2000

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А