




OPTION -A-





OPTION -D-



OPTIONAL CORE-OUT FOR
HOUSING OPTIONS A & D
CKT. SIZES 2-25
(FOR CONTROL OF BOW)

OPTION -G-



- NOTES:
1. HOUSING: POLYESTER (PBT), UL94 V-0
COLOR: BLACK
 2. FINISHES:
SEE PAGE 2 FOR PLATING FINISHES
 3. PRODUCT SPECIFICATION: PS-70430
 4. PACKAGING SPECIFICATION: PK-70873-0001
 5. SEE CHART FOR CIRCUIT SIZES
 6. TERMINALS ARE SHOWN PRE-LOADED INTO HOUSING
AND LOCKED INTO FIRST ROW OF LOCKING TANG
WINDOWS
 7. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 8. SEE SHEET 2 FOR PART NUMBERS AND PLATINGS

CKT. SIZE	DIM. A (MAX.)	DIM. B (MAX.)
2	(2.54) .100	(5.05) .199
3	(5.08) .200	(7.59) .299
4	(7.62) .300	(10.13) .399
5	(10.16) .400	(12.67) .499
6	(12.70) .500	(15.21) .599
7	(15.24) .600	(17.75) .699
8	(17.78) .700	(20.29) .799
9	(20.32) .800	(22.83) .899
10	(22.86) .900	(25.37) .999
11	(25.40) 1.000	(27.91) 1.099
12	(27.94) 1.100	(30.45) 1.199
13	(30.48) 1.200	(32.99) 1.299
14	(33.02) 1.300	(35.53) 1.399
15	(35.56) 1.400	(38.07) 1.499
16	(38.10) 1.500	(40.61) 1.599
17	(40.64) 1.600	(43.15) 1.699
18	(43.18) 1.700	(45.69) 1.799
19	(45.72) 1.800	(48.23) 1.899
20	(48.26) 1.900	(50.77) 1.999
21	(50.80) 2.000	(53.31) 2.099
22	(53.34) 2.100	(55.85) 2.199
23	(55.88) 2.200	(58.39) 2.299
24	(58.42) 2.300	(60.93) 2.399
25	(60.96) 2.400	(63.47) 2.499

MODIFY PRODUCT SPEC EC NO: UCP2010-0987 2009/12/28 DRWN:MSIBARRA CHKD:DMORGAN APPR:SMILLER 2010/01/08 2010/01/11	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY MGB	DATE 12/21/88	TITLE ASSY, SL CONNECTOR, FFC MALE, SINGLE ROW 2.54/.100 GRID					
			4 PLACES	± ---	± ---	CHECKED BY	DATE						
			3 PLACES	± ---	± ---	MGB	12/21/88						
			2 PLACES	± ---	± ---	APPROVED BY	DATE			 MOLEX INCORPORATED			
			1 PLACE	± ---	± ---	WAZ	12/21/88						
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.	SHEET NO.					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SDA-70431-****			1 OF 2			
			REV			SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

		13		12		11		10		9		8		7		6		5		4		3		2		1		
J	CKT. SIZE	TIN PLATE OPTION -A-		TIN PLATE OPTION -D-		I5 GOLD PLATE OPTION -A-		I5 GOLD PLATE OPTION -D-		30 GOLD PLATE OPTION -A-		30 GOLD PLATE OPTION -D-		TIN PLATE OPTION -G-														
		EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	
	2	I5-38-9020	A-7043I-000I	I5-38-9022	A-7043I-007I	I5-47-4028	A-7043I-0176	I5-47-5020	A-7043I-0246	I5-47-5022	A-7043I-035I	I5-47-5024	A-7043I-042I															
	3	▲-9030	▲-0002	▲-9032	▲-0072	▲-4038	▲-0177	▲-5030	▲-0247	▲-5032	▲-0352	▲-5034	▲-0422															
	4	▲-9040	▲-0003	▲-9042	▲-0073	▲-4048	▲-0178	▲-5040	▲-0248	▲-5042	▲-0353	▲-5044	▲-0423															
I	5	▲-9050	▲-0004	▲-9052	▲-0074	▲-4058	▲-0179	▲-5050	▲-0249	▲-5052	▲-0354	▲-5054	▲-0424															
	6	▲-9060	▲-0005	▲-9062	▲-0075	▲-4068	▲-0180	▲-5060	▲-0250	▲-5062	▲-0355	▲-5064	▲-0425															
	7	▲-9070	▲-0006	▲-9072	▲-0076	▲-4078	▲-018I	▲-5070	▲-025I	▲-5072	▲-0356	▲-5074	▲-0426															
	8	▲-9080	▲-0007	▲-9082	▲-0077	▲-4088	▲-0182	▲-5080	▲-0252	▲-5082	▲-0357	▲-5084	▲-0427															
	9	▲-9090	▲-0008	▲-9092	▲-0078	▲-4098	▲-0183	▲-5090	▲-0253	▲-5092	▲-0358	▲-5094	▲-0428															
	10	▲-9100	▲-0009	▲-9102	▲-0079	▲-4108	▲-0184	▲-5100	▲-0254	▲-5102	▲-0359	▲-5104	▲-0429	I5-38-9103	A-7043I-0149													
	11	▲-9110	▲-0010	▲-9112	▲-0080	▲-4118	▲-0185	▲-5110	▲-0255	▲-5112	▲-0360	▲-5114	▲-0430															
H	12	▲-9120	▲-001I	▲-9122	▲-008I	▲-4128	▲-0186	▲-5120	▲-0256	▲-5122	▲-036I	▲-5124	▲-043I															
	13	▲-9130	▲-0012	▲-9132	▲-0082	▲-4138	▲-0187	▲-5130	▲-0257	▲-5132	▲-0362	▲-5134	▲-0432															
	14	▲-9140	▲-0013	▲-9142	▲-0083	▲-4148	▲-0188	▲-5140	▲-0258	▲-5142	▲-0363	▲-5144	▲-0433															
	15	▲-9150	▲-0014	▲-9152	▲-0084	▲-4158	▲-0189	▲-5150	▲-0259	▲-5152	▲-0364	▲-5154	▲-0434															
	16	▲-9160	▲-0015	▲-9162	▲-0085	▲-4168	▲-0190	▲-5160	▲-0260	▲-5162	▲-0365	▲-5164	▲-0435															
	17	▲-9170	▲-0016	▲-9172	▲-0086	▲-4178	▲-019I	▲-5170	▲-026I	▲-5172	▲-0366	▲-5174	▲-0436															
G	18	▲-9180	▲-0017	▲-9182	▲-0087	▲-4188	▲-0192	▲-5180	▲-0262	▲-5182	▲-0367	▲-5184	▲-0437															
	19	▲-9190	▲-0018	▲-9192	▲-0088	▲-4198	▲-0193	▲-5190	▲-0263	▲-5192	▲-0368	▲-5194	▲-0438															
	20	▲-9200	▲-0019	▲-9202	▲-0089	▲-4208	▲-0194	▲-5200	▲-0264	▲-5202	▲-0369	▲-5204	▲-0439															
	21	▲-9210	▲-0020	▲-9212	▲-0090	▲-4218	▲-0195	▲-5210	▲-0265	▲-5212	▲-0370	▲-5214	▲-0440															
	22	▲-9220	▲-002I	▲-9222	▲-009I	▲-4228	▲-0196	▲-5220	▲-0266	▲-5222	▲-037I	▲-5224	▲-044I															
	23	▲-9230	▲-0022	▲-9232	▲-0092	▲-4238	▲-0197	▲-5230	▲-0267	▲-5232	▲-0372	▲-5234	▲-0442															
	24	▲-9240	▲-0023	▲-9242	▲-0093	▲-4248	▲-0198	▲-5240	▲-0268	▲-5242	▲-0373	▲-5244	▲-0443															
F	25	I5-38-9250	A-7043I-0024	I5-38-9252	A-7043I-0094	I5-47-4258	A-7043I-0199	I5-47-5250	A-7043I-0269	I5-47-5252	A-7043I-0374	I5-47-5254	A-7043I-0444															
E																												E
D																												D
C																												C
B																												B
A																												A
tb_frame_C_P_AM.T Rev. F 2009/06/18																												
		12		11		10		9		8		7		6		5		4		3		2		1				

PLATING PER ES-88:		CARRIER STRIP COLOR CODE
TIN		NONE
I5 GOLD		YELLOW
30 GOLD		RED

PLATING CHART PER ES-88-***

TIN: TIN OVERALL
THICKNESS: 3.8I MICROMETERS (150 MICROINCHES) MINIMUM ALL OVER A NICKEL UNDERPLATE.

I5 GOLD: SELECTIVE GOLD (Au) WITH SELECTIVE TIN
THICKNESS: 0.38 MICROMETERS (15 MICROINCHES) MINIMUM GOLD (Au) IN SELECT AREA
1.90 MICROMETERS (75 MICROINCHES) MINIMUM TIN IN SELECT AREA ALL OVER A NICKEL UNDERPLATE.

30 GOLD: SELECTIVE GOLD (Au) WITH SELECTIVE TIN
THICKNESS: 0.76 MICROMETERS (30 MICROINCHES) MINIMUM GOLD (Au) IN SELECT AREA
1.90 MICROMETERS (75 MICROINCHES) MINIMUM TIN IN SELECT AREA ALL OVER A NICKEL UNDERPLATE.

SEE SHEET 1 EC NO: UCP2010-0987 DRWN:MS BARRA 2009/12/28 CHKD:DMORGAN 2010/01/08 APPR:SMILLER 2010/01/11	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0 ▽=0 ▽=0			MM/IN		1:1	INCH	
		4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE ASSY, SL CONNECTOR, FFC MALE, SINGLE ROW 2.54/.100 GRID MOLEX INCORPORATED SDA-70431-**** 2 OF 2	
		3 PLACES	± ---	± ---	MGB	12/21/88		
		2 PLACES	± ---	± ---	CHECKED BY	DATE		
1 PLACE	± ---	± ---	MGB	12/21/88				
		ANGULAR ±1/2°		APPROVED BY	DATE			
				WAZ	12/21/88			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		MATERIAL NO. DOCUMENT NO.		
				SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А