

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	04JUN2015	DW	CW
	A1	ECR-16-004324	24MAR2016	CH	CW
	A2	ECR-16-011800	17AUG2016	QY	CW

D

D

C


C

B

B


A

A




PG/M THREAD-1
PG/M 螺纹孔-1

73
(91)




44
60
43




4X M3
THREAD / 螺纹孔

27
57




SCALE 1:2

TYPE-1:H10B HOOD,LOW CONSTRUCTION,
SIDE ENTRY,2 EAR
类型-1:H10B上壳,低结构,侧出,2耳




SCALE 1:2




PG/M THREAD-2
PG/M 螺纹孔-2

73
(91)




44
60
43



4X M3
THREAD / 螺纹孔

27
57




SCALE 1:2

TYPE-2:H10B HOOD,LOW CONSTRUCTION,
TOP ENTRY,2 EAR
类型-2:H10B上壳,低结构,顶出,2耳

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GREY
DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 粉末涂层, 灰色
防护等级: IP65(配合)







TYPE-5:H10B HOOD,LOW CONSTRUCTION,
NO ENTRY,2 EAR
OTHER SPEC REFER TO TYPE-1
类型-5:H10B上壳,低结构,无出线孔,2耳
其它规格尺寸参照类型-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID.WANG 04JUN2015	 TE Connectivity			
DIMENSIONS: mm		CHK CHRIS.WANG 04JUN2015				
		APVD XIANG.XU 04JUN2015	NAME H10B-TS/TG/TSH/TGH-RO-M/PG			
		PRODUCT SPEC 108-137013				
MATERIAL -		APPLICATION SPEC 114-137013	SIZE A2	CAGE CODE 00779	DRAWING NO T13X010XXXX000	RESTRICTED TO -
		WEIGHT -	SCALE 1:1		SHEET 1 OF 3	REV A2
		Customer Drawing				

1471-9 (3/13)



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1




SCALE 1:2

TYPE-3:H10B HOOD,HIGH CONSTRUCTION,
SIDE ENTRY,2 EAR
类型-3:H10B上壳,高结构,侧出,2耳



SCALE 1:2

TYPE-4:H10B HOOD,HIGH CONSTRUCTION,
TOP ENTRY,2 EAR
类型-4:H10B上壳,高结构,顶出,2耳



SCALE 1:2

TYPE-6:H0B HOOD,HIGH CONSTRUCTION,
NO ENTRY,2 EAR
OTHER SPEC REFER TO TYPE-3
类型-6:H10B上壳,高结构,无出线孔,2耳
其它规格尺寸参照类型-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 04JUN2015 DAVID.WANG		 TE Connectivity			
		CHK 04JUN2015 CHRIS.WANG					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H10B-TS/TG/TSH/TGH-RO-M/PG			
mm							
		0 PLC ±-		PRODUCT SPEC 108-137013			
		1 PLC ±-					
		2 PLC ±-		APPLICATION SPEC 114-137013			
		3 PLC ±-					
		4 PLC ±-		SIZE A200779			
		ANGLES ±-					
MATERIAL		FINISH		DRAWING NO T13X010XXXX000			
-		-					
-		-		WEIGHT -			
				SCALE 1:1			
				REV A2			

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1

T1340100000-000	H10B-TGH-RO	H10B HOOD,NO ENTRY HOLE,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,无出线孔,2耳,高结构,灰色粉末喷涂	-	-	-	-	TYPE-6:H0B HOOD,HIGH CONSTRUCTION, NO ENTRY,2 EAR 类型-6:H10B上壳,高结构,无出线孔,2耳
T1340107134-000	H10B-TGH-RO-NPT3/4	H10B HOOD, TOP ENTRY NPT3/4,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出NPT3/4,2耳,高结构,灰色粉末喷涂	-	-	-	NPT3/4	TYPE-4:H10B HOOD,HIGH CONSTRUCTION, TOP ENTRY,2 EAR 类型-4:H10B上壳,高结构,顶出,2耳
T1340100132-000	H10B-TGH-RO-M32	H10B HOOD, TOP ENTRY M32,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出M32,2耳,高结构,灰色粉末喷涂	-	-	-	M32	
T1340100129-000	H10B-TGH-RO-PG29	H10B HOOD, TOP ENTRY PG29,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出PG29,2耳,高结构,灰色粉末喷涂	-	-	-	PG29	
T1340100125-000	H10B-TGH-RO-M25	H10B HOOD, TOP ENTRY M25,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出M25,2耳,高结构,灰色粉末喷涂	-	-	-	M25	
T1340100121-000	H10B-TGH-RO-PG21	H10B HOOD, TOP ENTRY PG21,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出PG21,2耳,高结构,灰色粉末喷涂	-	-	-	PG21	
T1330107134-000	H10B-TSH-RO-NPT3/4	H10B HOOD,SIDE ENTRY NPT3/4,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出NPT3/4,2耳,高结构,灰色粉末喷涂	-	-	NPT3/4	-	TYPE-3:H10B HOOD,HIGH CONSTRUCTION, SIDE ENTRY,2 EAR 类型-3:H10B上壳,高结构,侧出,2耳
T1330100132-000	H10B-TSH-RO-M32	H10B HOOD,SIDE ENTRY M32,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M32,2耳,高结构,灰色粉末喷涂	-	-	M32	-	
T1330100129-000	H10B-TSH-RO-PG29	H10B HOOD,SIDE ENTRY PG29,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出PG29,2耳,高结构,灰色粉末喷涂	-	-	PG29	-	
T1330100125-000	H10B-TSH-RO-M25	H10B HOOD,SIDE ENTRY M25,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M25,2耳,高结构,灰色粉末喷涂	-	-	M25	-	
T1330100121-000	H10B-TSH-RO-PG21	H10B HOOD,SIDE ENTRY PG21,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出PG21,2耳,高结构,灰色粉末喷涂	-	-	PG21	-	
T1330100120-000	H10B-TSH-RO-M20	H10B HOOD,SIDE ENTRY M20,2 EAR, HIGH CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M20,2耳,高结构,灰色粉末喷涂	-	-	M20	-	TYPE-5:H10B HOOD,LOW CONSTRUCTION, NO ENTRY,2 EAR 类型-5:H10B上壳,低结构,无出线孔,2耳
T1320100000-000	H10B-TG-RO	H10B HOOD,NO ENTRY HOLE,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,无出线孔,2耳,低结构,灰色粉末喷涂	-	-	-	-	
T1320100125-000	H10B-TG-RO-M25	H10B HOOD, TOP ENTRY M25,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出M25,2耳,低结构,灰色粉末喷涂	-	M25	-	-	TYPE-2:H10B HOOD,LOW CONSTRUCTION, TOP ENTRY,2 EAR 类型-2:H10B上壳,低结构,顶出,2耳
T1320100120-000	H10B-TG-RO-M20	H10B HOOD, TOP ENTRY M20,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出M20,2耳,低结构,灰色粉末喷涂	-	M20	-	-	
T1320100116-000	H10B-TG-RO-PG16	H10B HOOD, TOP ENTRY PG16,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,顶出PG16,2耳,低结构,灰色粉末喷涂	-	PG16	-	-	
T1310100125-000	H10B-TS-RO-M25	H10B HOOD,SIDE ENTRY M25,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M25,2耳,低结构,灰色粉末喷涂	M25	-	-	-	TYPE-1:H10B HOOD,LOW CONSTRUCTION, SIDE ENTRY,2 EAR 类型-1:H10B上壳,低结构,侧出,2耳
T1310100121-000	H10B-TS-RO-PG21	H10B HOOD,SIDE ENTRY PG21,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出PG21,2耳,低结构,灰色粉末喷涂	PG21	-	-	-	
T1310100120-000	H10B-TS-RO-M20	H10B HOOD,SIDE ENTRY M20,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M20,2耳,低结构,灰色粉末喷涂	M20	-	-	-	
T1310100116-000	H10B-TS-RO-PG16	H10B HOOD,SIDE ENTRY PG16,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出PG16,2耳,低结构,灰色粉末喷涂	PG16	-	-	-	
T1310100113-000	H10B-TS-RO-PG13.5	H10B HOOD,SIDE ENTRY PG13.5,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出PG13.5,2耳,低结构,灰色粉末喷涂	PG13.5	-	-	-	
T1310100016-000	H10B-TS-RO-M16	H10B HOOD,SIDE ENTRY M16,2 EAR, LOW CONSTRUCTION,POWDER COATED,GREY H10B上壳,侧出M16,2耳,低结构,灰色粉末喷涂	M16	-	-	-	
PART NUMBER 料 号	PART DESCRIPTION 描 述		PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	PG/M THREAD-3 PG/M 螺纹孔-3	PG/M THREAD-4 PG/M 螺纹孔-4	TYPE 类 型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

DWN 04JUN2015
DAVID.WANG

CHK 04JUN2015
CHRIS.WANG

APVD 04JUN2015
XIANG.XU

PRODUCT SPEC
108-137013

APPLICATION SPEC
114-137013

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
H10B-TS/TG/TSH/TGH-RO-M/PG

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-T13X010XXXX000

RESTRICTED TO
-

SCALE 1:1 SHEET 3 OF 3 REV A2

1471-9 (3/13)

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А