






PRODUCT NUMBER
89025-XYX
89025-XYXLF



mat'l code				--		tolerances unless otherwise specified				CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3				COPY			title			
CP	V06-0573	DCH	2006-06-14		0.XX ±0.13				projection			METRAL SIGNAL HEADER			
CR	DG09-0256	TER	2009-08-19		.XXX ±.051							1 MOD, 5 ROW PRESS-FIT			
-	-	-	-	angles	0° ±2°						product family		METRAL		code
CK	V03-0031	TAB	02/08/03	dr	T.BRUNGARD 11/19/99				MM		size		dwg no		213
CL	V03-1321	DAI	01/15/04	enrg	M.STRAWSER 11/19/99				scale		A		89025		sheet
CM	V04-0459	LP	5/25/04	chr	M.STRAWSER 11/19/99				2:1						1 of 8
CN	V05-0030	DAI	02/10/05	appd	M.STRAWSER 02/29/00										
sheet		revision		CR	CR	CR	CR	CR	CR	CR	CR	CR	CR	CR	CR
index		sheet		1	2	3	4	5	6	7	8				


cage code 22526

Pro/E



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-10



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
23	8.00	17.70
24	6.50	16.30
25	5.75	15.60
26	5.00	14.90
27	5.75	12.40
29	8.00	14.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
32	6.50	12.90
38	7.25	14.40
39	8.00	14.40
40	5.00	15.60
41	6.50	15.60
44	5.75	12.10
45	6.50	12.10
49	5.75	15.10
54	5.00	11.50

mat'l code				tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X $\pm$ 0.3	projection	COPY	 title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT			
CR					0.XX $\pm$ 0.13						
					.XXX $\pm$.051						
				angles	0° $\pm$ 2°	 scale 1:1	product family	METRAL		code	
				dr	T.BRUNGARD 11/19/99			size	dwg no	89025	213 sheet 2
				enrg	M.STRAWSE 11/19/99						
				chr	M.STRAWSE 11/19/99						
				appd	M.STRAWSE 02/29/00						
sheet index	revision sheet										

Pro/E


PDM: Rev:CR

STATUS:Released

Printed: Sep 16, 2009



		1 2						3						4									
METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6
89025-X01 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10	89025-X05 SEE NOTE 10 LEAD FREE OPTION	E	26	12	12	12	12	23	89025-X09 SEE NOTE 10 LEAD FREE OPTION	E	21	21	11	11	10	11
	D	10	10	10	10	10	10		D	26	12	12	12	12	23		D	21	21	11	11	11	11
	C	9	9	9	9	9	9		C	23	12	12	12	12	23		C	21	21	11	11	11	11
	B	10	10	10	10	10	10		B	24	12	12	12	12	23		B	21	21	11	11	11	11
	A	3	3	3	3	3	3		A	24	12	12	12	12	23		A	21	21	11	11	11	11
89025-X02 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	3	2	89025-X06 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X10 SEE NOTE 10 LEAD FREE OPTION	E	3	19	3	3	19	3
	D	2	2	2	3	2	2		D	25	25	25	25	25	25		D	19	3	3	19	3	3
	C	2	1	2	3	3	2		C	25	25	25	25	25	25		C	3	1	19	3	3	19
	B	2	2	2	3	2	2		B	25	25	25	25	25	25		B	3	19	3	3	19	3
	A	2	2	2	3	3	2		A	25	25	25	25	25	25		A	3	3	19	3	3	3
89025-X03 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	2	2	89025-X07 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2	89025-X11 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	2	2	2	3	2	2		D	6	6	6	6	6	6		D	10	10	10	10	10	10
	C	2	1	2	3	2	2		C	6	6	6	6	6	6		C	10	10	10	10	10	10
	B	2	2	2	3	2	2		B	6	6	6	6	6	6		B	10	10	10	10	10	10
	A	2	2	2	3	2	2		A	6	6	6	6	6	6		A	2	2	2	2	2	2
89025-X04 SEE NOTE 10 LEAD FREE OPTION	E	12	25	23	23	23	25	89025-X08 SEE NOTE 10 LEAD FREE OPTION	E	4	2	19	19	19	2	89025-X12 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	12	25	23	23	23	25		D	4	2	19	19	19	2		D	9	9	9	9	9	9
	C	12	25	23	23	23	25		C	4	2	19	19	19	2		C	10	10	10	10	10	10
	B	12	25	23	23	23	25		B	4	2	19	19	19	2		B	10	10	10	10	10	10
	A	12	25	23	23	23	25		A	4	2	19	19	19	2		A	3	3	3	3	3	3
89025-X13 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10	89025-X14 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X15 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	3
	D	9	9	9	9	9	9		D	25	25	25	25	25	25		D	3	3	19	19	3	3
	C	10	10	10	10	10	10		C	25	25	25	25	25	25		C	3	3	19	19	3	3
	B	10	10	10	10	10	10		B	25	25	25	25	25	25		B	3	3	19	19	3	3
	A	2	2	2	2	2	2		A	2	2	2	2	2	2		A	3	3	19	19	3	3
89025-X17 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2	89025-X18 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6	89025-X19 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	1	1	1
	D	2	2	2	2	2	2		D	6	6	6	6	6	6		D	3	3	3	3	3	3
	C	4	4	4	4	4	4		C	8	8	8	8	8	8		C	3	3	3	3	3	3
	B	2	2	2	2	2	1		B	6	6	6	6	6	5		B	3	3	3	3	3	3
	A	2	2	2	2	2	2		A	6	6	6	6	6	6		A	3	3	3	3	3	3
89025-X16 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	4	89025-X20 SEE NOTE 10 LEAD FREE OPTION	E	1	4	4	4	4	19		E	1	4	4	4	4	19
	D	3	3	19	19	3	4		D	1	4	4	4	4	19		D	1	4	4	4	4	19
	C	3	3	19	19	3	4		C	19	4	4	4	4	19		C	19	4	4	4	4	19
	B	3	3	19	19	3	4		B	3	4	4	4	4	19		B	3	4	4	4	4	19
	A	3	3	19	19	3	4		A	3	4	4	4	4	19		A	3	4	4	4	4	19

mat'l code				--		tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
lfr	ecn no.	dr	date	linear	0.X ±0.3				COPY			title																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CR					0.XX ±0.13				projection			METRAL SIGNAL HEADER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					.XXX ±.051							1 MOD, 5 ROW PRESS-FIT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					0° ±2°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				dr	T.BRUNGARD	11/19/99			product family		METRAL		code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				engr	M.STRAWSER	11/19/99			size		dwg no		213																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				chr	M.STRAWSER	11/19/99			scale				sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				appd	M.STRAWSER	02/29/00			1:1		A		89025																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
sheet index	revision sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
CR				linear	0.XX ±0.13	projection		title	
				angles	.XXX ±.051			METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99			product family	
				engr	M.STRAWSE 11/19/99	MM		METRAL	
				chr	M.STRAWSE 11/19/99	scale		code	
				appd	M.STRAWSE 02/29/00	1:1		213	
sheet	revision							sheet	
index	sheet							3	



1 2										3										4																									
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I															
89025-X21 SEE NOTE 10 LEAD FREE OPTION		E	25	25	25	25	25	25	89025-X25 SEE NOTE 10 LEAD FREE OPTION		E	-	-	-	-	-	89025-X29 SEE NOTE 10 LEAD FREE OPTION		E	-	-	-	-	-	89025-X33 SEE NOTE 10 LEAD FREE OPTION		E	25	25	25	25	25	25	89025-X37 SEE NOTE 10 LEAD FREE OPTION		E	11	11	11	11	11	11			
		D	40	40	40	40	40	40			D	3	3	3	3	3			3	D	1	1	1	1			1	1	D	40	40	40	40			40	40	D	11	11	11	11	11	11	
		C	25	25	25	25	25	25			C	3	3	3	3	3			3	C	25	25	25	25			25	25	C	1	1	1	1			1	1	1	C	11	11	11	11	11	11
		B	25	25	25	25	25	25			B	3	3	3	3	3			3	B	25	25	25	25			25	25	B	1	1	1	1			1	1	1	B	11	11	11	11	11	11
		A	3	3	3	3	3	3			A	3	3	3	3	3			3	A	4	4	4	4			4	4	A	1	1	1	1			1	1	1	A	11	11	11	11	11	11
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I															
89025-X22 SEE NOTE 10 LEAD FREE OPTION		E	1	1	1	1	1	1	89025-X26 SEE NOTE 10 LEAD FREE OPTION		E	-	-	-	-	-	89025-X30 SEE NOTE 10 LEAD FREE OPTION		E	1	4	1	1	1	1	89025-X34 SEE NOTE 10 LEAD FREE OPTION		E	4	4	4	13	13	13	89025-X38 SEE NOTE 10 LEAD FREE OPTION		E	49	49	49	49	49	49		
		D	1	1	1	1	1	1			D	3	3	-	-	-			D	1	1	1	1	1	4			D	4	4	4	13	13	13			D	49	49	49	49	49	49		
		C	1	1	1	1	1	1			C	3	3	-	-	-			C	1	1	1	4	1	1			C	4	4	4	13	13	13			C	49	49	49	49	49	49		
		B	19	4	4	4	4	4			B	3	3	-	-	-			B	1	4	1	1	1	1			B	4	4	4	13	13	13			B	49	49	49	49	49	49		
		A	1	1	1	1	1	1			A	3	3	-	-	-			A	1	1	1	1	1	4			A	4	4	4	13	13	13			A	49	49	49	49	49	49		
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I															
89025-X23 SEE NOTE 10 LEAD FREE OPTION		E	2	-	2	-	2	-	89025-X27 SEE NOTE 10 LEAD FREE OPTION		E	32	32	32	32	32	32	89025-X31 SEE NOTE 10 LEAD FREE OPTION		E	1	1	1	3	1	1	89025-X35 SEE NOTE 10 LEAD FREE OPTION		E	1	1	1	1	1	1	89025-X39 SEE NOTE 10 LEAD FREE OPTION		E	44	44	44	44	44	44	
		D	-	-	-	-	-	-			D	32	32	32	32	32	32			D	1	1	1	3	1	1			D	40	1	1	1	1	1			1	D	44	44	44	44	44	44
		C	2	-	2	-	2	-			C	32	32	32	32	32	32			C	3	3	1	3	1	1			C	1	1	1	1	1	1			1	C	44	44	44	44	44	44
		B	-	-	-	-	-	-			B	32	32	32	32	32	32			B	1	1	1	1	1	1			B	1	1	1	1	1	1			1	B	44	44	44	44	44	44
		A	2	-	2	-	2	-			A	32	32	32	32	32	32			A	4	4	4	4	4	4			A	1	1	1	1	1	1			1	A	44	44	44	44	44	44
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I															
89025-X24 SEE NOTE 10 LEAD FREE OPTION		E	4	2	2	2	2	2	89025-X28 SEE NOTE 10 LEAD FREE OPTION		E	-	-	-	-	-	89025-X32 SEE NOTE 10 LEAD FREE OPTION		E	45	45	45	45	45	45	89025-X36 SEE NOTE 10 LEAD FREE OPTION		E	8	8	8	14	14	14	89025-X40 SEE NOTE 10 LEAD FREE OPTION		E	12	12	12	15	15	15		
		D	4	2	2	2	2	2			D	1	1	1	1	1			D	45	45	45	45	45	45			D	8	8	8	14	14	14			D	12	12	12	15	15	15		
		C	4	2	2	2	2	2			C	1	1	1	1	1			C	45	45	45	45	45	45			C	8	8	8	14	14	14			C	12	12	12	15	15	15		
		B	4	2	2	2	2	2			B	1	1	1	1	1			B	45	45	45	45	45	45			B	8	8	8	14	14	14			B	12	12	12	15	15	15		
		A	4	2	2	2	2	2			A	1	1	1	1	1			A	45	45	45	45	45	45			A	8	8	8	14	14	14			A	12	12	12	15	15	15		

mat'l code

- -

tolerances unless otherwise specified

lfr

ecn no.

dr

date

linear

0. x ±0.3

0. xx ±0.13

.xxx ±.051

0° ±°

angles

dr

T.BRUNGARD

11/19/99

enrg

M.STRAWSER

11/19/99

chr

M.STRAWSER

11/19/99

appd

M.STRAWSER

02/29/00

sheet index

revision sheet

CUSTOMER

COPY

projection

title

METRAL SIGNAL HEADER

1 MOD, 5 ROW PRESS-FIT

product family

METRAL

code

213

size

dwg no

89025

sheet

4

scale

1:1

A

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		FCJ www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY				
CR					0.XX ±0.13		projection				
					.XXX ±.051						
				angles	0° ±2°						
				dr	T.BRUNGARD	11/19/99			product family		code
				engr	M.STRAWSE	11/19/99			METRAL		213
				chr	M.STRAWSE	11/19/99			size		4
				appd	M.STRAWSE	02/29/00			dwg no		
sheet index		revision sheet						scale		A	
								1:1		89025	
										cage code 22526	



1 2											3											4																											
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I																			
			1	2	3	4	5	6				1	2	3	4	5	6				1	2	3	4	5	6				1	2	3	4	5	6														
89025-X41 SEE NOTE 10 LEAD FREE OPTION		E	1	-	-	1	-	1	89025-X45 SEE NOTE 10 LEAD FREE OPTION		E	1	3	3	3	3	3	89025-X49 SEE NOTE 10 LEAD FREE OPTION		E	1	1	-	1	1	-	89025-X53 SEE NOTE 10 LEAD FREE OPTION		E	7	5	5	5	5	89025-X57 SEE NOTE 10 LEAD FREE OPTION		E	4	4	4	4	4	4						
		D	1	-	-	1	-	1			D	3	3	3	3	3	3			D	1	3	4	4	4	4			4	D	13	4	4	4			4	4	4										
		C	1	-	-	1	-	1			C	3	3	3	3	3	3			C	1	3	4	4	4	4			4	C	13	4	4	4			4	4	4										
		B	1	-	-	1	-	1			B	3	3	3	3	3	3			B	4	4	4	4	4	4			4	B	4	4	4	4			4	4	4										
		A	1	-	-	1	-	1			A	3	3	3	3	3	3			A	1	3	13	13	13	13			13	A	13	13	13	13			13	13	13										
89025-X42 SEE NOTE 10 LEAD FREE OPTION		E	4	4	4	4	4	4	89025-X46 SEE NOTE 10 LEAD FREE OPTION		E	1	9	1	9	1	4	4	4	89025-X50 SEE NOTE 10 LEAD FREE OPTION		E	1	1	9	1	9	1	9	1	89025-X54 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	2	2	89025-X58 SEE NOTE 10 LEAD FREE OPTION		E	2	0	7	7	7	7	7
		D	4	4	4	4	4	4			D	1	9	1	9	1	4	4	4			D	1	1	9	1	9	1	9	1			D	2	0	7	7	7	7			7							
		C	4	4	4	4	4	4			C	1	9	1	9	1	4	4	4			C	1	1	9	1	9	1	9	1			C	2	0	7	7	7	7			7							
		B	1	9	1	9	1	9			1	B	1	9	1	9	1	4	4			4	B	1	1	9	1	9	1	9			1	B	2	0	7	7	7			7	7						
		A	1	9	1	9	1	9			1	A	1	9	1	9	1	4	4			4	A	1	1	9	1	9	1	9			1	A	2	0	7	7	7			7	7						
89025-X43 SEE NOTE 10 LEAD FREE OPTION		E	1	9	1	9	1	9	1	89025-X47 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	4	4	89025-X51 SEE NOTE 10 LEAD FREE OPTION		E	-	2	-	2	-	2	89025-X55 SEE NOTE 10 LEAD FREE OPTION		E	1	9	1	9	1	9	1	89025-X59 SEE NOTE 10 LEAD FREE OPTION		E	1	9	3	3	3	3	3		
		D	1	9	1	9	1	9	1			D	2	2	2	2	4	4			D	-	-	-	-	-	-			D	1	1	9	1	9	1	9			1	D	1	9	3	3	3	3	3	
		C	4	4	4	4	4	4	C			2	2	2	2	2	2	C			-	2	-	2	-	2	C			1	1	9	1	9	1	9	1			C	1	9	3	3	3	3	3		
		B	4	4	4	4	4	4	B			2	2	2	2	1	9	1			B	-	-	-	-	-	-			B	1	1	9	1	9	1	9			1	B	1	9	3	3	3	3	3	
		A	4	4	4	4	4	4	A			2	2	2	2	1	9	1			A	-	2	-	2	-	2			A	1	1	9	1	9	1	9			1	A	1	9	3	3	3	3	3	
89025-X44 SEE NOTE 10 LEAD FREE OPTION		E	2	0	2	0	2	0	2	89025-X48 SEE NOTE 10 LEAD FREE OPTION		E	3	-	3	-	3	-	89025-X52 SEE NOTE 10 LEAD FREE OPTION		E	1	3	3	3	3	3	1	89025-X56 SEE NOTE 10 LEAD FREE OPTION		E	7	7	7	7	7	7	89025-X60 SEE NOTE 10 LEAD FREE OPTION		E	1	9	1	9	1	9	-		
		D	2	0	2	0	2	0	2			D	3	-	3	-	3	-			D	3	3	3	3	3	3	D			7	7	4	4	7	7	7			D	1	9	1	9	1	9	-		
		C	8	8	8	8	8	8	C			-	-	-	-	-	-	C			3	3	3	3	3	3	C	7			7	7	7	7	7	C	1			9	1	9	1	9	-				
		B	8	8	8	8	8	8	B			3	-	3	-	3	-	B			3	3	3	3	3	3	B	7			7	7	7	7	7	B	1			9	1	9	1	9	-				
		A	8	8	8	8	8	8	A			3	-	3	-	3	-	A			3	3	3	3	3	3	A	7			7	7	7	7	7	A	1			9	1	9	1	9	-				

mat'l code

- -

tolerances unless otherwise specified

lfr

ecn no.

dr

date

linear

0. XX ±0.3

0. XX ±0.13

.XXX ±.051

0° ±°

angles

dr

T.BRUNGARD

11/19/99

engr

M.STRAWSER

11/19/99

chr

M.STRAWSER

11/19/99

appd

M.STRAWSER

02/29/00


sheet index

revision sheet

CUSTOMER

COPY

projection



MM

scale

1:1



www.fciconnect.com

title

METRAL SIGNAL HEADER

1 MOD, 5 ROW PRESS-FIT

product family

METRAL

code

213

size

dwg no

89025

sheet

5

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY				title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT
CR					0.XX ±0.13		projection				
					.XXX ±.051						
					0° ±2°						
				angles	dr	T.BRUNGARD	11/19/99		product family		code
				enrg	M.STRAWSE	11/19/99	METRAL		213		
				chr	M.STRAWSE	11/19/99	size		5		
				appd	M.STRAWSE	02/29/00	dwg no				
sheet		revision						scale		A	
index		sheet						1:1		89025	
								cage code		22526	



1 2												3												4																
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I										
89025-X61 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	3	89025-X65 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	19	89025-X69 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	8	89025-X73 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7	
	D	3	19	3	3	3	3		D	3	3	3	3	3	19		D	14	7	8	8	8	8		D	2	-	2	-	2	-		D	7	7	7	7	7	7	
	C	3	19	3	3	3	3		C	3	3	3	3	3	19		C	14	7	8	8	8	8		C	-	2	-	2	-	2		-	C	7	7	7	7	7	7
	B	19	19	3	3	3	3		B	3	3	3	3	3	19		B	14	7	8	8	8	8		B	2	-	2	-	2	-		B	7	7	7	7	7	7	
	A	19	19	3	3	3	3		A	3	3	3	3	3	19		A	14	7	5	8	8	8		A	-	2	-	2	-	2		-	A	7	7	7	7	7	7
89025-X62 SEE NOTE 10 LEAD FREE OPTION	E	1	-	1	-	1	-	89025-X66 SEE NOTE 10 LEAD FREE OPTION	E	3	1	1	1	1	1	89025-X70 SEE NOTE 10 LEAD FREE OPTION	E	13	2	4	4	4	4	89025-X74 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X78 SEE NOTE 10 LEAD FREE OPTION	E	54	54	39	54	54	54	
	D	-	1	-	1	-	1		D	3	1	1	1	1	1		D	13	3	4	4	4	4		D	2	-	2	-	2	-		D	54	54	39	54	54	54	
	C	1	-	1	-	1	-		C	3	1	1	1	1	1		C	13	3	4	4	4	4		C	-	2	-	2	-	2		-	C	54	54	39	54	54	54
	B	-	1	-	1	-	1		B	3	1	1	1	1	1		B	13	3	4	4	4	4		B	2	-	2	-	2	-		B	54	54	39	54	54	54	
	A	1	-	1	-	1	-		A	3	1	1	1	1	1		A	13	3	1	4	4	4		A	-	2	-	2	-	2		-	A	54	54	39	54	54	54
89025-X63 SEE NOTE 10 LEAD FREE OPTION	E	8	27	29	29	29	27	89025-X67 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	20	20	20	89025-X71 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	8	8	8	89025-X75 SEE NOTE 10 LEAD FREE OPTION	E	54	54	54	54	39	54	89025-X79 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	
	D	8	27	29	29	29	27		D	5	5	20	20	20	20		D	20	20	20	8	8	8		D	54	54	54	54	39	54		D	1	1	1	1	1	1	
	C	8	27	29	29	29	27		C	5	5	20	20	20	20		C	20	20	20	8	8	8		C	54	54	54	54	39	54		C	2	2	2	2	1	1	
	B	8	27	29	29	29	27		B	5	5	20	20	20	20		B	20	20	20	8	8	8		B	54	54	54	54	39	54		B	1	1	1	1	1	1	
	A	8	27	29	29	29	27		A	5	5	20	20	20	20		A	20	20	20	8	8	8		A	54	54	54	54	39	54		A	1	1	1	1	1	1	
89025-X64 SEE NOTE 10 LEAD FREE OPTION	E	45	-	45	-	45	-	89025-X68 SEE NOTE 10 LEAD FREE OPTION	E	21	21	21	21	21	21	89025-X72 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	4	4	4	89025-X76 SEE NOTE 10 LEAD FREE OPTION	E	3	3	1	19	3	3	89025-X80 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5	
	D	45	-	45	-	45	-		D	9	9	21	21	21	21		D	19	19	19	4	4	4		D	3	3	3	3	3	3		D	5	5	5	5	5	5	
	C	-	-	-	-	-	-		C	9	9	21	21	21	21		C	19	19	19	4	4	4		C	3	3	3	3	3	3		C	6	6	6	6	5	5	
	B	45	-	45	-	45	-		B	9	9	21	21	21	21		B	19	19	19	4	4	4		B	3	3	3	3	3	3		B	5	5	5	5	5	5	
	A	45	-	45	-	45	-		A	9	9	21	21	21	21		A	19	19	19	4	4	4		A	3	3	3	3	3	3		A	5	5	5	5	5	5	
89025-X73 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X74 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X75 SEE NOTE 10 LEAD FREE OPTION	E	54	54	54	54	39	54	89025-X76 SEE NOTE 10 LEAD FREE OPTION	E	3	3	1	19	3	3	89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7	
	D	2	-	2	-	2	-		D	2	-	2	-	2	-		D	2	-	2	-	2	-		D	2	-	2	-	2	-		D	7	7	7	7	7	7	
	C	-	2	-	2	-	2		C	-	2	-	2	-	2		-	C	-	2	-	2	-		2	-	C	-	2	-	2		-	C	7	7	7	7	7	7
	B	2	-	2	-	2	-		B	2	-	2	-	2	-		B	2	-	2	-	2	-		B	2	-	2	-	2	-		B	7	7	7	7	7	7	
	A	-	2	-	2	-	2		-	A	-	2	-	2	-		2	-	A	-	2	-	2		-	2	-	A	-	2	-		2	-	A	7	7	7	7	7
89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7	89025-X78 SEE NOTE 10 LEAD FREE OPTION	E	54	54	39	54	54	54	89025-X79 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	89025-X80 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5									
	D	7	7	7	7	7	7		D	54	54	39	54	54	54		D	1	1	1	1	1	1		D	5	5	5	5	5	5	D	5	5	5	5	5	5		
	C	7	7	7	7	7	7		C	54	54	39	54	54	54		C	2	2	2	2	1	1		C	6	6	6	6	5	5	C	6	6	6	6	5	5		
	B	7	7	7	7	7	7		B	54	54	39	54	54	54		B	1	1	1	1	1	1		B	5	5	5	5	5	5	B	5	5	5	5	5	5		
	A	7	7	7	7	7	7		A	54	54	39	54	54	54		A	1	1	1	1	1	1		A	5	5	5	5	5	5	A	5	5	5	5	5	5		

mat'l code

lfr

ecn no.

dr

date

linear

0.X ±0.3

0.XX ±0.13

.XXX ±.051

angles

0° ±2°

dr

T.BRUNGARD

11/19/99

engr

M.STRAWSER

11/19/99

chr

M.STRAWSER

11/19/99

appd

M.STRAWSER

02/29/00

sheet index

revision sheet

tolerances unless otherwise specified

projection

scale

CUSTOMER

COPY

1:1

FCJ

www.fciconnect.com

title

METRAL SIGNAL HEADER

1 MOD, 5 ROW PRESS-FIT

product family

METRAL

size

A

dwg no

89025

code

213

sheet

6

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
CR					0.XX ±0.13			projection		METRAL SIGNAL HEADER	
					.XXX ±.051					1 MOD, 5 ROW PRESS-FIT	
					0° ±2°					product family	
				dr	T.BRUNGARD	11/19/99	scale		METRAL		code
				enr	M.STRAWSE	11/19/99	1:1		size		213
				chr	M.STRAWSE	11/19/99			dwg no		sheet
				appd	M.STRAWSE	02/29/00			A		6
sheet index		revision sheet									

[illegible]

PRODUCT NUMBER

89025-XYX

89025-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
55422 -XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION GS-I2-180
APPLICATION SPECIFICATION BUS-20-073
8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
10. FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89025-X01LF

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		projection	title			
CR					0.XX ±0.13				METRAL SIGNAL HEADER			
					.XXX ±.051				1 MOD, 5 ROW PRESS-FIT			
				angles	0° ±2°			MM	product family		code	
				dr	T.BRUNGARD	11/19/99			METRAL		213	
				engr	M.STRAWSER	11/19/99					sheet	
				chr	M.STRAWSER	11/19/99			A	89025		8
				appd	M.STRAWSER	02/29/00						
sheet		revision										
index		sheet										

cage code 22526

Pro/E

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А