





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		A	RELEASE PER ECO-16-001264	1FEB2016	RG	SH
			B	REVISE PER ECO-17-008876	3AUG2017	RG	SH







- 1 MATERIAL:
CAGE ASSEMBLY- STAINLESS STEEL.
BRACKET- STAINLESS STEEL.
EMI GASKET- NIKCEL-GRAPHITE FILLED SILICONE.
HOUSING- BLACK LCP,UL 94V-0 RATED
CHICKLET- BLACK LCP,UL 94V-0 RATED
LIGHT PIPE- POLYCARBONATE, CLEAR, UL 94V-0 RATED
CONTACT- COPPER ALLOY.
GASKET - CONDUCTIVE RUBBER, UL 94V-0 RATED
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MINIMUM PCB THICKNESS OF 1.57mm.
- 4 CONTACT FINISH- CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-127010. BASED ON EIA/ECA-364-1000.01A. (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.
- 5 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES. TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.
- 6 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE WITH A HEIGHT OF 0.8mm.
7. CAGE FINISH-1.25 μ m MINIMUM NICKEL PLATING.
- 8 KEEP THE GAP BETWEEN LEDS 0.5mm MINIMUM.

BOTH LIGHT PIPES WITH DOWN DIRECTION	1-2214574-0
3 ROUND VENT HOLES	2214574-9
BOTH LIGHT PIPES	2214574-8
BOTH LIGHT PIPES	2214574-7
INNER LIGHT PIPES	2214574-6
OUTER LIGHT PIPES	2214574-5
NO LIGHT PIPES	2214574-4
BOTH LIGHT PIPES	2214574-3
INNER LIGHT PIPES	2214574-2
OUTER LIGHT PIPES	2214574-1
DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROBERT GAN 20APR2013	 TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK JASON YANG 20APR2013		
DIMENSIONS:	mm	APVD ALEX CAL 20APR2013	NAME	
		PRODUCT SPEC	CAGE AND PT CONNECTOR ASSEMBLY	
		108-127010	WITH EMI GASKET, PRESS FIT,	
		APPLICATION SPEC	2X2, STACKED QSPF+	
MATERIAL		114-32020	SIZE	
		WEIGHT	A1 00779C=2214574	
CUSTOMER DRAWING		SCALE 4:1		
		SHEET 1 OF 4		
		REV B		





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	ROBERT GAN		20APR2013	 TE Connectivity								
		CHK	JASON YANG		20APR2013									
DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:				NAME	CAGE AND PT CONNECTOR ASSEMBLY WITH EMI GASKET, PRESS FIT, 2X2, STACKED QSPF+							
		0 PLC	±	-	APVD			ALEX CAI	20APR2013					
		1 PLC	±	0.05	PRODUCT SPEC									
		2 PLC	±	0.05	108-127010									
		3 PLC	±	-	APPLICATION SPEC									
		4 PLC	±	-	114-32020									
		ANGLES		-										
MATERIAL	FINISH	WEIGHT		A1		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO					
						00779		C=214574	-					
CUSTOMER DRAWING						SCALE		4:1	SHEET	2	OF	4	REV	B


LOC		DIST		REVISIONS						
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD	
				-	-	SEE SHEET 1	-	-	-	




RECOMMENDED PANEL CUTOUT
AND PC BOARD PANEL POSITION
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	ROBERT GAN		20APR2013		 TE Connectivity											
				CHK	JASON YANG		20APR2013													
				APVD	ALEX CAI		20APR2013		NAME		CAGE AND PT CONNECTOR ASSEMBLY WITH EMI GASKET, PRESS FIT, 2X2, STACKED QSFP+									
				PRODUCT SPEC																
				108-127010																
				APPLICATION SPEC							SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
				114-32020							A1		00779		C=2214574		-			
				WEIGHT							SCALE		4:1		SHEET 3		OF 4		REV B	
				CUSTOMER DRAWING																


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




2214574-1




2214574-2




2214574-3




2214574-4




2214574-5




2214574-6




2214574-7



2214574-8



2214574-9



1-2214574-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ROBERT GAN 20APR2013		 TE Connectivity	
		CHK: JASON YANG 20APR2013			
		APVD: ALEX CAI 20APR2013			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm				CAGE AND PT CONNECTOR ASSEMBLY	
		0 PLC ± -		WITH EMI GASKET, PRESS FIT,	
		1 PLC ±0.25		2X2, STACKED QSFP+	
		2 PLC ±0.15			
		3 PLC ± -			
4 PLC ± -		4			
ANGLES				SIZE	
FINISH				CAGE CODE	
				DRAWING NO	
MATERIAL		WEIGHT		RESTRICTED TO	
		114-32020		A 1 00779C-2214574 -	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 4 OF 4 REV B	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А