





SECTION A1-A1





73099-9001
OPTION TYPE "A"



SECTION A2-A2



73099-9002
OPTION TYPE "B"



CUSTOM IO MATES WITH THE FOLLOWING "SL" CIRCUIT SIZE COMBINATIONS:

- 1) 2 CKT., 2CKT., AND 6 CKT.
- 2) 4 CKT. AND 6 CKT.
- 3) 2 CKT. AND 8 CKT.
- 4) 10 CKT.


INITIAL RELEASE EC NO.: UC2M00-0364 DFM: UC2M00-0364 CH: CDRBARKER APP: MILLER 2005/12/12 2005/12/19 2005/12/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	 =0  =0	mm	INCH	DRAWN BY	DATE	TITLE		
	DESCRIPTION	4 PLACES $\pm .00$ 3 PLACES $\pm .010$ 2 PLACES $\pm .014$ 1 PLACE $\pm .036$ ANGULAR $\pm 1/2^\circ$	MIBARRA 2005/11/23 CHECKED BY 2005/11/23 BBARKER 2005/11/23 APPROVED BY 2005/11/23 MILLER 2005/11/23		HERMAPHRODITIC SL DRAWER CONNECTOR SALES ASSEMBLY			
	REV		MATERIAL NO.	DOCUMENT NO.	SHEET NO.			
A		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	SD-73099-001	2 OF 4			
			SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

PANEL DIMENSIONS


CKT. SIZE	DIM. "G" $\pm .010$ (± 0.25)		DIM. "H" $\pm .010$ (± 0.25)		DIM. "I" $\pm .010$ (± 0.25)	
	INCH	(MM)	INCH	(MM)	INCH	(MM)
04	1.230	(31.24)	.660	(16.76)	1.128	(28.65)
06	1.430	(36.32)	.860	(21.84)	1.328	(33.73)
08	1.630	(41.40)	1.060	(26.92)	1.528	(38.81)
10	1.830	(46.48)	1.260	(32.00)	1.728	(43.89)
12	2.030	(51.56)	1.460	(37.08)	1.928	(48.97)

FLOAT PANEL VIEW


NON-FLOAT PANEL VIEW



OPERATING PANEL CLOSURE DIMENSIONS



FULLY CLOSED CONNECTOR




FLOATING PANEL VIEW



VIEW FROM PUNCH SIDE
(SCALE 3:1)

NON-FLOATING PANEL VIEW

VIEW FROM PUNCH SIDE
(SCALE 3:1)



PANEL OFFSET VIEW



INITIAL RELEASE EC NO. UCP2006-0364 DRAWN BY: CHIKOBARKER CHECKED BY: SMILLER APPR: SMILLER DATE: 2005/11/12 DATE: 2005/11/19 DATE: 2005/11/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
	▽=0		mm INCH	DRAWN BY DATE	11/23	HERMAPHRODITIC SL DRAWER CONNECTOR SALES ASSEMBLY MOLEX MOLEX INCORPORATED		
	▽=0	4 PLACES ± ±	MIBARRA 2005/11/23	CHECKED BY DATE	BBARKER 2005/11/23			
		3 PLACES ± ±	0.10	APPROVED BY DATE	SMILLER 2005/11/23			
		2 PLACES ± ±	0.25 0.014	MATERIAL NO. DOCUMENT NO.				
		1 PLACE ± ±	0.36 0.014	SD-73099-001		SHEET NO. 3 OF 4		
		ANGULAR ±1/2°	SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						

	13	12	11	10	9	8	7	6	5	4	3	2	1									
J	"STANDARD" DRAWER PART NUMBERS			ASSEMBLY PART NUMBERS AND DIMENSIONS BY CIRCUIT SIZE										"CUSTOM" DRAWER * PART NUMBERS (SEE NOTE 9., SHEET 1.)			J					
I	S T A T U S	PART NUMBER	CKT. SIZE	OPTION TYPE (SEE SHEET 1)	DIM. "A"		DIM. "B"		DIM. "C"		DIM. "D"		DIM. "E"		DIM. "F"		S T A T U S	PART NUMBER	CKT. SIZE	OPTION TYPE (SEE SHEET 1)	I	
		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)									
	X	SAME AS CUSTOM 04	04	A	1.220	(30.99)	.870	(22.10)	.300	(7.62)	.420	(10.67)	1.113	(28.27)	.500	(12.70)	X		04	A		
	X		04	B	1.220	(30.99)	.870	(22.10)	.300	(7.62)	.420	(10.67)	1.113	(28.27)	.500	(12.70)	X		04	B		
	X		06	A	1.420	(35.56)	1.070	(27.18)	.500	(12.70)	.620	(15.75)	1.313	(33.35)	.700	(17.78)	X		06	A		
	X		06	B	1.420	(35.56)	1.070	(27.18)	.500	(12.70)	.620	(15.75)	1.313	(33.35)	.700	(17.78)	X		06	B		
	X		08	A	1.620	(41.15)	1.270	(32.26)	.700	(17.78)	.820	(20.83)	1.513	(38.43)	.900	(22.86)	X		08	A		
	X		08	B	1.620	(41.15)	1.270	(32.26)	.700	(17.78)	.820	(20.83)	1.513	(38.43)	.900	(22.86)	X		08	B		
	H	X		10	A	1.820	(46.23)	1.470	(37.74)	.900	(22.86)	1.020	(25.91)	1.713	(43.51)	1.100	(27.94)	X		10	A	H
		X		10	B	1.820	(46.23)	1.470	(37.74)	.900	(22.86)	1.020	(25.91)	1.713	(43.51)	1.100	(27.94)	X		10	B	
		73099-9221	12	A	2.020	(51.31)	1.670	(42.42)	1.100	(27.94)	1.220	(30.99)	1.913	(48.59)	1.300	(33.02)	X		12	A		
	X		12	B	2.020	(51.31)	1.670	(42.42)	1.100	(27.94)	1.220	(30.99)	1.913	(48.59)	1.300	(33.02)	X		12	B		
G	*X* STATUS: PART NUMBERS WITH AN 'X' IN THE STATUS COLUMN OR CIRCUIT SIZES WITH NO ASSOCIATED PART NUMBER DO NOT HAVE EXISTING TOOLING OR PRODUCTION CAPACITY. * PREDETERMINED 'SL' MATING ASSEMBLIES FOR 'CUSTOM' ID ARE LISTED ON SHEET 2. COMBINATIONS OF 'SL' MATING CIRCUIT SIZES FOR OTHER 'CUSTOM' DRAWER ASSEMBLIES HAVE TO BE DETERMINED.																				G	
F																					F	
E																					E	
D																					D	
C																					C	
B																					B	
A																					A	
ib_frame_C_P_ME_T Rev. D 2004/04/02		12	11	10	9	8	7	6	5	4	3	2	1									
INITIAL RELEASE EC NO: UCP2006-0364 2005/12/12 DRAWN BY: SMART CHKD BY: BARKER APPR BY: SMILLER 2005/12/19		DESCRIPTION REV A		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.36 ± --- ANGULAR ±1/2°				DIMENSION STYLE IN/MM DRAWN BY: MIBARRA DATE: 2005/11/23 CHECKED BY: BBARKER DATE: 2005/11/23 APPROVED BY: SMILLER DATE: 2005/11/23 MATERIAL NO. SEE TABLE SIZE C				SCALE --- DESIGN UNITS INCH THIRD ANGLE PROJECTION HERMAPHRODITIC SL DRAWER CONNECTOR SALES ASSEMBLY MOLEX INCORPORATED DOCUMENT NO. SD-73099-001 SHEET NO. 4 OF 4				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А