THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

TYPE 1
类型1

Single PG/M thread
单个 PG/M螺纹孔







TYPE 2
类型2

Two PG/M threads
两个 PG/M螺纹孔



All dimension is same as TYPE 1, except those defined in this TYPE
除了在本类型中定义的尺寸外，其他尺寸同类型1

NOTES:
1. TECHNICAL CHARACTERISTICS:
   HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE: SEE TABLE
   DEGREE OF PROTECTION: IP68 (MATED)

注释
1. 技术参数：
   壳体材料： 铝合金
   表面处理： 见表格
   防护等级： IP68 （配合）

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	08OCT2016	DW	CW
	A1	ECR-17-018159	13DEC2017	RL	CW
	B	ECR-19-009256	23FEB2019	CD	CW

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN DAVID WANG 08OCT2016
CHK CHRIS WANG 08OCT2016
APVD XIANG XU 08OCT2016
PRODUCT SPEC 108-137191
APPLICATION SPEC 114-137191
WEIGHT -

TE Connectivity

NAME H16BPR-TGHC-PG/M-EMC-C

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-T192216XXXXX09	-

Customer Drawing | SCALE 1:1 | SHEET 1 OF 2 | REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

备注：

见 SHEET 1

PART NUMBER 料号	DESCRIPTION 描述	PG/M THREAD-3 PG/M 螺纹-3	PG/M THREAD-2 PG/M 螺纹-2	PG/M THREAD-1 PG/M 螺纹-1	TYPE 类型
T1922160225-009	H16BPR-TGHC-2M25-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY 2M25,BLACK HI6BPR上壳,中部锁定,顶出2M25,黑色	M25	M25	-	TYPE 2 类型2
T1922162150-009	H16BPR-TGHC-M50-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M50,GREY HI6BPR上壳,中部锁定,顶出M50,灰色	-	-	M50	
T1922161140-009	H16BPR-TGHC-M40-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M40,SILVER WHITE HI6BPR上壳,中部锁定,顶出M40,银白色	-	-	M40	
T1922161136-009	H16BPR-TGHC-PG36-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,SILVER WHITE HI6BPR上壳,中部锁定,顶出PG36,银白色	-	-	PG36	
T1922161132-009	H16BPR-TGHC-M32-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M32,SILVER WHITE HI6BPR上壳,中部锁定,顶出M32,银白色	-	-	M32	
T1922161129-009	H16BPR-TGHC-PG29-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,SILVER WHITE HI6BPR上壳,中部锁定,顶出PG29,银白色	-	-	PG29	
T1922161125-009	H16BPR-TGHC-M25-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M25,SILVER WHITE HI6BPR上壳,中部锁定,顶出M25,银白色	-	-	M25	
T1922161121-009	H16BPR-TGHC-PG21-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,SILVER WHITE HI6BPR上壳,中部锁定,顶出PG21,银白色	-	-	PG21	TYPE 1 类型1
T1922160140-009	H16BPR-TGHC-M40-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M40,BLACK HI6BPR上壳,中部锁定,顶出M40,黑色	-	-	M40	
T1922160136-009	H16BPR-TGHC-PG36-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,BLACK HI6BPR上壳,中部锁定,顶出PG36,黑色	-	-	PG36	
T1922160132-009	H16BPR-TGHC-M32-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M32,BLACK HI6BPR上壳,中部锁定,顶出M32,黑色	-	-	M32	
T1922160129-009	H16BPR-TGHC-PG29-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,BLACK HI6BPR上壳,中部锁定,顶出PG29,黑色	-	-	PG29	
T1922160125-009	H16BPR-TGHC-M25-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY M25,BLACK HI6BPR上壳,中部锁定,顶出M25,黑色	-	-	M25	
T1922160121-009	H16BPR-TGHC-PG21-EMC-C HI6BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,BLACK HI6BPR上壳,中部锁定,顶出PG21,黑色	-	-	PG21	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN DAVID WANG 08OCT2016
CHK CHRIS WANG 08OCT2016
APVD XIANG XU 08OCT2016
PRODUCT SPEC 108-137191
APPLICATION SPEC 114-137191
WEIGHT -

TE Connectivity

NAME H16BPR-TGHC-PG/M-EMC-C

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-T192216XXXXX09	-

Customer Drawing

SCALE 1:1 SHEET 2 OF 2 REV B

OCEAN CHIPS
Океан Электроники
Поставка электронных компонентов

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «**JONHON**», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «**FORSTAR**».

AVIC JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).

FORSTAR®

Телефон: 8 (812) 309-75-97 (многоканальный)
Факс: 8 (812) 320-03-32
Электронная почта: ocean@oceanchips.ru
Web: http://oceanchips.ru/
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А