



| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |

D

C

B


A

D

C


B

A



TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY  
类型3： 高结构， 侧出

NOTES:  
SEE SHEET 1



TYPE 4: HIGH CONSTRUCTION, TOP ENTRY  
类型4： 高结构， 顶出

|                                        |                                        |                             |                                 |  |  |
|----------------------------------------|----------------------------------------|-----------------------------|---------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |                                        | DWN 04JUN2015<br>DAVID WANG | TE Connectivity                 |  |  |
| DIMENSIONS:                            |                                        | CHK 04JUN2015<br>CHRIS WANG |                                 |  |  |
| mm                                     | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD 04JUN2015<br>XIANG XU  | NAME H24B-TS/TG/TSH/TGH-RO-M/PG |  |  |
|                                        | 0 PLC ±-                               | PRODUCT SPEC                | SIZE CAGE CODE DRAWING NO       |  |  |
|                                        | 1 PLC ±-                               | 108-137013                  | RESTRICTED TO                   |  |  |
|                                        | 2 PLC ±-                               | APPLICATION SPEC            | A200779C-T13X02401XX000         |  |  |
|                                        | 3 PLC ±-                               | 114-137013                  | SCALE 1:1 SHEET 2 OF 3 REV A1   |  |  |
| MATERIAL                               | 4 PLC ±-                               | WEIGHT                      |                                 |  |  |
| -                                      | ANGLES ±-                              | -                           |                                 |  |  |
| -                                      | FINISH                                 | CUSTOMER DRAWING            |                                 |  |  |
| -                                      | -                                      |                             |                                 |  |  |

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

NOTES:

SEE SHEET 1

|                     |                          |                                                                                                              |                             |                             |                             |                             |                |
|---------------------|--------------------------|--------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----------------|
| T1340240121-000     | H24B-TGH-RO-PG21         | H24B HOOD, TOP ENTRY PG21, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出PG21, 2耳, 高结构, 灰色粉末喷涂  | -                           | -                           | -                           | PG21                        | TYPE 4<br>类型 4 |
| T1340240125-000     | H24B-TGH-RO-M25          | H24B HOOD, TOP ENTRY M25, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M25, 2耳, 高结构, 灰色粉末喷涂    | -                           | -                           | -                           | M25                         |                |
| T1340240129-000     | H24B-TGH-RO-PG29         | H24B HOOD, TOP ENTRY PG29, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出PG29, 2耳, 高结构, 灰色粉末喷涂  | -                           | -                           | -                           | PG29                        |                |
| T1340240132-000     | H24B-TGH-RO-M32          | H24B HOOD, TOP ENTRY M32, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M32, 2耳, 高结构, 灰色粉末喷涂    | -                           | -                           | -                           | M32                         |                |
| T1340240140-000     | H24B-TGH-RO-M40          | H24B HOOD, TOP ENTRY M40, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M40, 2耳, 高结构, 灰色粉末喷涂    | -                           | -                           | -                           | M40                         |                |
| T1330240121-000     | H24B-TSH-RO-PG21         | H24B HOOD, SIDE ENTRY PG21, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出PG21, 2耳, 高结构, 灰色粉末喷涂 | -                           | -                           | PG21                        | -                           | TYPE 3<br>类型 3 |
| T1330240125-000     | H24B-TSH-RO-M25          | H24B HOOD, SIDE ENTRY M25, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出M25, 2耳, 高结构, 灰色粉末喷涂   | -                           | -                           | M25                         | -                           |                |
| T1330240129-000     | H24B-TSH-RO-PG29         | H24B HOOD, SIDE ENTRY PG29, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出PG21, 2耳, 高结构, 灰色粉末喷涂 | -                           | -                           | PG29                        | -                           |                |
| T1330240132-000     | H24B-TSH-RO-M32          | H24B HOOD, SIDE ENTRY M32, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出M32, 2耳, 高结构, 灰色粉末喷涂   | -                           | -                           | M32                         | -                           |                |
| T1330240140-000     | H24B-TSH-RO-M40          | H24B HOOD, SIDE ENTRY M40, 2 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出M40, 2耳, 高结构, 灰色粉末喷涂   | -                           | -                           | M40                         | -                           |                |
| T1320240121-000     | H24B-TG-RO-PG21          | H24B HOOD, TOP ENTRY PG21, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 顶出PG21, 2耳, 灰色粉末喷涂                          | -                           | PG21                        | -                           | -                           | TYPE 2<br>类型 2 |
| T1320240125-000     | H24B-TG-RO-M25           | H24B HOOD, TOP ENTRY M25, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 顶出M25, 2耳, 灰色粉末喷涂                            | -                           | M25                         | -                           | -                           |                |
| T1320240129-000     | H24B-TG-RO-PG29          | H24B HOOD, TOP ENTRY PG29, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 顶出PG29, 2耳, 灰色粉末喷涂                          | -                           | PG29                        | -                           | -                           |                |
| T1320240132-000     | H24B-TG-RO-M32           | H24B HOOD, TOP ENTRY M32, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 顶出M32, 2耳, 灰色粉末喷涂                            | -                           | M32                         | -                           | -                           |                |
| T1310240121-000     | H24B-TS-RO-PG21          | H24B HOOD, SIDE ENTRY PG21, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 侧出PG21, 2耳, 灰色粉末喷涂                         | PG21                        | -                           | -                           | -                           | TYPE 1<br>类型 1 |
| T1310240125-000     | H24B-TS-RO-M25           | H24B HOOD, SIDE ENTRY M25, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 侧出M25, 2耳, 灰色粉末喷涂                           | M25                         | -                           | -                           | -                           |                |
| T1310240132-000     | H24B-TS-RO-M32           | H24B HOOD, SIDE ENTRY M32, 2 EAR, POWDER COATED, GREY<br>H24B上壳, 侧出M32, 2耳, 灰色粉末喷涂                           | M32                         | -                           | -                           | -                           |                |
| PART NUMBER<br>零件料号 | PART DESCRIPTION<br>零件描述 |                                                                                                              | PG/M THREAD-1<br>PG/M 螺纹孔-1 | PG/M THREAD-2<br>PG/M 螺纹孔-2 | PG/M THREAD-3<br>PG/M 螺纹孔-3 | PG/M THREAD-4<br>PG/M 螺纹孔-4 | TYPE<br>类型     |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

-

-

DWN 04JUN2015  
DAVID WANG

CHK 04JUN2015  
CHRIS WANG

APVD 04JUN2015  
XIANG XU

PRODUCT SPEC  
108-137013

APPLICATION SPEC  
114-137013

WEIGHT  
-

Customer Drawing

TE Connectivity

NAME  
H24B-TS/TG/TSH/TGH-RO-M/PG

SIZE  
A2

CAGE CODE  
00779

DRAWING NO  
T13X02401XX000

RESTRICTED TO  
-

SCALE 1:1 SHEET 3 OF 3 REV A1

1471-9 (3/13)

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А