

AccuStar® II/DAS 20

Dual Axis Clinometer

AccuStar® II/DAS-20 combines the function of two clinometers in one package. The unique dome shaped design features a capacitance based sensor which produces output signals directly proportional to the relative tilt in two axes.

Designed for high volume applications, AccuStar® II/DAS-20 is priced to compete with much less capable mercury switches and other low cost level sensors.

There are four output connections providing a choice of ratiometric, pulse width modulation (PWM) digital output. A mating connector (sold separately) provides the user with an easy plug-in connection. Null and scale factor are adjustable.



Features

- New microprocessor-based electronics**
- Two clinometers in one package**
- Adaptable design DC powered**
- Ratiometric and PW digital output in one model**
- Trimmable outputs**

Applications

- Platform leveling**
- Measure pitch and roll**
- Tip over protection for manlifts**
- Automatic leveling systems**

Wheel alignment

Performance Specifications

Range $\pm 20^\circ$

Threshold / Resolution 0.01

Linearity

Null to 10° $\pm 0.2^\circ$

10° to 12° $\pm 2.5\%$

12° to 15° $\pm 3.0\%$

15 to 20° Monotonic

Null Repeatability ± 0.1

Frequency Response (-3db) 0.25 Hz (0.50 Hz available, consult factory)

Environmental

Temperature Range

Operating -20° to 65°C

Storage -55° to 65°C

Temperature

Coefficient of Null $0.01^\circ/\text{C}$

Temperature Coefficient

of Scale Factor $0.10\%/\text{C}$

Electrical

Voltage Supply (nominal) 9 VDC

Voltage Supply Range Regulated 5.0 to 15.0 VDC

Current 10 mA

Analog Output

Scale Factor* @ 9 VDC 100 mV/degree $\pm 10\%$

Load Resistance (min) .. 10K Ohms

Null Output 1/2 supply voltage $\pm 10\%$

Pulse Width Output


Null 50% (duty cycle)



Scale Factor 0.7% / degree (nominal)

Duty Cycle $t_2 / (t_1 + t_2)$ t_1 and t_2 varies from 0.2 to 0.7 msec

Frequency 100 Hz nominal

Physically the sensor is composed of two hermetically sealed domes spaced about 1/8" apart. The lower, polyester plastic dome has 4 capacitive plates while the aluminum, upper dome acts as a ground. A fluid with a high dielectric constant is sealed within the dome sandwich, leaving an air bubble space about the size of a quarter. The bubble is centered at level position and will move from one side to the other as the device is tilted.



**Dual Axis Block Diagram****How to Order**

Part Number	Description
02119011-000	Clinometer w/case
02119111-000	Clinometer w/standoffs
09-01-1061A	Mating Molex connector

Note: Connector is recommended for model 02119011-000 (Clinometer w/case).



OCEAN CHIPS

Океан Электроники

Поставка электронных компонентов

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибутором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибутором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А