

Amphenol

AC SERIES

ACCESSORIES



ACCESSORIES

- Colour coded boots(backshells) and rings to assist in cable identification.
- In-line adaptors. Pre-wired for convenience.
- Termination tool for fast assembly of cable connectors.
- Mounting hardware.
- Metal boots(backshells) for rugged environments.

| PRODUCT - FIGURE | DRAWING | Dimensions in mm (inches) | DESCRIPTION | VARIATIONS | PART NUMBER |
|------------------|---------|--|---|-------------------------------|----------------------|
| | | 60.4 [2.378"] ø19.0 [ø.748"] | XLR 3 pole male to 3 pole male adapter, Pre wired, Metal Shell | Nickel Finish Black Finish | AC3M3MW AC3M3MBW |
| | | 60.4 [2.378"] 66.5 [2.618"] ø19.0 [ø.748"] | XLR 3 pole female to 3 pole female adapter, Pre wired, Metal Shell | Nickel Finish Black Finish | AC3F3FW AC3F3FBW |
| | | 60.4 [2.378"] 73.5 [2.892"] ø19.0 [ø.748"] | XLR 3 pole female to 3 pole male adapter, Pre wired, Metal Shell | Nickel Finish Black Finish | AC3F3FBW AC3F3MBW |
| | | 62.5 [2.461"] 75.7 [2.980"] ø18.9 [ø.744"] | XLR 3 pole female to 5 pole male adapter, Pre wired, Metal Shell | Nickel Finish | AC3F5MW |
| | | 62.5 [2.461"] 75.7 [2.980"] ø18.9 [ø.744"] | XLR 3 pole male to 5 pole female adapter, Pre wired, Metal Shell | Nickel Finish | AC3M5FW |
| | | 76 [2.991"] ø19 [ø.748"] | XLR 5 pole male to 5 pole male adapter, Pre wired, Metal Shell | Nickel Finish | AC5M5MW |
| | | 29 34 75 | XLR D shell adapter, 3 pole male to 3 pole male, Pre-wired | Not Applicable | AC3M3MDW |
| | | 29 34 75 | XLR D shell adapter, 3 pole female to 3 pole female, Pre-wired | Not Applicable | AC3F3FDW |
| | | 29 34 75 | XLR D shell adapter, 3 pole female to 3 pole male, Pre-wired | Not Applicable | AC3F3MDW |
| | | 29 34 75 | XLR D shell adapter, 5 pole male to 5 pole male, Pre-wired | Not Applicable | AC5M5MDW |
| | | 29 34 75 | XLR D shell adapter, 5 pole female to 5 pole female, Pre-wired | Not Applicable | AC5F5FDW |

ACC.











Amphenol

AC SERIES

ACCESSORIES

| PRODUCT - FIGURE | DRAWING | Dimensions in mm (inches) | DESCRIPTION | VARIATIONS | PART NUMBER |
|------------------|---------|---------------------------|--|--|---|
| | | | XLR D shell adapter, 5 pole female to 5 pole male, Pre-wired | Not Applicable | AC5F5MDW |
| | | | SP D shell adapter, SP-2 to SP-2, Pre-wired | Not Applicable | SP2F2FDW |
| | | | SP D shell adapter, SP-4 to SP-4, Pre-wired | Not Applicable | SP4F4FDW |
| | | | BNC D shell adapter, Jack to Jack, Pre-wired | Not Applicable | ACBNCJJDW |
| | | | D shell adapter without connectors | Not Applicable | AC-D-ADAPTER |
| | | | Termination Tool | For IDC and Solder cable connectors | T2860 |
| | | | Termination Tool | For AC Series Right Angle cable connectors | T2880 |
| | | | Termination Tool | For AX Series cable connectors | T2890 |
| | | | A Type / C Type Connector Mounting, Self-Tapping Screw | 2.9 x 1.06 Tri-rodular | 52500002-734 |
| | | | B Type / XLRnet Connector Mounting, Self-Tapping Screw | M2.5 | 52500005-732 |
| | | | AX Series Coloured Boot | Brown Red Orange Yellow Green Blue Violet Grey White Black Clear | AX-BOOT-1 AX-BOOT-2 AX-BOOT-3 AX-BOOT-4 AX-BOOT-5 AX-BOOT-6 AX-BOOT-7 AX-BOOT-8 AX-BOOT-9 AX-BOOT AX-BOOT-CLR |

ACC.

| PRODUCT - FIGURE | DRAWING Dimensions in mm (inches) | DESCRIPTION | VARIATIONS | PART NUMBER |
|---|--|--|-----------------------|---------------------|
|  |  <p>49.5 [1.949"] ø20.2 [ø.795"]</p> | <p>AC Coloured Boot / Backshell Note: Number Identification optional. (Please contact us.)</p> | Brown | AC-NUT-BRN |
| | | | Red | AC-NUT-RED |
| | | | Orange | AC-NUT-ORG |
| | | | Yellow | AC-NUT-YEL |
| | | | Green | AC-NUT-GRN |
| | | | Blue | AC-NUT-BLU |
| | | | Violet | AC-NUT-VIO |
| | | | Grey | AC-NUT-GRY |
|  |  <p>15.0 [.591"] ø10.30 [ø.406"]</p> | <p>Coloured Grommets to suit AC Series, T Series and Musician range</p> | Brown | AC-GROMMET-BRN |
| | | | Red | AC-GROMMET-RED |
| | | | Orange | AC-GROMMET-ORG |
| | | | Yellow | AC-GROMMET-YEL |
| | | | Green | AC-GROMMET-GRN |
| | | | Blue | AC-GROMMET-GRN |
| | | | Violet | AC-GROMMET-VIO |
| | | | Grey | AC-GROMMET-GRY |
|  |  <p>4.9 [.188"] ø21.6 [ø.829"] ø17.0 [ø.652"]</p> | <p>AC Coloured Identification Rings – Plain and Numbered Note: Custom number Identification optional. (Please contact us.)</p> | Brown | AC-RING-BRN |
| | | | Red | AC-RING-RED |
| | | | Orange | AC-RING-ORG |
| | | | Yellow | AC-RING-YEL |
| | | | Green | AC-RING-GRN |
| | | | Blue | AC-RING-BLU |
| | | | Violet | AC-RING-VIO |
| | | | Grey | AC-RING-GRY |
| | | | White | AC-RING-WHT |
| | | | Red #1-24 | AC-RING-RED-PK1 |
| | | | Yellow #1-24 | AC-RING-YEL-PK1 |
| | | | Blue #1-24 | AC-RING-BLU-PK1 |
| Red #1-48 | AC-RING-RED-PK2 | | | |
| Yellow #1-48 | AC-RING-YEL-PK2 | | | |
| Blue #1-48 | AC-RING-BLU-PK2 | | | |
|  |  <p>49.5 [1.949"] ø19.3 [ø.760"]</p> | <p>AC Metal Boot / Backshell, Black Finish</p> | <p>Not Applicable</p> | <p>AC-NUT-METAL</p> |
|  |  <p>49.5 [1.949"] ø20.2 [ø.795"]</p> | <p>AC Thermoplastic Boot / Backshell. Suitable for use with 8.5mm (0.33") O.D. cable.</p> | <p>Not Applicable</p> | <p>AC-NUT-J-BLK</p> |

ACC.

NOTE: All accessories comply with EU RoHS 2 Directive 2011/65/EU

NOTE: Please do not refer to this printed catalogue as a colour reference. For exact colours contact your sales representative.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А