



D

C




B

A



NOTES:  
I. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
I. 技术参数:  
主体材料: 铝合金  
表面处理: 灰色粉末喷涂  
防护等级: IP65(配合)



| REVISIONS |     |                 |           |     |      |  |  |
|-----------|-----|-----------------|-----------|-----|------|--|--|
| P         | LTR | DESCRIPTION     | DATE      | DWN | APVD |  |  |
| A         |     | INITIAL RELEASE | 08MAY2015 | DL  | CW   |  |  |
| A1        |     | ECR-16-018055   | 19JAN2017 | DL  | CW   |  |  |
| A2        |     | ECR-17-005386   | 08APR2017 | CH  | CW   |  |  |
| B         |     | ECR-18-012608   | 14AUG2018 | CH  | CW   |  |  |

OBSELETE TYPE 1&2&3 PN  
废弃类型1/类型2/类型3金属扣壳体料号

|                 |                 |                                                                                                                                                            |      |      |  |        |  |
|-----------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--|--------|--|
| T1619160116-000 | HI6A-SGR-PG16   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,灰色粉末喷涂                                             | PG16 | -    |  | TYPE 1 |  |
| T1619160120-000 | HI6A-SGR-M20    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,灰色粉末喷涂                                               | M20  | -    |  |        |  |
| T1619160121-000 | HI6A-SGR-PG21   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,灰色粉末喷涂                                             | PG21 | -    |  |        |  |
| T1619160125-000 | HI6A-SGR-M25    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,灰色粉末喷涂                                               | M25  | -    |  | TYPE 2 |  |
| T1619160216-000 | HI6A-SGR-2PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,灰色粉末喷涂                                           | PG16 | PG16 |  |        |  |
| T1619160220-000 | HI6A-SGR-2M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,灰色粉末喷涂                                             | M20  | M20  |  |        |  |
| T1619160221-000 | HI6A-SGR-2PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,灰色粉末喷涂                                           | PG21 | PG21 |  | TYPE 3 |  |
| T1619160225-000 | HI6A-SGR-2M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,灰色粉末喷涂                                             | M25  | M25  |  |        |  |
| T1629160116-000 | HI6A-SDRM-PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,带铝合金保护盖,灰色粉末喷涂   | PG16 | -    |  |        |  |
| T1629160120-000 | HI6A-SDRM-M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,带铝合金保护盖,灰色粉末喷涂     | M20  | -    |  | TYPE 3 |  |
| T1629160121-000 | HI6A-SDRM-PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,带铝合金保护盖,灰色粉末喷涂   | PG21 | -    |  |        |  |
| T1629160125-000 | HI6A-SDRM-M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,带铝合金保护盖,灰色粉末喷涂     | M25  | -    |  |        |  |
| T1629160216-000 | HI6A-SDRM-2PG16 | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,带铝合金保护盖,灰色粉末喷涂 | PG16 | PG16 |  | TYPE 3 |  |
| T1629160220-000 | HI6A-SDRM-2M20  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,带铝合金保护盖,灰色粉末喷涂   | M20  | M20  |  |        |  |
| T1629160221-000 | HI6A-SDRM-2PG21 | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,带铝合金保护盖,灰色粉末喷涂 | PG21 | PG21 |  |        |  |
| T1629160225-000 | HI6A-SDRM-2M25  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,带铝合金保护盖,灰色粉末喷涂   | M25  | M25  |  | TYPE 3 |  |
| T1629162116-000 | HI6A-SDR-PG16   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,带塑料保护盖,灰色粉末喷涂            | PG16 | -    |  |        |  |
| T1629162120-000 | HI6A-SDR-M20    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,带塑料保护盖,灰色粉末喷涂              | M20  | -    |  |        |  |
| T1629162121-000 | HI6A-SDR-PG21   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,带塑料保护盖,灰色粉末喷涂            | PG21 | -    |  | TYPE 3 |  |
| T1629162125-000 | HI6A-SDR-M25    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,带塑料保护盖,灰色粉末喷涂              | M25  | -    |  |        |  |
| T1629162216-000 | HI6A-SDR-2PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,带塑料保护盖,灰色粉末喷涂          | PG16 | PG16 |  |        |  |
| T1629162220-000 | HI6A-SDR-2M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,带塑料保护盖,灰色粉末喷涂            | M20  | M20  |  | TYPE 3 |  |
| T1629162221-000 | HI6A-SDR-2PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,带塑料保护盖,灰色粉末喷涂          | PG21 | PG21 |  |        |  |
| T1629162225-000 | HI6A-SDR-2M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,带塑料保护盖,灰色粉末喷涂            | M25  | M25  |  |        |  |

| PART NUMBER<br>料号                                                                                                                                                                                                                                                                                                              | PART DESCRIPTION<br>描述 | PG/M THREAD 1<br>PG/M 螺纹孔1 | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------|----------------------------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.<br>DW: DAVID LI 08MAY2015<br>CHK: CHRIS WANG 08MAY2015<br>APVD: XIANG YU 08MAY2015<br>DIMENSIONS: mm<br>TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±0.1<br>1 PLC ±0.1<br>2 PLC ±0.1<br>3 PLC ±0.1<br>4 PLC ±0.1<br>ANGLES ±0.5<br>FINISH<br>MATERIAL<br>WEIGHT<br>CUSTOMER DRAWING |                        |                            |                            |            |
| DAVID LI 08MAY2015<br>CHRIS WANG 08MAY2015<br>XIANG YU 08MAY2015<br>PRODUCT SPEC<br>108-137010<br>APPLICATION SPEC<br>114-137010<br>SIZE<br>CAGE CODE<br>DRAWING NO<br>RESTRICTED TO<br>SCALE<br>SHEET<br>OF<br>REV                                                                                                            |                        |                            |                            |            |
| TE Connectivity<br>HI6A-SGR*/SDRM*/SDR*-PG/M<br>A1<br>C-T16X916XXXX000<br>4:5<br>2<br>B                                                                                                                                                                                                                                        |                        |                            |                            |            |

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |


NOTES:  
SEE SHEET 1

|                    |                         |                                                                                                                                                                            |                            |                            |            |
|--------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|------------|
| TI619161116-000    | HI6A-SGRS-PG16          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 灰色粉末喷涂                                              | PG16                       | -                          | TYPE 4     |
| TI619161120-000    | HI6A-SGRS-M20           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 灰色粉末喷涂                                                | M20                        | -                          |            |
| TI619161121-000    | HI6A-SGRS-PG21          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 灰色粉末喷涂                                              | PG21                       | -                          |            |
| TI619161125-000    | HI6A-SGRS-M25           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 灰色粉末喷涂                                                | M25                        | -                          |            |
| TI619161216-000    | HI6A-SGRS-2PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 灰色粉末喷涂                                            | PG16                       | PG16                       |            |
| TI619161220-000    | HI6A-SGRS-2M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 灰色粉末喷涂                                              | M20                        | M20                        |            |
| TI619161221-000    | HI6A-SGRS-2PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 灰色粉末喷涂                                            | PG21                       | PG21                       | TYPE 5     |
| TI619161225-000    | HI6A-SGRS-2M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 灰色粉末喷涂                                              | M25                        | M25                        |            |
| TI629161116-000    | HI6A-SDRMS-PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 带铝合金保护盖, 灰色粉末喷涂   | PG16                       | -                          |            |
| TI629161120-000    | HI6A-SDRMS-M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 带铝合金保护盖, 灰色粉末喷涂     | M20                        | -                          |            |
| TI629161121-000    | HI6A-SDRMS-PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 带铝合金保护盖, 灰色粉末喷涂   | PG21                       | -                          |            |
| TI629161125-000    | HI6A-SDRMS-M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 带铝合金保护盖, 灰色粉末喷涂     | M25                        | -                          |            |
| TI629161216-000    | HI6A-SDRMS-2PG16        | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 带铝合金保护盖, 灰色粉末喷涂 | PG16                       | PG16                       | TYPE 6     |
| TI629161220-000    | HI6A-SDRMS-2M20         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 带铝合金保护盖, 灰色粉末喷涂   | M20                        | M20                        |            |
| TI629161221-000    | HI6A-SDRMS-2PG21        | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 带铝合金保护盖, 灰色粉末喷涂 | PG21                       | PG21                       |            |
| TI629161225-000    | HI6A-SDRMS-2M25         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 带铝合金保护盖, 灰色粉末喷涂   | M25                        | M25                        |            |
| TI629163116-000    | HI6A-SDRS-PG16          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 带塑料保护盖, 灰色粉末喷涂            | PG16                       | -                          |            |
| TI629163120-000    | HI6A-SDRS-M20           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 带塑料保护盖, 灰色粉末喷涂              | M20                        | -                          |            |
| TI629163121-000    | HI6A-SDRS-PG21          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 带塑料保护盖, 灰色粉末喷涂            | PG21                       | -                          | TYPE 6     |
| TI629163125-000    | HI6A-SDRS-M25           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 带塑料保护盖, 灰色粉末喷涂              | M25                        | -                          |            |
| TI629163216-000    | HI6A-SDRS-2PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 带塑料保护盖, 灰色粉末喷涂          | PG16                       | PG16                       |            |
| TI629163220-000    | HI6A-SDRS-2M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 带塑料保护盖, 灰色粉末喷涂            | M20                        | M20                        |            |
| TI629163221-000    | HI6A-SDRS-2PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 带塑料保护盖, 灰色粉末喷涂          | PG21                       | PG21                       |            |
| TI629163225-000    | HI6A-SDRS-2M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 带塑料保护盖, 灰色粉末喷涂            | M25                        | M25                        |            |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                                                                                            | PG/M THREAD 1<br>PG/M 螺纹孔1 | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

-

FINISH

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±°

1 PLC ±°

2 PLC ±°

3 PLC ±°

4 PLC ±°

ANGLES ±°

DAVID LI

08MAY2015

CHRIS WANG

08MAY2015

YIANG YU

08MAY2015

PRODUCT SPEC

108-137010

APPLICATION SPEC

114-137010

WEIGHT

-

CUSTOMER DRAWING

DWN

DAVID LI

08MAY2015

CHK

CHRIS WANG

08MAY2015

APVD

YIANG YU

08MAY2015

TE Connectivity

NAME

HI6A-SGR\*/SDRM\*/SDR\*-PG/M

SIZE

A1

CAGE CODE

-

DRAWING NO

©=T16X916XXX000

RESTRICTED TO

SCALE

4:5

SHEET

2

OF

2

REV

B

4805 (3/13)

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А