


PRODUCT NUMBER	PEG TYPE	TAIL TYPE	TAIL LGTH. DIM 'A'	PCB THICKNESS±0.20	LOADING CONFIGURATION
73941-X001 *	PRESS	SOLDER	2.90	1.6	FULLY LOADED
73941-X002 *	PRESS	PRESS-FIT	2.90	1.6	
73941-X003 *	PRESS	SOLDER	3.53	2.4	
73941-X004 *	PRESS	PRESS-FIT	3.53	2.4	

* SEE NOTE 11 FOR LEAD FREE OPTIONS

* SPECIFY LOADING P/N SEE PAGE 2 AND 3

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YYY/1YYLFL	TELCORDIA CO
-2YYY/2YYLFL	CUSTOMER SPECIAL
-3YYY/3YYLFL	CUSTOMER SPECIAL




mat'l. code NOTE 1				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com				
ltr	ecn no	dr	date	linear	X±3			projection 	title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB				
L	DG06-0510	Cenh	12/04/06		.XX±.13								
M	DG07-0173	Cenh	6/05/07		.XXX±.051								
N	DG08-0171	TER	9/1/08		angles	0° ±2°							
P	DG09-0068	Cenh	06/06/09	dr	M. FETROW	9/22/98		product family METRAL (tm) size dwg no					code 213
R	DG-012848	GlinJF	09/06/12	engr	C. PENDLETON	9/22/98							
				chr	C. PENDLETON	9/22/98							
K	V05-1033	JAM	11/09/05	appd	C. PENDLETON	9/22/98	scale 1:1	A 73941					sheet 1 of 4
sheet index	revision sheet		R	R	R								
			1	2	3								



PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1			
73941-X020 *	PRESS	PRESS	2.90	E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
73941-X021 *	PRESS	PRESS	2.90	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X022 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X		
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	
73941-X023 *	PRESS	PRESS	3.53	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X024 *	PRESS	PRESS	3.53	E	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X		
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	
73941-X025 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	-	-	X	-	-	X	-	-	-	X	X	X	X	X	X	X	X	X	X	X	X
				A	X	X	-	X	X	-	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X

* SEE NOTE 11 FOR LEAD FREE OPTIONS

LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
litr	ecn no	dr	date	linear	X±.3			projection	title		
R					.XX±.13				B SERIES R/A SIGNAL RECEPT ASSY,		
				angles	.XXX±.051				5 ROW, 3 MOD, PF/STB		
					0° ±2°				product family METRAL (tm)		
				dr	M. FETROW	11/17/98		MM	size		code
				engr	C. PENDLETON	11/17/98			dwg no		213
				chr	C. PENDLETON	11/17/98		scale	A		sheet
				appd	C. PENDLETON	11/17/98		1:1	73941		2 of -
sheet index	revision sheet										

cage code
22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Proprietaire de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
73941-X026 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	
				D	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
				B	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X	X
				A	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X	X



* SEE NOTE 11 FOR LEAD FREE OPTIONS

LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com	
l	tr	ecr no	dr	date	linear	X±.3		projection 	title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB	
R				.XX±.13						
				.XXX±.051						
					angles	0° ±2°			product family METRAL (tm) size dwg no A 73941	
				dr	M. FETROW	11/17/98				
				engr	C. PENDLETON	11/17/98				
				chr	C. PENDLETON	11/17/98				
				appr	C. PENDLETON	11/17/98				
sheet index		revision sheet								

NOTES:

- ① CONNECTOR MATERIALS:
HOUSING: LCP, 30% GLASS FILLED,
UL 94-V0 COMPLIANT
TERMINAL: PHOSPHOR BRONZE ALLOY
2. PLATING ON TAIL:
PRESS-FIT TYPE
73941-XXXX IS 0.5-1.5um SnPb
73941-XXXXLF IS 0.5-1.5um Sn (LEAD FREE)
SOLDER-TO-BOARD TYPE
73941-XXXX IS 2-8um SnPb
73941-XXXXLF IS 2-8um Sn (LEAD FREE)
3. PRODUCT SPECIFICATION:
GS-12-002
4. APPLICATION SPECIFICATIONS:
BUS-20-061
GS-20-001
TA-941
- ⑤ PRODUCT MARKING: (PART NUMBER & LOT CODE).
- ⑥ INDICATED HOLES ARE UNPLATED.
- ⑦ DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- ⑧ TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
- ⑨ DIMENSION APPLIES TO BOTH PRESS-FIT AND SOLDER TAIL TERMINATIONS.
10. THESE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ALL PRODUCTS MANUFACTURED BEFORE APRIL 2006 WILL WITHSTAND EXPOSURE TO 240°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ALL PRODUCTS MANUFACTURED AFTER MARCH 2006 WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ⑪ FOR LEAD FREE PART NUMBERS ADD "LF" SUFFIX. EXAMPLE: 73941-XXXXLF.

mat'l. code -				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	X±.3	projection	title		
R					.XX±.13		B SERIES R/A SIGNAL RECEPT ASSY,		
				angles	.XXX±.051		5 ROW, 3 MOD, PF/STB		
				dr	J.R. VOLSTORF	11/15/05		product family METRAL (tm)	
				eng	J.R. VOLSTORF	11/15/05		code	
				chr	J.R. VOLSTORF	11/15/05		213	
				app	J.R. VOLSTORF	11/15/05	scale	size dwg no	
							1:1	A	73941
sheet	revision								
index	sheet								

cage code
22526



Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А