





PRODUCT NUMBER

SEE SHEET 2




|               |            |             |                     |                        |                  |           |           |          |       |     |
|---------------|------------|-------------|---------------------|------------------------|------------------|-----------|-----------|----------|-------|-----|
| spec ref      | *          | dr          | Peng-Bing Fu        | 2013/03/21             | projection       | MM        | size      | A3       | scale | 3:2 |
| tolerance std | ASME Y14.5 | eng         | Peng-Bing Fu        | 2013/04/19             | chr              | -         | ecn no    | -        |       |     |
| surface       | ✓          | appr        | Pei-Ming Zheng      | 2013/04/19             | product family   | PwrBlade+ | rel level | Released |       |     |
| linear        | 0.X ±0.5   | FCI         | 5HDP + 24S +1HP+7LP | dwg no                 | 10106262-6706001 | rev       | A         |          |       |     |
| angular       | 0° ±2°     | www.fci.com | cat. no.            | Product - Customer Drw | sheet 1 of 3     |           |           |          |       |     |



Copyright FCI.


| CODE | DESCRIPTION                      |
|------|----------------------------------|
| HI   | STD HIGH POWER CONTACT (3.43)    |
| HA   | METAL HOLD DOWN                  |
| LK   | STD LOW POWER CONTACT (3.43)     |
| R    | STD SIGNAL CONTACT, ROW A (3.43) |
| S    | STD SIGNAL CONTACT, ROW B (3.43) |
| T    | STD SIGNAL CONTACT, ROW C (3.43) |
| U    | STD SIGNAL CONTACT, ROW D (3.43) |

|   |        |
|---|--------|
| X | OMITED |
|---|--------|

|                                                                                                  |                |            |                                                                                                                        |                                                                                                                |           |                      |       |        |                  |     |   |
|--------------------------------------------------------------------------------------------------|----------------|------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------|----------------------|-------|--------|------------------|-----|---|
| dr                                                                                               | Peng-Bing Fu   | 2013/03/21 | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size      | A3                   | scale | 3:2    |                  |     |   |
| eng                                                                                              | Peng-Bing Fu   | 2013/04/19 |                                                                                                                        |                                                                                                                | ecn no    | -                    |       |        |                  |     |   |
| chr                                                                                              | -              | -          |                                                                                                                        |                                                                                                                | rel level | Released             |       |        |                  |     |   |
| appr                                                                                             | Pei-Ming Zheng | 2013/04/19 | product family                                                                                                         |                                                                                                                | PwrBlade+ |                      |       |        |                  |     |   |
| <div></div> |                |            | title                                                                                                                  |                                                                                                                |           | 5HDP + 24S + 1HP+7LP |       | dwg no | 10106262-6706001 | rev | A |
| www.fci.com                                                                                      |                |            | cat. no.                                                                                                               |                                                                                                                |           | RA STB HEADER        |       |        |                  |     |   |
|                                                                                                  |                |            | Product - Customer Drw                                                                                                 |                                                                                                                |           | sheet 2 of 3         |       |        |                  |     |   |

|      |                                  |
|------|----------------------------------|
| CODE | DESCRIPTION                      |
| HI   | STD HIGH POWER CONTACT (3.43)    |
| HA   | METAL HOLD DOWN                  |
| LK   | STD LOW POWER CONTACT (3.43)     |
| R    | STD SIGNAL CONTACT, ROW A (3.43) |
| S    | STD SIGNAL CONTACT, ROW B (3.43) |
| T    | STD SIGNAL CONTACT, ROW C (3.43) |
| U    | STD SIGNAL CONTACT, ROW D (3.43) |

|   |        |
|---|--------|
| X | OMITED |
|---|--------|



|      |                                  |
|------|----------------------------------|
| CODE | DESCRIPTION                      |
| HI   | STD HIGH POWER CONTACT (3.43)    |
| HA   | METAL HOLD DOWN                  |
| LK   | STD LOW POWER CONTACT (3.43)     |
| R    | STD SIGNAL CONTACT, ROW A (3.43) |
| S    | STD SIGNAL CONTACT, ROW B (3.43) |
| T    | STD SIGNAL CONTACT, ROW C (3.43) |
| U    | STD SIGNAL CONTACT, ROW D (3.43) |

|   |        |
|---|--------|
| X | OMITED |
|---|--------|

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15\pm0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02\pm0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

|                                       |                |                                      |                                   |                           |                  |              |
|---------------------------------------|----------------|--------------------------------------|-----------------------------------|---------------------------|------------------|--------------|
| dr                                    | Peng-Bing Fu   | 2013/03/21                           | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size             | scale        |
| eng                                   | Peng-Bing Fu   | 2013/04/19                           |                                   |                           | A3               | 3:2          |
| chr                                   | -              | -                                    |                                   |                           | ecn no           | -            |
| appr                                  | Pei-Ming Zheng | 2013/04/19                           | product family                    | PwrBlade+                 | rel level        | Released     |
| <div>FCI</div> <div>www.fci.com</div> |                | 5HDP + 24S +1HP+7LP<br>RA STB HEADER |                                   |                           | dwg no           | rev          |
|                                       |                |                                      |                                   |                           | 10106262-6706001 | A            |
| cat. no.                              |                |                                      | Product - Customer Drw            |                           |                  | sheet 3 of 3 |

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А