

## Shelves (Fixed) - Internal Mount (Two Pair of Panel Rails)

Path: [Home](#) > [Rack Index](#) > Shelves (Fixed) - Internal Mount - Two Pair of Panel Rails



click to enlarge


















[Assembly  
Instructions](#)

### Fixed Shelf (Unvented)














- Attach to the sides of both pair of rack combination rails
- Requires no front rail mounting
- Front & rear lip folded for extra strength
- Weight load tested (RFVS2426BK1) to 350 pounds!
- Versatile design - can be used as shown (easy to install) or upside down (front & rear lip become equipment retainers)
- Heavy duty, 14 Ga. steel construction
- Sides folded up for easy hardware installation from above
- Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- Includes all mounting hardware
- If used with our square hole rails you will need to order P/N **CPRSA** rail adaptor for each shelf ordered. [Link here](#) (below) to more information.
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### *UNVENTED - 19" Rack Mount*

| Part Number                              | Color           |  PDF Reader File |  AutoCAD .dxf File (zipped) |  3D Solid Model .stp files (zipped) | Shelf Depth |
|--|-----------------|---|--|---|-------------|
| <b>RFUS1918BK1</b><br><b>RFUS1918CG1</b> | Black<br>Beige* |  63K             |  38K                        |  19K                               | 18"         |
| <b>RFUS1921BK1</b><br><b>RFUS1921CG1</b> | Black<br>Beige* |  64K             |  41K                        |  23K                               | 21"         |
| <b>RFUS1926BK1</b><br><b>RFUS1926CG1</b> | Black<br>Beige* |  63K             |  11K                        |  23K                               | 26"         |
| <b>RFUS1931BK1</b><br><b>RFUS1931CG1</b> | Black<br>Beige* |  70K             |  42K                        |  25K                               | 31"         |


**\*Note:** "CG2" (Beige color) is being phased out from stock

## **UNVENTED - 24" Rack Mount**

| Part Number                              | Color           |  PDF Reader File | AutoCAD .dxf File (zipped)  | 3D Solid Model .stp files (zipped)  | Shelf Depth |
|--|-----------------|---|---|---|-------------|
| <b>RFUS2418BK1</b><br><b>RFUS2418CG1</b> | Black<br>Beige* |  62K             |  38K |  19K | 18"         |
| <b>RFUS2421BK1</b><br><b>RFUS2421CG1</b> | Black<br>Beige* |  63K             |  41K |  23K | 21"         |
| <b>RFUS2426BK1</b><br><b>RFUS2426CG1</b> | Black<br>Beige* |  63K             |  41K |  23K | 26"         |
| <b>RFUS2431BK1</b><br><b>RFUS2431CG1</b> | Black<br>Beige* |  63K             |  42K |  25K | 31"         |

**\*Note:** "CG2" (Beige color) is being phased out from stock

**Note2:** Weight load tested (RFUS2426BK1) to 350 pounds.



click to enlarge
















Assembly Instructions

### Fixed Shelf (Vented)

- Attach to the sides of both pair of rack combination rails
- Requires no front rail mounting
- Provides a sturdy shelf without obstructing upward heat movement
- Front & rear lip folded for extra strength
- Weight load tested (RFVS2426BK1) to 350 pounds!
- Versatile design - can be used as shown (easy to install) or upside down (front & rear lip become equipment retainers)
- Heavy duty, 14 Ga. steel construction
- Sides folded up for easy hardware installation from above
- Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- Includes all mounting hardware
- If used with our square hole rails you will need to order P/N **CPRSA** rail adaptor for each shelf ordered. [Link here](#) (below) to more information.
- **MOUNTS ON TWO PAIR OF PANEL RAILS**














(FRONT & BACK)

### VENTED - 19" Rack Mount

| Part Number                | Color           |  Reader File | AutoCAD .dxf File (zipped)   | 3D Solid Model .stp files (zipped)   | Shelf Depth |
|----------------------------|-----------------|---|--|--|-------------|
| RFVS1918BK1<br>RFVS1918CG1 | Black<br>Beige* |  133K        |  139K |  250K | 18"         |
| RFVS1921BK1<br>RFVS1921CG1 | Black<br>Beige* |  133K        |  141K |  258K | 21"         |
| RFVS1926BK1<br>RFVS1926CG1 | Black<br>Beige* |  239K        |  172K |  329K | 26"         |
| RFVS1931BK1<br>RFVS1931CG1 | Black<br>Beige* |  242K        |  173K |  333K | 31"         |

\*Note: "CG2" (Beige color) is being phased out from stock

### VENTED - 24 " Rack Mount


| Part Number                | Color           |  Reader File | AutoCAD .dxf File (zipped)   | 3D Solid Model .stp files (zipped)   | Shelf Depth |
|----------------------------|-----------------|--|--|--|-------------|
| RFVS2418BK1<br>RFVS2418CG1 | Black<br>Beige* |  133K       |  144K |  250K | 18"         |
| RFVS2421BK1<br>RFVS2421CG1 | Black<br>Beige* |  135K       |  146K |  255K | 21"         |
| RFVS2426BK1<br>RFVS2426CG1 | Black<br>Beige* |  153K       |  179K |  329K | 26"         |
| RFVS2431BK1<br>RFVS2431CG1 | Black<br>Beige* |  152K       |  180K |  333K | 31"         |

\*Note: "CG2" (Beige color) is being phased out from stock


Note2: Weight load tested (RFVS2426BK1) to 350 pounds.

### "Zero Space" - Fixed Shelf (Vented)

- Attaches to the side of both pairs of rack combination rails (see drawing)
- No obstruction to front panel space or equipment
















click to enlarge



click to enlarge

- Requires no front rail mounting or front rack space
- Vented to provide a sturdy shelf without obstructing upward heat movement
- Heavy duty, 14 Ga. steel construction
- Rear lip folded up for extra strength & acts as a rear equipment retainer
- Rear lip is covered with a rubber channel to avoid equipment scratching and cable chaffing (see drawing to the left)
- Includes two equipment stops which can be fastened anywhere on the shelf (#5 in drawing to the left)
- Sides folded up for easy hardware installation from above
- Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- Includes all mounting hardware
- If used with our square hole rails you will need to order P/N **CPRSA** rail adaptor for each shelf ordered. [Link here](#) (below) to more information.
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### ***VENTED - 19" Rack Mount***

| Part Number        | Color |  PDF Reader File | AutoCAD .dxf Files (zipped)  | 3D Solid Model .stp files (zipped)   | Shelf Depth |
|--------------------|-------|---|--|--|-------------|
| <b>RZVS1918BK1</b> | Black |  167K            |  119K |  154K | 18"         |
| <b>RZVS1921BK1</b> | Black |  124K            |  134K |  184K | 21"         |
| <b>RZVS1926BK1</b> | Black |  146K            |  175K |  244K | 26"         |
| <b>RZVS1931BK1</b> | Black |  162K            |  207K |  304K | 31"         |



### ***Adjustable Depth - Fixed Shelf - Light Duty***

- Uses 1U (1.75") of rack space
- Adjustable mounting depth
- Choice of unvented or vented versions
- 14 Ga. steel construction
- Finished in a rugged textured powder paint finish











click to enlarge













Assembly  
Instructions

- Weight load tested to 75 pounds.
- Includes all mounting hardware
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### **UNVENTED - 19" Rack Mount**

| Part Number         | Color |  Reader File | AutoCAD .dxf Files (zipped)  | 3D Solid Model .stp file (zipped)  | Adjustable Depth Range |
|---------------------|-------|---|--|--|------------------------|
| <b>RMASU1917BK1</b> | Black | <br>182K     | <br>76K | <br>68K | 17" to 27"             |
| <b>RMASU1925BK1</b> | Black | <br>190K     | <br>76K | <br>69K | 25" to 35"             |
| <b>RMASU1930BK1</b> | Black | <br>180K     | <br>76K | <br>69K | 30" to 40"             |

### **VENTED - 19" Rack Mount**

| Part Number         | Color |  Reader File | AutoCAD .dxf Files (zipped)   | 3D Solid Model .stp file (zipped)   | Adjustable Depth Range |
|---------------------|-------|---|---|---|------------------------|
| <b>RMASV1917BK1</b> | Black | <br>233K     | <br>151K | <br>177K | 17" to 27"             |
| <b>RMASV1925BK1</b> | Black | <br>248K     | <br>169K | <br>211K | 25" to 35"             |
| <b>RMASV1930BK1</b> | Black | <br>263K     | <br>177K | <br>227K | 30" to 40"             |

**Note:** Weight load tested to 75 pounds.

### **Adjustable Depth - Fixed Shelf - HEAVY DUTY**

- Uses 2U (3.5") of rack space
- Adjustable mounting depth
- Choice of unvented or vented versions
- Heavy duty, 14 Ga. steel construction



- Finished in a rugged textured powder paint finish
- Weight load tested to 200 pounds.
- Includes all mounting hardware
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**



Assembly Instructions

### **UNVENTED - 19" Rack Mount**

| Part Number           | Color | PDF Reader File | AutoCAD .dxf Files (zipped) | 3D Solid Model .stp file (zipped) | Adjustable Depth Range |
|-----------------------|-------|-----------------|-----------------------------|-----------------------------------|------------------------|
| <b>RMASUHD1917BK1</b> | Black | 196K            | 79K                         | 75K                               | 17" to 27"             |
| <b>RMASUHD1925BK1</b> | Black | 195K            | 79K                         | 75K                               | 25" to 35"             |
| <b>RMASUHD1936BK1</b> | Black | 194K            | 79K                         | 77K                               | 36" to 48"             |

### **VENTED - 19" Rack Mount**

| Part Number           | Color | PDF Reader File | AutoCAD .dxf Files (zipped) | 3D Solid Model .stp file (zipped) | Adjustable Depth Range |
|-----------------------|-------|-----------------|-----------------------------|-----------------------------------|------------------------|
| <b>RMASVHD1917BK1</b> | Black | 283K            | 140K                        | 166K                              | 17" to 27"             |
| <b>RMASVHD1925BK1</b> | Black | 322K            | 165K                        | 218K                              | 25" to 35"             |
| <b>RMASVHD1936BK1</b> | Black | 363K            | 198K                        | 287K                              | 36" to 48"             |

**Note:** Weight load tested to 200 pounds.

























## Fixed Chassis/Shelf

- Shelf can be used as a permanently mounted support shelf or as a pull out chassis
- Will also accept type "RSLIDE" equipment slides (see below) for pull out applications
- 18-gauge steel shelf and 14-gauge brackets
- Weight load tested (RASC1922WH2) to 85 pounds.
- Shelf is 16.8" wide and 0.5" high
- Finished in a smooth white powder paint for high visibility
- Includes all mounting hardware
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### 19" Rack Mount

| Part Number | <br>Reader File | AutoCAD<br>.dxf file<br>(zipped)   | 3D<br>Solid Model<br>.stp file<br>(zipped)   | Shelf Depth | Bracket Depth |
|-------------|---|--|--|-------------|---------------|
|             |   |  |  | Inches      | Inches        |
| RASC1912WH2 | <br>153K       | <br>70K | <br>63K | 11.9        | 13.2          |
| RASC1916WH2 | <br>159K       | <br>68K | <br>63K | 15.9        | 14.9          |
| RASC1922WH2 | <br>160K       | <br>68K | <br>63K | 21.9        | 20.9          |

### 24" Rack Mount

| Part Number | <br>Reader File | AutoCAD<br>.dxf file<br>(zipped)   | 3D<br>Solid Model<br>.stp file<br>(zipped)   | Shelf Depth | Bracket Depth |
|-------------|--|--|--|-------------|---------------|
|             |  |  |  | Inches      | Inches        |
| RASC2412WH2 | <br>152K        | <br>70K | <br>63K | 11.9        | 13.2          |
| RASC2416WH2 | <br>155K        | <br>68K | <br>63K | 15.9        | 14.9          |
| RASC2422WH2 | <br>152K        | <br>68K | <br>63K | 21.9        | 20.9          |

**Note:** Weight load tested (RASC1922WH2) to 85 pounds.

## RAIL ACCESSORIES

### Square Hole Panel Rail Adaptor







click to enlarge



Part Number **CPRSA**

- **REQUIRED ONLY** when using [square hole panel rails](#) with dual rail pair mounted shelves
- works with RFVS, RFUS, RZVS and RASC shelves
- set of 4
- includes mounting hardware

|   |  |   |
|---|--|---|
| <br>Reader File | AutoCAD<br>.dxf<br>& .dwg<br>Files<br>(zipped)   | 3D<br>Solid<br>Model<br>.stp file<br>(zipped)   |
| <br>71K        | <br>32K | <br>9K |

DOWNLOAD



[Shelves & Slides - catalog pages \(5\)](#) - Adobe Reader .pdf format (198K)

DOWNLOAD



[all accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

[Our Distributors](#)



[Order from your favorite distributor](#)

---

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

---

Copyright; © 1998-2011 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А