




LOC	DIST	REV	DESCRIPTION	DATE	BY	APPV
ES	00					
		C2	ADD NEW PART -13	02JUN2011	AY	SZ
		C3	ADDED THE DASH NUMBER -15	27APR2012	ML	SZ
		C4	ADDED THE DASH NUMBER -14,16	03JUL2012	ML	SZ
		C5	ADD NEW PART -17	16OCT2012	AY	SZ



- △1 HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-0; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- △2 PIN CONTACTS PLATING: NOBLE METAL PLATING AT CONTACT FUNCTIONAL AREA OF SIGNAL CONTACT AND POWER CONTACT.
- △3 "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- △4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- △5 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- △6 APPLIES TO POWER MODULES ON LEFT SIDE OF SIGNAL CAVITIES OF HOUSING.
- △7 APPLIES TO POWER MODULES ON RIGHT SIDE OF SIGNAL CAVITIES OF HOUSING.
- △8 CUSTOMER SUPPLIES (2) #4-40UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- 9. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- △10 MECHANICAL CONNECTOR KEEP OUT ZONE.
- △1 NOT RELEASED FOR PRODUCTION.
- △2 FOR PART NUMBER 1-6600383-0, THE OTHER DIMENSIONS PLEASE SEE TABLE.
- △3 FOR THE CONFIGURATION WITH VENT FEATURE, PLEASE REFER TO THE SHEET 2.



1.120	.550	.210	1.230	.250	.200	1.600	-	-	.700	1.800	.450	1.200	YES	IP + 16S + IP	1-6600383-7
.720	.550	.210	.830	.250	-	1.200	-	-	-	1.400	.450	.800	YES	0P + 16S + 0P	1-6600383-6
1.220	.550	.210	1.330	.250	-	1.700	-	-	-	1.900	.450	1.300	YES	0P + 36S + 0P	1-6600383-5
1.970	.625	.285	2.080	.325	.250	2.450	-	-	1.400	2.650	.525	2.050	YES	IP + 40S + IP	1-6600383-4
.570	.525	.185	.680	.225	-	1.050	-	-	-	1.250	.425	.650	YES	0P + 12S + 0P	1-6600383-3
2.020	.550	.210	2.130	.250	-	2.500	-	-	-	2.700	.450	2.100	YES	0P + 68S + 0P	1-6600383-0
3.370	.625	.285	3.480	.325	1.150	3.850	.300	.300	1.900	4.050	.525	3.450	YES	4ACP + 24S + 4ACP	6600383-9
1.220	.575	.235	1.330	.275	.225	1.700	-	-	.750	1.900	.475	1.300	YES	IP + 16S + IP	6600383-8
2.920	.575	.235	3.030	.275	.975	3.400	.250	.250	1.700	3.600	.475	3.000	YES	4P + 24S + 4P	6600383-7
2.770	.625	.285	2.880	.325	.850	3.250	.300	.300	1.600	3.450	.525	2.850	YES	3ACP + 24S + 3ACP	6600383-6
1.720	.575	.235	1.830	.275	.475	2.200	.250	.250	1.000	2.400	.475	1.800	YES	2P + 16S + 2P	6600383-5
3.120	.575	.235	3.250	.275	.975	3.600	.250	.250	1.900	3.800	.475	3.200	YES	4P + 32S + 4P	6600383-4
1.920	.575	.235	2.030	.275	.475	2.400	.250	.250	1.200	2.600	.475	2.000	YES	2P + 24S + 2P	6600383-3
3.220	.575	.235	3.330	.275	1.475	3.700	.250	.250	2.500	3.900	.475	3.300	YES	6P + 36S + 2P	6600383-2
4.495	.575	.235	4.605	.275	1.650	4.975	SHT 2	SHT 2	2.575	5.175	.475	4.575	YES	6P + 32S + 6P	6600383-1
DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "W"	DIM "U"	DIM "T"	DIM "S"	DIM "R"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±.01
2 PLC	±.01
3 PLC	±.005
4 PLC	±
ANGLES	±.005

MATERIAL: **1**

FINISH: **2**

Customer Drawing

APPROVED: D. RINGLER, M. PERCHERRE

DATE: 05APR2006

NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE






SIZE: A1

SCALE: 4:1


SHEET 1 OF 9

REV: C5

LOC		DIST		REVISIONS			
ES	00	P	LYN	DESCRIPTION	DATE	DMN	APVD
		-		SEE SHEET 1			



VENT HOLE




CONFIGURATION WITH VENT FEATURE
 PART NUMBER 1-6600383-4

FOR PART NUMBER 1-6600383-0, 1-6600383-3 OTHER DIMENSION PLEASE SEE TABLE ON SHEET 1.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN D. RINGLER 05APR2006	TE Connectivity
DIMENSIONS: INCH		CHK M. PERCHERKE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE 05APR2006	NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±. ANGLES ±.2° FINISH		PRODUCT SPEC 108-1973	SIZE A100779
MATERIAL		APPLICATION SPEC 114-13038	RESTRICTED TO C=6600383
		WEIGHT	SCALE 4:1 SHEET 2 OF 9 REV C5
		Customer Drawing	


LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER						SIGNAL								POWER							
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	P7	P8	P9	P10	P11	P12		
6600383-1	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM		
	C							EV	EV	EV	EV	EV	EV	EV	EV							EV	
	B							EV	EV	EV	EV	EV	EV	EV	EV							EV	EV
	A							EV	EV	EV	EV	EV	EV	EV	EV							EV	EV
6P+32S+6P		HD																				HD	



RECOMMENDED PCB LAYOUT 6600383-1
SCALE 2:1

PART NUMBER	ROWS	POWER						SIGNAL									POWER			
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	9	P7	P8		
6600383-2	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM
	C							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV		
	B							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV		
	A							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV		
6P+36S+2P		HD																		HD



RECOMMENDED PCB LAYOUT 6600383-2
SCALE 2:1

-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN: D. RINGLER 05APR2006	TE Connectivity NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE SIZE: CAGE CODE DRAWING NO: 114-13038 WEIGHT: - RESTRICTED TO: -
INCH	0 PLC ±.01	CHK: M. PERCHERKE 05APR2006	
	2 PLC ±.01	APVD: M. PERCHERKE 05APR2006	
	3 PLC ±.005	PRODUCT SPEC: 108-1973	
	4 PLC ±.005	APPLICATION SPEC: 114-13038	Customer Drawing
MATERIAL:	FINISH:	SCALE: 4:1	SHEET 3 OF 9


LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER		SIGNAL						POWER	
		P1	P2	1	2	3	4	5	6	P3	P4
6600383-3	D	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV	EV	EV		
	B			EV	EV	EV	EV	EV	EV		
	A			EV	EV	EV	EV	EV	EV		
2P+24S+2P		HD									HD

PART NUMBER	ROWS	POWER				SIGNAL								POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	7	8	P5	P6	P7	P8
6600383-4	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV	EV	EV					
4P+32S+4P		HD															HD




RECOMMENDED PCB LAYOUT 6600383-3
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-4
SCALE 2:1

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P1	P2	1	2	3	4	P3	P4
6600383-5	D	VM	VM	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV		
	B			EV	EV	EV	EV		
	A			EV	EV	EV	EV		
2P+16S+2P		HD							HD



RECOMMENDED PCB LAYOUT 6600383-5
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.005 ANGLES ±.2°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL: -	FINISH: -	SIZE: A1	CAGE CODE: 6600383	RESTRICTED TO: -

Customer Drawing

TE Connectivity


VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE

SCALE 4:1 SHEET 4 OF 9 REV C5


LOC	DIST	REV	DATE	BY	APPV
ES	00				

PART NUMBER	ROWS	POWER			SIGNAL						POWER		
		P1	P2	P3	1	2	3	4	5	6	P4	P5	P6
6600383-6	D	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM
	C				EV	EV	EV	EV	EV				
	B				EV	EV	EV	EV	EV				
	A				EV	EV	EV	EV	EV				
3ACP+24S+3ACP		HD											

PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-7	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV					
4P+24S+4P		HD													




RECOMMENDED PCB LAYOUT 6600383-6
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-7
SCALE 2:1

PART NUMBER	ROWS	POWER	SIGNAL				POWER
		P1	1	2	3	4	P2
6600383-8	D	VM	EV	EV	EV	EV	VM
	C		EV	EV	EV	EV	
	B		EV	EV	EV	EV	
	A		EV	EV	EV	EV	
1P+16S+1P		HD					



RECOMMENDED PCB LAYOUT 6600383-8
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
MLBF	SIGNAL CONTACT	ES
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.005 ANGLES ±.2°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL:	FINISH:	SIZE: A1	CAGE CODE: 6600383	RESTRICTED TO: -

Customer Drawing

TE Connectivity


VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE

SCALE 4:1 SHEET 5 OF 9 REV C5

LOC	DIST	REV	DATE	BY	APPD
ES	00				

REVISIONS					
REV	DATE	BY	APPD	DESCRIPTION	DATE
-	-	-	-	SEE SHEET 1	-


PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-9	D					EV	EV	EV	EV	EV	EV				
	C					EV	EV	EV	EV	EV	EV				
	B	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	A					EV	EV	EV	EV	EV	EV				
4ACP+24S+4ACP		HD													HD



RECOMMENDED PCB LAYOUT 6600383-9
 SCALE 2.5:1

PART NUMBER	ROWS	SIGNAL																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1-6600383-0	D	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
	C	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	B	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	A	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
OP+68S+0P		HD																HD

NO CONTACTS LOADED



RECOMMENDED PCB LAYOUT 1-6600383-0
 SCALE 3:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: D. RINGLER 05APR2006	 TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERRE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERRE 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ± .01 1 PLC ± .01 2 PLC ± .01 3 PLC ± .005 4 PLC ± .005 ANGLES ± 7° FINISH		PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT:	
MATERIAL:		Customer Drawing	SIZE: A1 CAGE CODE: 6600383 SCALE: 4:1 SHEET: 6 OF 9 REV: C5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	OWN	APVD
ES	00	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL		
		1	2	3
I-6600383-3	D	EV	EV	EV
	C	EV	EV	EV
	B	EV	EV	EV
	A	EV	EV	EV
OP+12S+0P		HD		HD

(C2)

PART NUMBER	ROWS	SIGNAL								
		1	2	3	4	5	6	7	8	9
I-6600383-5	D	ES	ES	ES	ES	ES	ES	ES	ES	ES
	C	ES	ES	ES	ES	ES	ES	ES	ES	ES
	B	ES	ES	ES	ES	ES	ES	ES	ES	ES
	A	ES	ES	ES	ES	ES	ES	ES	ES	ES
OP+36S+0P		HD								HD





RECOMMENDED PCB LAY OUT I-6600383-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: D. RINGLER 05APR2006	TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERKE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE SIZE: CAGE CODE DRAWING NO: 114-13038 WEIGHT: - RESTRICTED TO: -
0 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±. ANGLES ±7°		PRODUCT SPEC: 108-1973	
MATERIAL: -		APPLICATION SPEC: 114-13038	
FINISH: -		WEIGHT: -	
Customer Drawing		SCALE: 4:1	SHEET 7 OF 9
			REV: C5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL			
		1	2	3	4
I-6600383-6	D	ES	ES	ES	ES
	C	ES	ES	ES	ES
	B	ES	ES	ES	ES
	A	ES	ES	ES	ES
OP+16S+OP		HD			HD

PART NUMBER	ROWS	POWER		SIGNAL										POWER			
		P1	P2	1	2	3	4	5	6	7	8	9	10	P1	P2		
I-6600383-4	D	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	C	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	B	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	A	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
IP+40S+IP		HD														HD	



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.005 ANGLES ±7°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL: -	FINISH: -	SIZE: A100779	CAGE CODE: C=6600383	RESTRICTED TO: -

Customer Drawing


SCALE: 4:1 SHEET: 8 OF 9 REV: C5

STE TE Connectivity

NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE

LOC		DIST		REVISIONS				
P	LTN	DESCRIPTION	DATE	DWN	APVD			
-	-	SEE SHEET 1	-	-	-			

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P1		1	2	3	4	P2	
1-6600383-7	D	VM	VM	EV	EV	EV	EV	VM	
	C			EV	EV	EV	EV		
	B			EV	EV	EV	EV		
	A			EV	EV	EV	EV		
IP+16S+IP		HD						HD	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 05APR2006	TE Connectivity
DIMENSIONS: INCH		CHK M. PERCHERKE 05APR2006	
		APVD M. PERCHERKE 05APR2006	NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE A100779C=6600383
0 PLC ±.01		APPLICATION SPEC	RESTRICTED TO
1 PLC ±.01		114-13038	SCALE 4:1 SHEET 9 OF 9 REV C5
2 PLC ±.005		WEIGHT	
3 PLC ±.005		Customer Drawing	
4 PLC ±.005			
ANGLES ±2°			
FINISH			

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А