








TYPE 1
类型 1

Single PG/M thread & With nonconductive seal
单个PG/M螺纹孔与带非导电密封圈



TYPE 2
类型 2


Two PG/M threads & With nonconductive seal
两个PG/M螺纹孔与带非导电密封圈



All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型 1

TYPE 4
类型 4



Single PG/M thread & With nonconductive seal.No logo
单个PG/M螺纹孔与带非导电密封圈,无Logo



All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型 1

TYPE 3
类型 3





Single PG/M thread & With conductive seal
单个PG/M螺纹孔与带导电密封圈



SECTION D-D

All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型 1

REVISIONS				
REV	LTN	DESCRIPTION	DATE	OWN APPD
B3	ECR-18-009564		25SEP2018	CD CW
B4	ECR-18-017123		25DEC2018	KW CW
B5	ECR-19-006656		05NOV2019	CD CW
B6	ECR-19-007133		20NOV2019	BS CW



THIS DRAWING IS A CONTROLLED DOCUMENT.				DATE: 16 JUN 2015	TE Connectivity	
DIMENSIONS:				DATE: 16 JUN 2015		
UNIT: mm				DATE: 16 JUN 2015	NAME: H24BPR-TGHC-PG/M	
DIMENSIONS:				DATE: 16 JUN 2015	SIZE: A0	
DIMENSIONS:				DATE: 16 JUN 2015	SCALE: 1:1	
DIMENSIONS:				DATE: 16 JUN 2015	SHEET: 1 OF 2	
DIMENSIONS:				DATE: 16 JUN 2015	REV: B6	
DIMENSIONS:				DATE: 16 JUN 2015	CUSTOMER DRAWING	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

20

(C) COPYRIGHT 20

BY

ALL RIGHTS RESERVED

TYPE 5

类型5

Two PG/M threads & With nonconductive seal, No Logo

两个PG/M螺纹孔及带非导电密封圈, 无Logo

25

25

PG/M THREAD-2

PG/M 螺栓2

PG/M THREAD-3

PG/M 螺栓3

Nonconductive seal

非导电密封圈

NOTES:

1. TECHNICAL CHARACTERISTICS:

HOOD MATERIAL: DIE CAST ALUMINUM ALLOY

SURFACE TREATMENT: SEE TABLE

DEGREE OF PROTECTION: IP68 (MATED)

注释:

1. 技术参数:

壳体材料: 铝合金

表面处理: 见表格

防护等级: IP68 (配合)

TYPE 6

类型6

Two PG/M threads & With nonconductive seal & Minus screw

两个PG/M螺纹孔及带非导电密封圈及一字槽螺丝

25

25

32

32

Nonconductive seal

非导电密封圈

Minus screw

一字槽螺丝

PG/M THREAD-3

PG/M 螺栓3

PG/M THREAD-2

PG/M 螺栓2

PG/M THREAD-1

PG/M 螺栓1

TYPE 1

类型1

T1922242232-000	POWDER COATED, GREY 表面喷涂, 灰色	H24BPR-TGHC-2M32	H24BPR HOOD, CENTER LOCKING, MINUS SCREW, TOP ENTRY 2M32, POWDER COATED, GREY H24BPR上盖, 中部锁紧, 一字槽螺丝, 顶盖2M32, 灰色粉末喷涂	M32	M32	-	TYPE 6 类型6
T1922242125-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M25, 深灰色粉末喷涂, 无LOGO	-	-	M25	TYPE 4 类型4
T1922242132-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M32, 深灰色粉末喷涂, 无LOGO	-	-	M32	
T1922242150-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M50	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M50, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M50, 深灰色粉末喷涂, 无LOGO	-	-	M50	
T1922242140-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M40, 深灰色粉末喷涂, 无LOGO	-	-	M40	
T1922244025-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M40/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M40/M25, 深灰色粉末喷涂, 无LOGO	M25	M40	-	TYPE 5 类型5
T1922241129-001	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂, 导电孔, 螺纹孔带台阶	-	-	PG29	TYPE 3 类型3
T1922240129-001	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂, 导电孔, 螺纹孔带台阶	-	-	PG29	
T1922241221-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-2PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY 2PG21, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖2PG21, 银白色粉末喷涂	PG21	PG21	-	TYPE 2 类型2
T1922241232-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M32/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32/M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M32/M25, 银白色粉末喷涂	M25	M32	-	
T1922244025-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M40/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M40/M25, 银白色粉末喷涂	M25	M40	-	
T1922241140-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M40, 银白色粉末喷涂	-	-	M40	
T1922241136-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG36	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG36, 银白色粉末喷涂	-	-	PG36	TYPE 1 类型1
T1922241132-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M32, 银白色粉末喷涂	-	-	M32	
T1922241129-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂	-	-	PG29	
T1922241125-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M25, 银白色粉末喷涂	-	-	M25	
T1922240121-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG21, 银白色粉末喷涂	-	-	PG21	
T1922240140-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M40, 黑色粉末喷涂	-	-	M40	
T1922240136-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG36	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG36, 黑色粉末喷涂	-	-	PG36	
T1922240132-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M32, 黑色粉末喷涂	-	-	M32	
T1922240129-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂	-	-	PG29	
T1922240125-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M25, 黑色粉末喷涂	-	-	M25	
T1922240121-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG21, 黑色粉末喷涂	-	-	PG21	
PART NUMBER 料号	SURFACE 表面处理	DESCRIPTION 描述		PG/M THREAD-3 PG/M 螺栓3	PG/M THREAD-2 PG/M 螺栓2	PG/M THREAD-1 PG/M 螺栓1	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
(mm)

0 PLC
2 PLC
4 PLC

±
±
±

mm
mm
mm

FINISH

mm

mm

DATE: 16JUN2015

CHK: CAC13.WANG

APPD: Y. LANG YU

PRODUCT SPEC: 108-137014

APPLICATION SPEC: 114-137014

WEIGHT: .

CUSTOMER DRAWING

REV: 1

DATE: 16JUN2015

BY: CAC13.WANG

DESCRIPTION: H24BPR-TGHC-PG/M

SIZE: A0

CASE CODE: C

DRAWING NO: T192224XXXXX00

REVISIONS: 1

SCALE: 1:1

SHEET: 2

OF: 2

REV: B6

4806 (3/13)

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А