

### Thermal Transfer Component Labels



- Use for identifying patch panels, faceplates, punchdown blocks and other network systems hardware
- Die-cut labels designed to provide maximum aesthetic quality and appearance
- Available in adhesive polyester and non-adhesive polyester materials
- Use with Panduit thermal transfer resin ribbons

| Application Description               | Typical Application Page | Code |
|---------------------------------------|--------------------------|------|
| Boxes – Surface Mount, Outlet, Hybrid | G.24                     | BX   |
| Faceplates                            | G.2                      | FP   |
| GP6™ Category 6 Punchdown Blocks      | B.72                     | GP   |
| Jack Modules                          | B.12                     | JM   |

| Application Description    | Typical Application Page | Code |
|----------------------------|--------------------------|------|
| Punchdown Blocks – 110     | B.80                     | PB   |
| Patch Panels               | B.26 – B.27              | PP   |
| Racks and Cabinets         | L.11                     | RK   |
| Cable Marker Holder – SLCT | B.90                     | SL   |

| Part Number    | Part Description   | Width |      | Height |      | Std. Pkg. Qty. | Std. Ctn. Qty. |
|----------------|--|-------|------|--------|------|----------------|----------------|
|                |  | In.   | mm   | In.    | mm   |                |                |
| C061X030YPT    | White, adhesive polyester label, Mini-Com® 1-port identifier. Application codes: BX, FP, and PP.           | 0.61  | 15.5 | 0.30   | 7.6  | 2500           | 10000          |
| C125X030YPT    | White, adhesive polyester label, Mini-Com® 2-port identifier. Application codes: BX, FP, and PP.           | 1.25  | 31.8 | 0.30   | 7.6  | 2500           | 10000          |
| C138X019YPT    | White, adhesive polyester label, Mini-Com® module identifier. Application code: JM.                        | 1.38  | 35.1 | 0.19   | 4.8  | 2500           | 10000          |
| C138X019Y0T    | Black, adhesive polyester label, Mini-Com® module identifier. Application code: JM.                        | 1.38  | 35.1 | 0.19   | 4.8  | 2500           | 10000          |
| C150X030Y1T    | White, non-adhesive polyester label, Mini-Com® 3-port identifier. Application code: FP.                    | 1.50  | 38.1 | 0.30   | 7.6  | 1000           | 5000           |
| C188X030YPT    | White, adhesive polyester label, Mini-Com® 3-port identifier. Application code: FP.                        | 1.88  | 47.8 | 0.30   | 7.6  | 2500           | 10000          |
| C195X040Y1T    | White, non-adhesive polyester label, single gang faceplate. Application Code: FP.                          | 1.95  | 49.5 | 0.40   | 10.2 | 2500           | 10000          |
| C200X100YPT    | White, adhesive polyester label, SLCT bundle marker identifier. Application code: SL and RK.               | 2.00  | 50.8 | 1.00   | 25.4 | 2500           | 10000          |
| C200X100Y0T    | Black, adhesive polyester label, SLCT bundle marker identifier. Application code: SL and RK.               | 2.00  | 50.8 | 1.00   | 25.4 | 2500           | 10000          |
| C252X030YPT    | White, adhesive polyester label, Mini-Com® 4-port identifier. Application codes: BX, FP, and PP.           | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YPT-P* | White, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.  | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YQT-P* | Blue, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.   | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YRT-P* | Brown, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.  | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YST-P* | Green, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.  | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YTT-P* | Gray, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.   | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YUT-P* | Orange, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP. | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YVT-P* | Purple, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP. | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030YWT-P* | Red, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.    | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030Y0T-P* | Black, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.  | 2.52  | 64.1 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030Y8T-P* | Yellow, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP. | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |
| C252X030Y9T-P* | Gold, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.   | 2.52  | 64.0 | 0.30   | 7.6  | 2500           | 10000          |

\*Label is perforated to be used in 1, 2, 3, or 4-position applications.

‡Label is perforated to be used in 1, 2, 3, 4, 5, or 6-position applications.

Order number of labels required in multiples of Std. Pkg. Qty.

Labels roll mounted on 3.00" cores; when using the TDP43ME printer and 3.00" cores, the roll stand (TDP43ME-RS) is required.

Table continues on next page

**Thermal Transfer Component Labels (continued)**

| Part Number           | Part Description   | Width |       | Height |      | Std. Pkg. Qty. | Std. Ctn. Qty. |
|-----------------------|--|-------|-------|--------|------|----------------|----------------|
|                       |  | In.   | mm    | In.    | mm   |                |                |
| <b>C261X030YPT</b>    | White, adhesive polyester label, Mini-Com <sup>®</sup> 4-port identifier. Application codes: FP and PP.                | 2.61  | 66.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C261X035Y1T</b>    | White, non-adhesive polyester label, Mini-Com <sup>®</sup> 4-port identifier. Application codes: FP and PP.            | 2.61  | 66.3  | 0.35   | 8.9  | 2500           | 10000          |
| <b>C275X125YPT</b>    | White, adhesive polyester label, general identifier. Application code: RK.   | 2.75  | 69.9  | 1.25   | 31.8 | 2500           | 10000          |
| <b>C275X125Y0T</b>    | Black, adhesive polyester label, general identifier. Application code: RK.   | 2.75  | 69.9  | 1.25   | 31.8 | 2500           | 10000          |
| <b>C288X030YPT</b>    | White, adhesive polyester label, double gang faceplate identifier. Application code: FP.                               | 2.88  | 73.2  | 0.30   | 7.6  | 2500           | 2500           |
| <b>C288X040Y1T</b>    | White, non-adhesive polyester label, Mini-Com <sup>®</sup> double-gang faceplate. Application code: FP.                | 2.88  | 73.2  | 0.40   | 10.2 | 1000           | 1000           |
| <b>C315X030YPT</b>    | White, adhesive polyester label, Mini-Com <sup>®</sup> 5-port identifier. Application code: FP.                        | 3.15  | 80.0  | 0.30   | 7.6  | 2500           | 2500           |
| <b>C379X030YPT</b>    | White, adhesive polyester label, Mini-Com <sup>®</sup> 6-port identifier. Application code: FP.                        | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YPT-P‡</b> | White, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.  | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YQT-P‡</b> | Blue, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.   | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YRT-P‡</b> | Brown, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.  | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YST-P‡</b> | Green, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.  | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YTT-P‡</b> | Gray, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.   | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YUT-P‡</b> | Orange, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP. | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YVT-P‡</b> | Purple, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP. | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030YWT-P‡</b> | Red, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.    | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030Y0T-P‡</b> | Black, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.  | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030Y8T-P‡</b> | Yellow, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP. | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C379X030Y9T-P‡</b> | Gold, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.   | 3.79  | 96.3  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C390X030Y1T</b>    | White, non-adhesive polyester label, Mini-Com <sup>®</sup> 6-port identifier. Application code: PP.                    | 3.90  | 99.1  | 0.30   | 7.6  | 2500           | 10000          |
| <b>C750X050Y1T</b>    | White, non-adhesive polyester label, 110 block identifier. Application code: PB.                                       | 7.50  | 190.5 | 0.50   | 12.7 | 2500           | 10000          |
| <b>C788X050Y1T</b>    | White, non-adhesive polyester label, GP6 System identifier. Application code: GP.                                      | 7.88  | 200.2 | 0.50   | 12.7 | 2500           | 10000          |

\*Label is perforated to be used in 1, 2, 3, or 4-position applications.

‡Label is perforated to be used in 1, 2, 3, 4, 5, or 6-position applications.

Order number of labels required in multiples of Std. Pkg. Qty.

Labels roll mounted on 3.00" cores; when using the TDP43ME printer and 3.00" cores, the roll stand (TDP43ME-RS) is required.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А