






LOC	DIST	REVISIONS					
AA	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B6	REVISED PER ECO-11-005033	18MAR2011	RK	HMR
			C	ECO-18-005828	27MAR2018	LL	SH



VIEW SHOWN ASSEMBLED
TO PCB ONLY



DETAIL G
SCALE 8:1

1. MATERIALS:
HOUSING: BLACK PBT, 94V-0.
OVERMOLDED INSERT: BLACK LCP, 94V-0.
SHIELD: COPPER ALLOY WITH 0.76µm MIN NICKEL PLATE
CONTACTS: PHOSPHOR BRONZE WITH 1.27µm MIN GOLD
AT MATING INTERFACE OVER 1.27µm MIN NICKEL
UNDERPLATE.



2. PERFORMANCE:
INSERTION LOSS: 0.4dB @ 100 MHz.
RETURN LOSS: 12.0dB @ 100 MHz.
CROSSTALK ATTENUATION: -43dB MINIMUM @ 100MHz

3. LED's COMPLIANT WITH IEC60825-1 SAFETY OF LASER
PRODUCTS WHEN OPERATED AT CURRENT OF 20mA.

4. ALL DIMENSIONS NOMINAL.


5. RECOMMENDED MOTHERBOARD PCB THICKNESS: 1.60±0.16.

- 6 RJ45 PORT CONFORMS TO FCC RULES AND REGULATIONS
PART 68 SUB-PART F.
- 7 TE LOGO, TE CONNECTIVITY PART NUMBER, DATE CODE AND COUNTRY OF
ORIGIN TO BE MARKED IN APPROXIMATE LOCATION
SHOWN.
- 8 THIS DIMENSION MEETS THE ADVANCED MEZZANINE CARD
(AMC) SPECIFICATION.
- 9 LED WAVELENGTH FOR THE PN 1888251-5:
GREEN: 520nm ~ 525nm; YELLOW: 590nm ± 5nm.



9	GRN/YEL	GRN/YEL	1888251-5
	GREEN	GREEN	1888251-4
	-	-	1888251-3
	GRN/YEL	GRN/YEL	1888251-2
	GREEN	YELLOW	1888251-1
	LED #1	LED #2	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E.S./L.A. MAYER 15FEB2008	TE Connectivity	
DIMENSIONS:		CHK J.WESTMAN 15FEB2008	NAME CONNECTOR ASSEMBLY, LOW PROFILE, PRESS FIT, MODULAR JACK, 1X4, RJ45	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S.FLICKINGER 15FEB2008		
	0 PLOC ±:	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=1888251	
	2 PLOC ±:	APPLICATION SPEC		
	3 PLOC ±0.13	114-13179		
	4 PLOC ±:	WEIGHT		
	4 PLOC ±:			
ANGLES ±°		RESTRICTED CUSTOMER	SCALE 4:1 SHEET 1 OF 3 REV C	
MATERIAL	FINISH	SEE NOTE 1		
SEE NOTE 1				




LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	


STANDARD FACE PLATE	11.34
AMC MODULE FACE PLATE	11.50
PCB CUTOUT	D

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E.S./L.A. MAYER	15FEB2008	 TE Connectivity	
DIMENSIONS:		CHK J. WESTMAN	15FEB2008		
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 P.LC ± 1 P.LC ± 2 P.LC ±0.13 3 P.LC ± 4 P.LC ±		CONNECTOR ASSEMBLY, LOW PROFILE, PRESS FIT, MODULAR JACK, 1X4, RJ45	
		ANGLES FINISH		SIZE	
		SEE NOTE 1		CAGE CODE	
		SEE NOTE 1		DRAWING NO	
		RESTRICTED TO		RESTRICTED TO	
		WEIGHT		A100779C=1888251	
		RESTRICTED CUSTOMER		SCALE	
				4:1	
				SHEET	
				2 OF 3	
				REV	
				C	


LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




SECTION Z-Z




SECTION Y-Y




SECTION X-X



AMC SINGLE WIDTH, HALF HEIGHT MODULE FACE PLATE



AMC SINGLE WIDTH, FULL HEIGHT MODULE FACE PLATE



STANDARD FACE PLATE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M.E.S./L.A. MAYER	15FEB2008	TE Connectivity			
		CHK	J.WESTMAN	15FEB2008				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	S.FLICKINGER	15FEB2008	NAME	
mm		0 PLC ±		PRODUCT SPEC		CONNECTOR ASSEMBLY, LOW PROFILE, PRESS FIT, MODULAR JACK, 1X4, RJ45		
		1 PLC ±		APPLICATION SPEC		SIZE		RESTRICTED TO
		2 PLC ±0.13		114-13179		CAGE CODE		DRAWING NO
		3 PLC ±		WEIGHT		A100779		©=1888251
		4 PLC ±		RESTRICTED CUSTOMER		SCALE		4:1
		ANGLES ±°				SHEET		3 OF 3
MATERIAL		SEE NOTE 1				REV		C

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А