


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	02JUN2015	DL	CW
	A1	ECR-18-004153	08AUG2018	GY	CW

D

C


B

A



TYPE 1: SIDE ENTRY
类型1：侧出


PG/M THREAD 2
PG/M螺纹孔 2



TYPE 2: TOP ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 1.
类型2：顶出，未定义尺寸&规格参照类型1。

PG/M THREAD 2
PG/M螺纹孔 2

PG/M THREAD 1
PG/M螺纹孔 1



TYPE 3: SIDE/TOP ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 1.
类型3：侧/顶出，未定义尺寸&规格参照类型1。

NOTES:
1. TECHNICAL CHARACTERISTICS:
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER-COATED, GRAY
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)





注释:
1. 技术参数:
主体材料: 铝合金
表面处理: 粉末喷涂, 灰色
工作温度: -40-+125°C
防护等级: IP65(配合)

T1310320121-000	H32B-TS-RO-PG21	H32B HOOD, SIDE ENTRY PG21, 2 EAR, POWDER COATED, GREY H32B上壳, 侧出PG21, 2耳, 灰色粉末喷涂	PG21	-	TYPE 1 类型1
T1310320129-000	H32B-TS-RO-PG29	H32B HOOD, SIDE ENTRY PG29, 2 EAR, POWDER COATED, GREY H32B上壳, 侧出PG29, 2耳, 灰色粉末喷涂	PG29	-	
T1310320132-000	H32B-TS-RO-M32	H32B HOOD, SIDE ENTRY M32, 2 EAR, POWDER COATED, GREY H32B上壳, 侧出M32, 2耳, 灰色粉末喷涂	M32	-	
T1310320136-000	H32B-TS-RO-PG36	H32B HOOD, SIDE ENTRY PG36, 2 EAR, POWDER COATED, GREY H32B上壳, 侧出PG36, 2耳, 灰色粉末喷涂	PG36	-	
T1310320140-000	H32B-TS-RO-M40	H32B HOOD, SIDE ENTRY M40, 2 EAR, POWDER COATED, GREY H32B上壳, 侧出M40, 2耳, 灰色粉末喷涂	M40	-	
T1320320121-000	H32B-TG-RO-PG21	H32B HOOD, TOP ENTRY PG21, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出PG21, 2耳, 灰色粉末喷涂	-	PG21	TYPE 2 类型2
T1320320125-000	H32B-TG-RO-M25	H32B HOOD, TOP ENTRY M25, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出M25, 2耳, 灰色粉末喷涂	-	M25	
T1320320129-000	H32B-TG-RO-PG29	H32B HOOD, TOP ENTRY PG29, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出PG29, 2耳, 灰色粉末喷涂	-	PG29	
T1320320132-000	H32B-TG-RO-M32	H32B HOOD, TOP ENTRY M32, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出M32, 2耳, 灰色粉末喷涂	-	M32	
T1320320136-000	H32B-TG-RO-PG36	H32B HOOD, TOP ENTRY PG36, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出PG36, 2耳, 灰色粉末喷涂	-	PG36	
T1320320140-000	H32B-TG-RO-M40	H32B HOOD, TOP ENTRY M40, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出M40, 2耳, 灰色粉末喷涂	-	M40	
T1320320142-000	H32B-TG-RO-PG42	H32B HOOD, TOP ENTRY PG42, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出PG42, 2耳, 灰色粉末喷涂	-	PG42	
T1320320150-000	H32B-TG-RO-M50	H32B HOOD, TOP ENTRY M50, 2 EAR, POWDER COATED, GREY H32B上壳, 顶出M50, 2耳, 灰色粉末喷涂	-	M50	TYPE 3 类型3
T1320320163-000	H32B-TG-RO-M63	H32B HOOD, TOP ENTRY M63, 2 EAR, POWDR COATED, GREY H32B上壳, 顶出M63, 2耳, 灰色粉末喷涂	-	M63	
T1320320225-000	H32B-TG-RO-2M25	H32B HOOD, SIDE/TOP ENTRY M25, 2 EAR, POWDER COATED, GREY H32B上壳, 侧顶出M25, 2耳, 灰色粉末喷涂	M25	M25	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M螺纹孔1	PG/M THREAD 2 PG/M螺纹孔2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 02JUN2015	 TE Connectivity		
		CHK CHRIS WANG 02JUN2015			
		APVD XU XIANG 02JUN2015	NAME H32B-TS/TG/TSH/TGH-RO-M/PG		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH	PRODUCT SPEC 108-137013		
MATERIAL -			APPLICATION SPEC 114-137013		
			WEIGHT -		
			CUSTOMER DRAWING		
			SIZE A2	CAGE CODE 00779	DRAWING NO. C-T13X0320XXX000
			SCALE 1:1	SHEET 1	REV A1



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



TYPE 4: HIGH CONSTRUCTION, SIDE ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 1.
类型4: 高结构, 侧出, 未定义尺寸&规格参照类型1.

T1330320121-000	H32B-TSH-RO-PG21	H32B HOOD, SIDE ENTRY PG21, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG21,2耳,高结构,灰色粉末喷涂	PG21	-	TYPE 4 类型4
T1330320129-000	H32B-TSH-RO-PG29	H32B HOOD, SIDE ENTRY PG29, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG29,2耳,高结构,灰色粉末喷涂	PG29	-	
T1330320132-000	H32B-TSH-RO-M32	H32B HOOD, SIDE ENTRY M32, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出M32,2耳,高结构,灰色粉末喷涂	M32	-	
T1330320136-000	H32B-TSH-RO-PG36	H32B HOOD, SIDE ENTRY PG36, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG36,2耳,高结构,灰色粉末喷涂	PG36	-	
T1330320140-000	H32B-TSH-RO-M40	H32B HOOD, SIDE ENTRY M40, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出M40,2耳,高结构,灰色粉末喷涂	M40	-	
T1340320121-000	H32B-TGH-RO-PG21	H32B HOOD, TOP ENTRY PG21, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG21,2耳,高结构,灰色粉末喷涂	-	PG21	TYPE 5 类型5
T1340320125-000	H32B-TGH-RO-M25	H32B HOOD, TOP ENTRY M25, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M25,2耳,高结构,灰色粉末喷涂	-	M25	
T1340320129-000	H32B-TGH-RO-PG29	H32B HOOD, TOP ENTRY PG29, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG29,2耳,高结构,灰色粉末喷涂	-	PG29	
T1340320132-000	H32B-TGH-RO-M32	H32B HOOD, TOP ENTRY M32, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M32,2耳,高结构,灰色粉末喷涂	-	M32	
T1340320136-000	H32B-TGH-RO-PG36	H32B HOOD, TOP ENTRY PG36, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG36,2耳,高结构,灰色粉末喷涂	-	PG36	
T1340320140-000	H32B-TGH-RO-M40	H32B HOOD, TOP ENTRY M40, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M40,2耳,高结构,灰色粉末喷涂	-	M40	
T1340320142-000	H32B-TGH-RO-PG42	H32B HOOD, TOP ENTRY PG42, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG42,2耳,高结构,灰色粉末喷涂	-	PG42	
T1340320150-000	H32B-TGH-RO-M50	H32B HOOD, TOP ENTRY M50, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M50,2耳,高结构,灰色粉末喷涂	-	M50	
T1340320163-000	H32B-TGH-RO-M63	H32B HOOD, TOP ENTRY M63, 2 EAR,HIGH CONSTRUCTION,POWDR COATED, GREY H32B上壳,顶出M63,2耳,高结构,灰色粉末喷涂	-	M63	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 4 PG/M螺纹孔4	PG/M THREAD 5 PG/M螺纹孔5	TYPE 类型



TYPE 5: HIGH CONSTRUCTION, TOP ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 4.
类型5: 高结构, 顶出, 未定义尺寸&规格参照类型4.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 02JUN2015 CHK DAVID LI 02JUN2015 CHRIS WANG 02JUN2015 APVD XU XIANG 02JUN2015		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME H32B-TS/TG/TSH/TGH-RO-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE A2	
MATERIAL - -		FINISH - -		CAGE CODE 00779	
		WEIGHT -		DRAWING NO C=13X0320XXX000	
		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 OF 2 REV A1	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А