

| REVISIONS |         |                       |           |          |
|-----------|---------|-----------------------|-----------|----------|
| REV       | ECN/E-R | DESCRIPTION           | DATE      | APPROVED |
| A         |         | PROPOSAL              | MAR 26/09 |          |
| B         |         | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |         | PROPOSAL              | MAR 15/12 |          |




MATERIAL:  
 CAGE:  
 COPPER ALLOY

PLATING OPTION X=2:  
 2.54um MIN. NICKEL


PLATING OPTION X=3:  
 3.81um MIN. MATTE TIN  
 OVER 1.27um MIN. NICKEL.

PACKAGING:  
 TRAY PACKAGING


TEMPERATURE RANGE:  
 -40°C TO +85°C



**P/N: U77-A661M-X081 SHOWN**



**P/N: U77-A461M-X081 SHOWN**



**P/N: U77-A261M-X081 SHOWN**

AMPHENOL PART NUMBER CONFIGURATION

U77 - A X 6 1 M - X 0 8 1


- PACKAGING  
1 = TRAY PACKAGING
- PLATING  
2 = NICKEL PLATING  
3 = MATTE TIN PLATING
- NUMBER OF PORTS  
2 = 2 PORTS  
4 = 4 PORTS  
6 = 6 PORTS

DO NOT SCALE DRAWING




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|  |        |           |          |          |  |                       |         |
|--|--------|-----------|----------|----------|--|-----------------------|---------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: |        | APPROVALS |          | DATE     |  | Amphenol Canada Corp. |         |
| DIGITALS   | ANGLES | DRAWN     | Chigow.X | MAR14/09 | TITLE  |                       |         |
| X.X ± 0.38   | ± 1°   | DESIGNED  |          |          | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |                       |         |
| X.XX ± 0.25  |        | CHECKED   | J.SJ     | MAR14/09 | MATERIAL AND FINISH                          |                       |         |
| SEE NOTE 1   |        | QA APPD   |          |          | REF  |                       |         |
| CODE IDENT NO:   | 03554  | E APPD    |          |          | SIZE   | DWG. NO.              | REV     |
|  |        | DWG APPD  | A.G.     | MAR14/09 | A3   | P-U77-AX61M-X081      | C       |
|  |        |           |          |          | SCALE  | PROJECT               | SHEET   |
|  |        |           |          |          | 2:1  |                       | 1 OF 10 |



| REVISIONS |         |                       |           |          |
|-----------|---------|-----------------------|-----------|----------|
| REV       | ECN/E-R | DESCRIPTION           | DATE      | APPROVED |
| A         |         | PROPOSAL              | MAR 26/09 |          |
| B         |         | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |         | PROPOSAL              | MAR 15/12 |          |




U77-A261M-X081



U77-A461M-X081



U77-A661M-X081







DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|  |  |                |          |  |  |
|--|--|----------------|----------|--|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS ± 0.38 ANGLES ± 1°<br>X.X ± 0.38<br>X.XX ± 0.25 |  | APPROVALS      | DATE     | Amphenol Canada Corp.                        |  |
| MATERIAL AND FINISH  |  | DRAWN Chigow.X | MAR14/09 | TITLE  |  |
| SEE NOTE 1   |  | DESIGNED       |          | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |  |
| REF.   |  | CHECKED J.SJ   | MAR14/09 | SIZE A3                                      |  |
| CODE IDENT NO: 03554   |  | QA APPD        |          | DWG. NO: P-U77-AX61M-X081                    |  |
|  |  | E APPD         |          | SCALE 2:1                                    |  |
|  |  | DWG APPD A.G.  | MAR14/09 | PROJECT                                      |  |
|  |  |                |          | SHEET 2 OF 10                                |  |
|  |  |                |          | REV C  |  |

| PART NUMBER    | DIM "C" | DIM "D" |
|----------------|---------|---------|
| U77-A261M-X081 | 29.70   | 31.00   |
| U77-A461M-X081 | 58.20   | 59.50   |
| U77-A661M-X081 | 86.70   | 88.00   |

| REVISIONS |         |                       |           |          |
|-----------|---------|-----------------------|-----------|----------|
| REV       | ECN/E-R | DESCRIPTION           | DATE      | APPROVED |
| A         |         | PROPOSAL              | MAR 26/09 |          |
| B         |         | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |         | PROPOSAL              | MAR 15/12 |          |




|  |        |           |          |          |  |                  |
|--|--------|-----------|----------|----------|--|------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: |        | APPROVALS |          | DATE     | Amphenol Canada Corp.                        |                  |
| DECIMALS   | ANGLES | DRAWN     | Chigow.X | MAR14/09 | TITLE  |                  |
| X.X ± 0.38   | ± 1°   | DESIGNED  |          |          | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |                  |
| X.XX ± 0.25  |        | CHECKED   | J.SJ     | MAR14/09 |  |                  |
| MATERIAL AND FINISH  |        | QA APPD   |          |          |  |                  |
| SEE NOTE 1   |        | E APPD    |          |          | SIZE   | DWG. NO.         |
| REF.   |        | DWG APPD  | A.G.     | MAR14/09 | A3   | P-U77-AX61M-X081 |
| CODE IDENT. NO.  | 03554  | SCALE     | 2:1      | PROJECT  | REV  | C                |
|  |        |           |          |          | SHEET  | 3 OF 10          |



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

| REVISIONS |         |                       |           |          |
|-----------|---------|-----------------------|-----------|----------|
| REV       | ECN/E-R | DESCRIPTION           | DATE      | APPROVED |
| A         |         | PROPOSAL              | MAR 26/09 |          |
| B         |         | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |         | PROPOSAL              | MAR 15/12 |          |



NOTE:  
 PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMODATE PCB TOLERANCE.



SECTION E-E  
 SCALE 2 : 1




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|   |               |                |           |  |               |
|---|---------------|----------------|-----------|--|---------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS      ANGLES<br>X.X ± 0.38      ± 1°<br>X.XX ± 0.25 |               | APPROVALS      | DATE      | Amphenol Canada Corp.                        |               |
| MATERIAL AND FINISH<br>SEE NOTE 1   |               | DRAWN Chigow.X | MAR14/09  | TITLE  |               |
| REF.  |               | CHECKED J.SJ   | MAR14/09  | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |               |
| CODE IDENT NO. 03554  | DWG APPD A.G. | MAR14/09       | SCALE 1:1 | PROJECT P-U77-AX61M-X081                     | REV C         |
|   |               |                | SIZE A3   | DWG NO.                                      | SHEET 4 OF 10 |

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |         |                       |           |          |
|-----------|---------|-----------------------|-----------|----------|
| REV       | ECN/E-R | DESCRIPTION           | DATE      | APPROVED |
| A         |         | PROPOSAL              | MAR 26/09 |          |
| B         |         | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |         | PROPOSAL              | MAR 15/12 |          |



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A261M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|   |                         |               |         |               |  |
|---|-------------------------|---------------|---------|---------------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS ANGLES<br>X.X ± 0.38 ± 1°<br>X.XX ± 0.25 |                         | APPROVALS     |         | DATE          | <b>Amphenol Canada Corp.</b><br><br><b>1XN SFP+ CAGE ASSY<br/>         WITH SPRING FINGER GASKET</b> |
| DRAWN Chigow.X  |                         | DESIGNED      |         | MAR14/09      |  |
| CHECKED J.SJ  |                         | QA APPD       |         | MAR14/09      |  |
| SEE NOTE 1  |                         | E APPD        |         |               |  |
| CODE IDENT NO: 03554  |                         | DWG APPD A.G. |         | MAR14/09      |  |
| SIZE A3   | DWG NO P-U77-AX61M-X081 | SCALE 2:1     | PROJECT | SHEET 5 OF 10 | REV C  |

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |          |                       |           |          |
|-----------|----------|-----------------------|-----------|----------|
| REV       | EC/N/E/R | DESCRIPTION           | DATE      | APPROVED |
| A         |          | PROPOSAL              | MAR 26/09 |          |
| B         |          | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |          | PROPOSAL              | MAR 15/12 |          |



**RECOMMENDED PCB DESIGN  
FOR BELLY TO BELLY MOUNTING  
(P/N U77-A261M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|  |                 |          |  |                           |
|--|-----------------|----------|--|---------------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS: X.X ± 0.38<br>X.XX ± 0.25<br>ANGLES: ± 1°<br>MATERIAL AND FINISH: SEE NOTE 1 | APPROVALS       | DATE     | Amphenol Canada Corp.                        |                           |
|  | DRAWN: Chigov.X | MAR14/09 | TITLE  |                           |
|  | DESIGNED:       |          | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |                           |
|  | CHECKED: J.SJ   | MAR14/09 |  |                           |
| REF:   | E APPD:         |          | SIZE: A3                                     | DWG. NO: P-U77-AX61M-X081 |
| CODE IDENT. NO: 03554  | DWG APPD: A.G.  | MAR14/09 | SCALE: 3:1                                   | PROJECT: SHEET: 6 OF 10   |

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |          |                       |           |          |
|-----------|----------|-----------------------|-----------|----------|
| REV       | EC/N/E/R | DESCRIPTION           | DATE      | APPROVED |
| A         |          | PROPOSAL              | MAR 26/09 |          |
| B         |          | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |          | PROPOSAL              | MAR 15/12 |          |



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A461M-X081)**


**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|   |                      |  |  |   |
|---|----------------------|--|--|---|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS: X.X ± 0.38<br>X.XX ± 0.25<br>ANGLES: ± 1° |                      | <b>APPROVALS</b>   | <b>DATE</b>                              | Amphenol Canada Corp.                           |
| MATERIAL AND FINISH<br>SEE NOTE 1   |                      | DRAWN: Chigov.X<br>DESIGNED:<br>CHECKED: J.SJ<br>QA APPD:<br>E APPD:<br>DWG APPD: A.G. | MAR14/09<br><br>MAR14/09<br><br>MAR14/09 |   |
| REF:  | CODE IDENT NO: 03554 | SCALE: 1:1   | PROJECT:                                 | SIZE: A3<br>DWG. NO: P-U77-AX61M-X081<br>REV: C |
| 7 OF 10   |                      |  |  |   |

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |          |                       |           |          |
|-----------|----------|-----------------------|-----------|----------|
| REV       | EC/N/E/R | DESCRIPTION           | DATE      | APPROVED |
| A         |          | PROPOSAL              | MAR 26/09 |          |
| B         |          | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |          | PROPOSAL              | MAR 15/12 |          |



**RECOMMENDED PCB DESIGN  
 FOR BELLY TO BELLY MOUNTING  
 (P/N U77-A461M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|   |               |           |           |  |     |
|---|---------------|-----------|-----------|--|-----|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS ANGLES<br>X.X ± 0.38 ± 1°<br>X.XX ± 0.25 |               | APPROVALS | DATE      | Amphenol Canada Corp.                        |     |
| DRAWN Chigow.X  |               | MAR14/09  |           | TITLE  |     |
| DESIGNED  |               |           |           | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |     |
| CHECKED J.SJ  |               | MAR14/09  |           |  |     |
| MATERIAL AND FINISH   |               | QA APPD   |           |  |     |
| SEE NOTE 1  |               |           |           |  |     |
| REF   | E APPD        | SCALE     | SIZE      | DWG. NO.                                     | REV |
| CODE IDENT NO. 03554  | DWG APPD A.G. | MAR14/09  | A3        | P-U77-AX61M-X081                             | C   |
| PROJECT   |               |           | SCALE 2:1 | SHEET 8 OF 10                                |     |



- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

| REVISIONS |          |                       |           |          |
|-----------|----------|-----------------------|-----------|----------|
| REV       | EC/N/E/R | DESCRIPTION           | DATE      | APPROVED |
| A         |          | PROPOSAL              | MAR 26/09 |          |
| B         |          | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |          | PROPOSAL              | MAR 15/12 |          |



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A661M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|  |                |          |  |
|--|----------------|----------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS ANGLES<br>X.X ± 0.38 ± 1°<br>X.XX ± 0.25<br>MATERIAL AND FINISH<br>SEE NOTE 1<br>REF.<br>CODE IDENT NO: 03554 | APPROVALS      | DATE     | Amphenol Canada Corp.<br><br>1XN SFP+ CAGE ASSY<br>WITH SPRING FINGER GASKET |
|  | DRAWN Chigow.X | MAR14/09 |  |
|  | DESIGNED       |          |  |
|  | CHECKED J.SJ   | MAR14/09 |  |
|  | QA APPD        |          |  |
|  | E APPD         |          | SIZE A3 DWG. NO. P-U77-AX61M-X081 REV. C                                     |
|  | DWG APPD A.G.  | MAR14/09 | SCALE 1:1 PROJECT SHEET 9 OF 10  |

8 7 6 5 4 3 2 1

| REVISIONS |          |                       |           |          |
|-----------|----------|-----------------------|-----------|----------|
| REV       | EC/N/E/R | DESCRIPTION           | DATE      | APPROVED |
| A         |          | PROPOSAL              | MAR 26/09 |          |
| B         |          | B-B APPLICATION ADDED | AUG 13/09 |          |
| C         |          | PROPOSAL              | MAR 15/12 |          |

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.



**RECOMMENDED PCB DESIGN  
 FOR BELLY TO BELLY MOUNTING  
 (P/N U77-A661M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

|   |                |          |  |                           |
|---|----------------|----------|--|---------------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:<br>DECIMALS ANGLES<br>X.X ± 0.38 ± 1°<br>X.XX ± 0.25 | APPROVALS      | DATE     | Amphenol Canada Corp.                        |                           |
|   | DRAWN Chigow.X | MAR14/09 | TITLE  |                           |
|   | DESIGNED       |          | 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET |                           |
|   | CHECKED J.SJ   | MAR14/09 |  |                           |
| MATERIAL AND FINISH   | SEE NOTE 1     | QA APPD  |  |                           |
| REF   | E APPD         |          | SIZE A3                                      | DWG. NO. P-U77-AX61M-X081 |
| CODE IDENT NO. 03554  | DWG APPD A.G.  | MAR14/09 | SCALE 3:2                                    | PROJECT SHEET 10 OF 10    |

8 7 6 5 4 3 2 1

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А