





Housing material: PBTP 30% glassfilled (UL94V-0)  
pebble grey (similar RAL 7032)

|                                                                                       |           |                                                                                                           |                        |                                                                                                                   |  |
|---------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------------------------------------|--|
|  |           | TE Connectivity                                                                                           |                        | <br>SCALE _____ WEIGHT _____ |  |
|                                                                                       |           |                                                                                                           |                        | MATERIAL _____                                                                                                    |  |
|                                                                                       |           | <br>DIMENSIONS IN MM |                        | PART NAME<br><b>Pin Assembly Eurocar</b><br>Types B, C and short versions                                         |  |
|                                                                                       |           |                                                                                                           |                        |                                                                                                                   |  |
|                                                                                       |           | DATE                                                                                                      | 10.02.89               | PART NO.<br><b>V42254-B1***-C***-*-7626</b>                                                                       |  |
|                                                                                       |           | NAME                                                                                                      | Cuvelier               |                                                                                                                   |  |
|                                                                                       |           | DEP.                                                                                                      | PD COM                 |                                                                                                                   |  |
|                                                                                       |           |                                                                                                           |                        |                                                                                                                   |  |
|                                                                                       |           | TOLERANCE UNLESS SPECIFIED OTHERWISE                                                                      |                        | PART NO.<br><b>1392009-8</b>                                                                                      |  |
| ECO-17-002173                                                                         | 10MAR2017 | SY                                                                                                        |                        | SH. T. _____<br>OF 2                                                                                              |  |
| REV. CHANGE ORDER                                                                     | DATE      | APP.                                                                                                      | Customer Drawing Nr. C |                                                                                                                   |  |

| Product description code  | Part Number        | Style & Number of Positions | Termination Posts | Loaded Rows                  | Standard Pre-Mating (mm J)   | Performance Level | Board Locks |
|---------------------------|--------------------|-----------------------------|-------------------|------------------------------|------------------------------|-------------------|-------------|
| SUPERSEDED BY 5-1393644-6 | V42254-B1100-B200  | 1393644-1                   | B20               | right-angle solder leads     | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1100-B230  | 1393644-2                   | B20               | right-angle solder leads     | every row , every pitch      | Yes               | 1 No        |
| SUPERSEDED BY 5-1393644-9 | V42254-B1100-B220  | 1393644-3                   | B22               | right-angle solder leads     | every row , every pitch      | No                | 1 No        |
| SUPERSEDED BY 6-1393644-3 | V42254-B1100-B640  | 1393644-4                   | B64               | right-angle solder leads     | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1100-B641  | 1393644-5                   | B64               | right-angle solder leads     | row a , every pitch          | No                | 1 No        |
| OBSOLETE                  | V42254-B1100-B645  | 1393644-6                   | B64               | right-angle solder leads     | every row , every even pitch | No                | 1 No        |
|                           | V42254-B1100-C480  | 1393644-9                   | C48               | right-angle solder leads     | every row , every pitch      | No                | 1 No        |
| OBSOLETE                  | V42254-B1100-C483  | 1-1393644-0                 | C48               | right-angle solder leads     | row atc , every pitch        | No                | 1 No        |
|                           | V42254-B1100-C910  | 1-1393644-2                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 1 Yes       |
|                           | V42254-B1100-C960  | 1-1393644-6                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1100-C963  | 1-1393644-7                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 1 No        |
|                           | V42254-B1100-C965  | 1-1393644-8                 | C96               | right-angle solder leads     | every row , every even pitch | No                | 1 No        |
|                           | V42254-B1100-C968  | 1-1393644-9                 | C96               | right-angle solder leads     | row atc , every even pitch   | No                | 1 No        |
|                           | V42254-B1100-C968H | 2-1393644-0                 | C96               | right-angle solder leads     | row atc , every even pitch   | No                | 1 No        |
| OBSOLETE                  | V42254-B1101-B230  | 3-1393644-2                 | B20               | 2.9mm straight solder leads  | every row , every pitch      | Yes               | 1 No        |
|                           | V42254-B1102-B320  | 3-1393644-3                 | B32               | 4.5mm straight solder leads  | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1102-B640  | 3-1393644-4                 | B64               | 4.5mm straight solder leads  | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1102-C960  | 3-1393644-5                 | C96               | 4.5mm straight solder leads  | every row , every pitch      | No                | 1 No        |
|                           | V42254-B1102-C963  | 3-1393644-6                 | C96               | 4.5mm straight solder leads  | row atc , every pitch        | No                | 1 No        |
|                           | V42254-B1135-B640  | 4-1393644-0                 | B64               | solder lugs                  | every row , every pitch      | No                | 1 No        |
| OBSOLETE                  | V42254-B1200-B200  | 5-1393644-6                 | B20               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1200-B310  | 5-1393644-8                 | B32               | right-angle solder leads     | every row , every pitch      | No                | 2 Yes       |
|                           | V42254-B1200-B320  | 5-1393644-9                 | B32               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
| OBSOLETE                  | V42254-B1200-B321  | 6-1393644-0                 | B32               | right-angle solder leads     | row a , every pitch          | No                | 2 No        |
|                           | V42254-B1200-B610  | 6-1393644-3                 | B64               | right-angle solder leads     | every row , every pitch      | No                | 2 Yes       |
| OBSOLETE                  | V42254-B1200-B611  | 6-1393644-4                 | B64               | right-angle solder leads     | row a , every pitch          | No                | 2 Yes       |
|                           | V42254-B1200-B630  | 6-1393644-5                 | B64               | right-angle solder leads     | every row , every pitch      | Yes               | 2 No        |
|                           | V42254-B1200-B640  | 6-1393644-6                 | B64               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1200-B641  | 6-1393644-7                 | B64               | right-angle solder leads     | row a , every pitch          | No                | 2 No        |
| OBSOLETE                  | V42254-B1200-B645  | 6-1393644-8                 | B64               | right-angle solder leads     | every row , every even pitch | No                | 2 No        |
|                           | V42254-B1200-C300  | 6-1393644-9                 | C30               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
| SUPERSEDED BY 6-1393644-9 | V42254-B1200-C303  | 7-1393644-0                 | C30               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1200-C310  | 7-1393644-1                 | C30               | right-angle solder leads     | every row , every pitch      | No                | 2 Yes       |
| SUPERSEDED BY 7-1393644-1 | V42254-B1200-C313  | 7-1393644-2                 | C30               | right-angle solder leads     | row atc , every pitch        | No                | 2 Yes       |
|                           | V42254-B1200-C410  | 7-1393644-4                 | C48               | right-angle solder leads     | every row , every pitch      | No                | 2 Yes       |
| SUPERSEDED BY 5650978-5   | V42254-B1200-C413  | 7-1393644-5                 | C48               | right-angle solder leads     | row atc , every pitch        | No                | 2 Yes       |
|                           | V42254-B1200-C430  | 7-1393644-6                 | C48               | right-angle solder leads     | every row , every pitch      | Yes               | 2 No        |
| OBSOLETE                  | V42254-B1200-C433  | 7-1393644-7                 | C48               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1200-C453  | 7-1393644-9                 | C48               | right-angle solder leads     | row atc , every pitch        | Yes               | 2 Yes       |
|                           | V42254-B1200-C480  | 8-1393644-0                 | C48               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1200-C483  | 8-1393644-1                 | C48               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |
| OBSOLETE                  | V42254-B1200-C485  | 8-1393644-2                 | C48               | right-angle solder leads     | every row , every even pitch | No                | 2 No        |
|                           | V42254-B1200-C910  | 8-1393644-3                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 2 Yes       |
| OBSOLETE                  | V42254-B1200-C912  | 8-1393644-4                 | C96               | right-angle solder leads     | row atb , every pitch        | No                | 2 Yes       |
|                           | V42254-B1200-C913  | 8-1393644-5                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 2 Yes       |
|                           | V42254-B1200-C918  | 8-1393644-6                 | C96               | right-angle solder leads     | row atc , every even pitch   | No                | 2 Yes       |
|                           | V42254-B1200-C930  | 8-1393644-7                 | C96               | right-angle solder leads     | every row , every pitch      | Yes               | 2 No        |
|                           | V42254-B1200-C933  | 8-1393644-8                 | C96               | right-angle solder leads     | row atc , every pitch        | Yes               | 2 No        |
| OBSOLETE                  | V42254-B1200-C938  | 8-1393644-9                 | C96               | right-angle solder leads     | row atc , every even pitch   | Yes               | 2 No        |
|                           | V42254-B1200-C953  | 9-1393644-0                 | C96               | right-angle solder leads     | row atc , every pitch        | Yes               | 2 Yes       |
|                           | V42254-B1200-C960  | 9-1393644-1                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
| OBSOLETE                  | V42254-B1200-C960B | 9-1393644-2                 | C96               | right angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1200-C961  | 9-1393644-3                 | C96               | right-angle solder leads     | row a , every pitch          | No                | 2 No        |
|                           | V42254-B1200-C963  | 9-1393644-4                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |
| OBSOLETE                  | V42254-B1200-C963B | 9-1393644-5                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1200-C965  | 9-1393644-6                 | C96               | right-angle solder leads     | every row , every even pitch | No                | 2 No        |
|                           | V42254-B1200-C968  | 9-1393644-7                 | C96               | right-angle solder leads     | row atc , every even pitch   | No                | 2 No        |
| OBSOLETE                  | V42254-B1201-B320  | 2-1393645-5                 | B32               | 2.9mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1201-B640  | 1392009-8                   | B64               | 2.9mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1201-C300  | 2-1393645-6                 | C30               | 2.9mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1201-C480  | 2-1393645-7                 | C48               | 2.9mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1201-C960  | 2-1393502-6                 | C96               | 2.9mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1201-C963  | 2-1393502-7                 | C96               | 2.9mm straight solder leads  | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1202-B200  | 2-1393645-9                 | B20               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-B320  | 3-1393645-0                 | B32               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-B640  | 3-1393645-1                 | B64               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-C300  | 1392009-9                   | C30               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-C480  | 3-1393645-4                 | C48               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-C483  | 3-1393645-5                 | C48               | 4.5mm straight solder leads  | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1202-C960  | 3-1393645-6                 | C96               | 4.5mm straight solder leads  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1202-C963  | 3-1393645-7                 | C96               | 4.5mm straight solder leads  | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1202-C968  | 3-1393645-8                 | C96               | 4.5mm straight solder leads  | row atc , every even pitch   | No                | 2 No        |
|                           | V42254-B1235-C480  | 4-1393645-5                 | C48               | solder lugs                  | every row , every pitch      | No                | 2 No        |
| OBSOLETE                  | V42254-B1235-C960  | 4-1393645-7                 | C96               | solder lugs                  | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1235-C963  | 4-1393645-8                 | C96               | solder lugs                  | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1240-B320  | 5-1393645-1                 | B32               | 13mm straight wire-wrap pins | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1240-B640  | 5-1393645-2                 | B64               | 13mm straight wire-wrap pins | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1240-C300  | 5-1393645-3                 | C30               | 13mm straight wire-wrap pins | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1240-C480  | 5-1393645-4                 | C48               | 13mm straight wire-wrap pins | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1240-C960  | 5-1393645-5                 | C96               | 13mm straight wire-wrap pins | every row , every pitch      | No                | 2 No        |
|                           | V42254-B1240-C963  | 5-1393645-7                 | C96               | 13mm straight wire-wrap pins | row atc , every pitch        | No                | 2 No        |
|                           | V42254-B1240-C963B | 5-1393645-8                 | C96               | 13mm straight wire-wrap pins | row atc , every pitch        | No                | 2 No        |
| SUPERSEDED BY 6-1393644-6 | V42254-B1300-B640  | 4-1393646-5                 | B64               | right-angle solder leads     | every row , every pitch      | No                | 3 No        |
| SUPERSEDED BY 9-1393644-1 | V42254-B1300-C960  | 4-1393646-6                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 3 No        |
| SUPERSEDED BY 9-1393644-4 | V42254-B1300-C963  | 4-1393646-7                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 3 No        |
|                           | V42254-F1200-C480  | 1-1393647-2                 | C48               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-F1200-C960  | 1-1393647-3                 | C96               | right-angle solder leads     | every row , every pitch      | No                | 2 No        |
|                           | V42254-F1200-C963  | 1-1393647-4                 | C96               | right-angle solder leads     | row atc , every pitch        | No                | 2 No        |

- 4) According BT 236 level 2.  
3) According BT 222 level 1.  
2) Connectors have a flux-tight coating.  
1) First and last contact of each loaded row is a premating (make first / break last) contact.

Active part numbers.  
Contact TE for other configuration availability

|                                                                                       |  |                 |  |                                                                                       |  |                       |  |        |  |
|---------------------------------------------------------------------------------------|--|-----------------|--|---------------------------------------------------------------------------------------|--|-----------------------|--|--------|--|
|  |  | TE Connectivity |  |  |  | SCALE                 |  | WEIGHT |  |
| DIMENSIONS IN MM                                                                      |  |                 |  |                                                                                       |  | MATERIAL              |  |        |  |
| PART NAME                                                                             |  |                 |  |                                                                                       |  | Pin Assembly Eurocard |  |        |  |
| Types B, C and short versions                                                         |  |                 |  |                                                                                       |  | PART NO.              |  |        |  |
| V42254-B1***-C***-*-7626                                                              |  |                 |  |                                                                                       |  | SHT. 2-               |  |        |  |
| REV. CHANGE ORDER                                                                     |  |                 |  |                                                                                       |  | DATE                  |  |        |  |
| APP. Customer Drawing Nr. C 1392009-8                                                 |  |                 |  |                                                                                       |  | OF 2                  |  |        |  |

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE  
WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS CORORATION,  
WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А