








PRODUCT NUMBER SEE SHEET 2




spec ref *				dr Peng-Bing Fu 2012/07/09		projection 	MM 	size A3	scale 3:2		
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Peng-Bing Fu 2012/11/14				ecn no ELX-DG-013143-1	rel level Released		
				chr Shao-Qi Kuang 2012/11/15							
				appr Pei-Ming Zheng 2012/11/15						product family PwrBlade+	
surface ✓ ASME Y14.5	linear	0.X	±0.5		title 2HP + 24S + 2HP RA STB HEADER			dwg no 10106124-4006002	rev B		
		0.XX	±0.25								
		0.XXX	±0.10								
angular		0°	±2°	www.fci.com		cat. no.		Product - Customer Drw		sheet 1 of 3	



Copyright FCI.

PRODUCT NO.	ROW S	HP		SIGNAL						HP		E2	
		E1	P1	P2	1	2	3	4	5	6	P3		P4
10106124-4006002LF	D C B A		H1	H1	U	U	U	U	U	U	H1	H1	
					T	T	T	T	T	T			
					S	S	S	S	S	S			
					R	R	R	R	R	R			
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U	U	U	U	U	U	U	
					U	U</							



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
HI	STD HIGH POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2012/07/09	projection	MM	size	A3	scale	3:2	
eng	Peng-Bing Fu	2012/11/14			ecn no	ELX-DG-013143-1			
chr	Shao-Qi Kuang	2012/11/15			rel level				
appr	Pei-Ming Zheng	2012/11/15	product family		PwrBlade+	Released			
FCi			title		2HP + 24S + 2HP		dwg no		rev
			RA STB HEADER		10106124-4006002				B
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3	

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- B

9) A

B

SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

dr	Peng-Bing Fu	2012/07/09	projection	MM	size	scale
eng	Peng-Bing Fu	2012/11/14			A3	3:2
chr	Shao-Qi Kuang	2012/11/15			ecn no	ELX-DG-013143-1
appr	Pei-Ming Zheng	2012/11/15	product family	PwrBlade+	rel level	Released
		2HP + 24S + 2HP			dwg no	rev
www.fci.com		RA STB HEADER			10106124-4006002	B
cat. no.			Product - Customer Drw			sheet 3 of 3

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А