



FCI CONFIDENTIAL



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

PRODUCT NUMBER
10127401-00H4100LF



TOLERANCES UNLESS OTHERWISE SPECIFIED			tolerance std	material	-	dr	T Brungard	2013/09/27	projection		mm	size	A2	scale	2:1
linear	X.	±.	-	mat code	-	eng	T Brungard	2014/02/01			ecn no	-	rel level	Released	
	0.X	±0.3	ASME Y14.5	heat treat	-	chr	-	-							
	0.XX	±0.13	surface 	plating/finish	-	appr	Mike Percherke	2014/02/01	product family		PwrMAX				
	0.XXX	±0.050		spec ref	-		title	24S + 6HP, SOLDER-TO-BOARD R/A RECEPTACLE, PwrBlade ULTRA		dwg no	10127401-00H4100LFC		rev		
	0.XXXX	±0.0130		model name	10127401-00H4100LFC_CUSTOM										
angular	0°	±2°	ASME Y14.5	model revision	A	www.fci.com		cat. no.	-	Product - Customer Drw			sheet 1 of 3		



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

NOTES:

1.
- "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2.
- MATERIALS:
HOUSING - GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS - HIGH CONDUCTIVITY COPPER ALLOY.
3.
- PLATING SPECIFICATION - REFER TO FCI 10116351.
4.
- DENOTES CONNECTOR KEEP OUT ZONE.
5.
- DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.
6.
- ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7.
- 1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER
25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE.
8.
- PRODUCT SPECIFICATION - REFER TO FCI GS-12-1176.
APPLICATION SPECIFICATION - REFER TO FCI GS-20-0389.
PRODUCT PACKAGED IN TRAYS - REFER TO FCI GS-14-2354.
9.
- THE VOID CORING IN BETWEEN POWER MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING
PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.

TOLERANCES UNLESS OTHERWISE SPECIFIED			tolerance std	material	-	dr	T Brungard	2013/09/27	projection		mm	size	A2	scale	2:1			
linear	X.	±	-	mat code	-	eng	T Brungard	2014/02/01			← mm →	ecn no	-					
	0.X	±0.3	ASME Y14.5	heat treat	-	chr	-	product family				PwrMAX	rel level	Released				
	0.XX	±0.13	surface ✓	plating/finish	-	appr	Mike Percherke	2014/02/01										
	0.XXX	±0.050		spec ref	-													
	0.XXXX	±0.0130		model name	10127401-00H4100LFC-CUSTOM													
angular	0°	±2°	ASME Y14.5	model revision	A	www.fci.com		cat. no.	-	Product - Customer Drw			sheet 3 of 3					
								title	24S + 6HP, SOLDER-TO-BOARD R/A RECEPTACLE, PwrBlade ULTRA					diag no		10127401-00H4100LFC	rev	A

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А