




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	29MAY2015	DW	CW
	A1	ECR-17-008664	17JUN2017	CH	CW
	A2	ECR-18-011767	01AUG2018	JZ	CW






注釋：
1. 技術參數：
上殼材料： 鋁合金
表面處理： 灰色粉末噴塗
防護等級： IP65（配合）



TYPE I: LOW CONSTRUCTION, SIDE ENTRY
WITH STEEL DOUBLE LOCKING
类型 I: 低结构, 侧出, 带彩锌双扣

T1260162132-000	H16B-TGB-M32	H16B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出M32, 彩锌双扣, 灰色粉末喷涂	-	M32	TYPE 2 类型2
T1260162125-000	H16B-TGB-M25	H16B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出M25, 彩锌双扣, 灰色粉末喷涂	-	M25	
T1260162121-000	H16B-TGB-PG21	H16B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出PG21, 彩锌双扣, 灰色粉末喷涂	-	PG21	
T1250162132-000	H16B-TSB-M32	H16B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M32, 彩锌双扣, 灰色粉末喷涂	M32	-	TYPE 1 类型1
T1250162125-000	H16B-TSB-M25	H16B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M25, 彩锌双扣, 灰色粉末喷涂	M25	-	
T1250162121-000	H16B-TSB-PG21	H16B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出PG21, 彩锌双扣, 灰色粉末喷涂	PG21	-	
T1250162120-000	H16B-TSB-M20	H16B HOOD, SIDE ENTRY M20, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M20, 彩锌双扣, 灰色粉末喷涂	M20	-	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔1	PG/M THREAD 2 PG/M 螺纹孔2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 01AUG2018 JEREMY.ZHANG CHK 01AUG2018 GINO.YAO APVD 01AUG2018 CHRIS.WANG		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE A2	
MATERIAL - -		WEIGHT -		CAGE CODE 00779	
		Customer Drawing		DRAWING NO C-T12X01621XX000	
				RESTRICTED TO -	
				SCALE 1:1	
				SHEET 1 OF 3	
				REV A2	



SCALE 4:5

TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY
WITH STEEL DOUBLE LOCKING
类型3: 高结构, 侧出, 带彩锌双扣

T1280162140-000	H16B-TGBH-M40	H16B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M40,彩锌双扣,高结构,灰色粉末喷涂	-	M40	TYPE 4 类型4
T1280162132-000	H16B-TGBH-M32	H16B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M32,彩锌双扣,高结构,灰色粉末喷涂	-	M32	
T1280162129-000	H16B-TGBH-PG29	H16B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出PG29,彩锌双扣,高结构,灰色粉末喷涂	-	PG29	
T1280162125-000	H16B-TGBH-M25	H16B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M25,彩锌双扣,高结构,灰色粉末喷涂	-	M25	
T1280162121-000	H16B-TGBH-PG21	H16B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出PG21,彩锌双扣,高结构,灰色粉末喷涂	-	PG21	
T1270162140-000	H16B-TSBH-M40	H16B HOOD, SIDE ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED,GREY H16B上壳,侧出M40,彩锌双扣,高结构,灰色粉末喷涂	M40	-	TYPE 3 类型3
T1270162132-000	H16B-TSBH-M32	H16B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED,GREY H16B上壳,侧出M32,彩锌双扣,高结构,灰色粉末喷涂	M32	-	
T1270162129-000	H16B-TSBH-PG29	H16B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED,GREY H16B上壳,侧出PG29,彩锌双扣,高结构,灰色粉末喷涂	PG29	-	
T1270162125-000	H16B-TSBH-M25	H16B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED,GREY H16B上壳,侧出M25,彩锌双扣,高结构,灰色粉末喷涂	M25	-	
T1270162121-000	H16B-TSBH-PG21	H16B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED,GREY H16B上壳,侧出PG21,彩锌双扣,高结构,灰色粉末喷涂	PG21	-	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔1	PG/M THREAD 2 PG/M 螺纹孔2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 01AUG2018 JEREMY.ZHANG CHK 01AUG2018 GINO.YAO APVD 01AUG2018 CHRIS.WANG		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16B-TSB/TGB/TGBH/TSBH/TFBH-M/PG	
		PRODUCT SPEC 108-137013		SIZE A2	
MATERIAL - -		APPLICATION SPEC 114-137013		CAGE CODE 00779	
FINISH - -		WEIGHT -		DRAWING NO C-T12X01621XX000	
Customer Drawing				SCALE 1:1	SHEET 2 OF 3
				REV A2	

4

3





2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1



TYPE 5: HIGH CONSTRUCTION, TOP & FRONT ENTRY
WITH STEEL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 4
类型5: 高结构, 顶出和前出, 带彩锌双扣, 其它规格参照类型4

T1290162929-000		HI6B-TGBH/TFBH-PG29/PG29		HI6B HOOD, TOP AND FRONT ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY HI6B上壳, 顶出和前出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂		PG29		PG29		TYPE5 类型5	
PART NUMBER 料号		PART DESCRIPTION 描述				PG/M THREAD 1 PG/M 螺纹孔1		PG/M THREAD 2 PG/M 螺纹孔2		TYPE 类型	
		THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN 01AUG2018 JEREMY.ZHANG		TE Connectivity			
		CHK 01AUG2018 GINO.WANG				APVD 01AUG2018 CHRIS.WANG					
		DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 01AUG2018 CHRIS.WANG		NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG			
				0 PLC ±-		PRODUCT SPEC		SIZE A2			
				1 PLC ±-		108-137013					
				2 PLC ±-		APPLICATION SPEC					
				3 PLC ±-		114-137013		SIZE A2			
				4 PLC ±-		ANGLES ±-		CAGE CODE 00779			
		MATERIAL -		FINISH -		WEIGHT -		DRAWING NO C-T12X01621XX000		RESTRICTED TO -	
						Customer Drawing		SCALE 1:1		SHEET 3 OF 3	
										REV A2	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А