







LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
		A		INITIAL RELEASE	13JUN2019	AJ	SH



2342933-1 AS SHOWN
SCALE 3:1



2342933-1 AS SHOWN
SCALE 4:1




DETAIL A
SCALE 8:1

1. MATERIAL:
CAGE MATERIAL : 0.25 THICK STAINLESS STEEL.
SPRING MATERIAL: COPPER ALLOY
CLIP MATERIAL: STAINLESS STEEL
HEAT SINK: ALUMINUM
2. FINISH:
SPRING: NICKEL PLATING
HEAT SINK: BLACK ANODIZATION
3. DIMENSION APPLIES WITH MODULE INSTALLED IN THE CAGE TO TOP OF HEAT SINK.
4. REFERENCE APPLICATION SPEC 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.
6. MINIMUM PC BOARD THICKNESS : SINGLES SIDED: 1.57 MIN
DOUBLE SIDED: 3.00 MIN
7. DATUM -A- IS TOP SURFACE OF THE HOST BOARD.
8. DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN
9. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.


23.00	2	NETWORKING	2342933-3
16.00	2	SAN	2342933-2
13.70	2	PCI	2342933-1
DIM A	# REAR PINS	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 29AUG2018	TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSIONS:		APVD: SEAN HAN 29AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER	
mm		PRODUCT SPEC		
		108-60122	SIZE: A1	
		APPLICATION SPEC		
		114-60025	CAGE CODE: -	
		FINISH		
MATERIAL: -		WEIGHT: -	DRAWING NO: 2342933	
		CUSTOMER DRAWING		
		SCALE: 2:1	SHEET 1 OF 5	
			REV: A	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




2342933-1 AS SHOWN
WITH PCI HEAT SINK
SCALE 4:1







2342933-2 AS SHOWN
WITH SAN HEAT SINK
SCALE 4:1



2342933-3 AS SHOWN
WITH NETWORKING HEAT SINK
SCALE 4:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 29AUG2018	 TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSTONS:		APVD: SEAN HAN 29AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER	
mm		PRODUCT SPEC		
		108-60122	SIZE: A1	
		APPLICATION SPEC		
		114-60025	CAGE CODE: -	
		FINISH		
MATERIAL: -		WEIGHT: -	DRAWING NO: 2342933	
		CUSTOMER DRAWING		RESTRICTED TO: -
		SCALE: 2:1	SHEET: 2 OF 5	REV: A


LOC		DIST		REVISIONS					
-	-	-	LTR	DESCRIPTION	DATE	DWN	APVD		
		-	SEE SHEET 1				-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 29AUG2018	 TE Connectivity		
		CHK SEAN HAN 29AUG2018			
		APVD SEAN HAN 29AUG2018	NAME CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
mm		0 PLC ±0.25			
		1 PLC ±0.25			
		2 PLC ±0.20			
		3 PLC ±0.10			
		4 PLC ±			
		ANGLES			
		FINISH			
MATERIAL		WEIGHT			
		CUSTOMER DRAWING			

SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
A1		-		C=2342933		-	
SCALE		2:1		SHEET		3 of 5	
				REV		A	





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 29AUG2018		 TE Connectivity	
		CHK SEAN HAN 29AUG2018			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME CAGE ASSEMBLY, OSFP-DD STANDARD WITH EMI SPRING FINGER	
mm		0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.20 3 PLC ± 0.10 4 PLC $\pm .$			
		ANGLES FINISH			
MATERIAL		WEIGHT CUSTOMER DRAWING			
-		-		SIZE A1	
-		-		CAGE CODE -	
-		-		DRAWING NO C=2342933	
-		-		RESTRICTED TO -	
				SCALE 2:1 SHEET 5 OF 5 REV A	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А