










PRELIMINARY

spec ref		dr		Daniel Xiao		2013/03/17		projection		MM		size		A2		scale		4:1	
tolerance std		eng		Daniel Xiao		2014/02/27		⊕		↔		ecn no		-		rel level		Released	
ISO 406 ISO 1101		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-		product family		-		-		-		-	
appr		Collins Lu		2014/02/27		-		-		-		-		-		-		-	
surface		linear		0.X		±0.3		FCI		HPCE BTB R/A HEADER		dwg no		10124392		rev		A	
ISO 1302		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 1 of 3		-		-	

PDS: Rev :A

STATUS:Released

Printed: Feb 28, 2014

1		2		3		4		5		6		7		8																																																							
PART NUMBER (TABLE 2)																																																																					
PART NUMBER	TAIL TYPE	OPTIONAL PLASTIC PEG	DIM "A" TYPICAL TAIL LENGTH	RECOMMENDED BOARD THICKNESS																																																																	
10124392-001LF	SOLDER TAIL	YES	2.60±0.25	1.57																																																																	
10124392-002LF		NO																																																																			
10124392-003LF		YES	3.25±0.25	2.36																																																																	
10124392-004LF		NO																																																																			
NOTES:																																																																					
1. CONNECTOR MATERIALS:																																																																					
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK UL 94V-0 COMPLIANT																																																																					
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.																																																																					
2. CONTACT FINISH REF. GS-12-1031 SECTION TBD																																																																					
3. PRODUCT SPECIFICATION: GS-12-1125																																																																					
4. APPLICATION SPECIFICATION: GS-20-0388																																																																					
5. PRODUCT MARKING (FCI PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.																																																																					
6. PACKAGING MEETS FCI SPECIFICATION GS-14-2272.																																																																					
7. HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.																																																																					
8. COPPER PLATING THICKNESS IN CENTER OF VIA-HOLE CAN BE NO MORE THAN 0.003 LESS THAN OTHER AREAS.																																																																					
9. ALL HOLE SIZES ARE FINISHED HOLE SIZES.																																																																					
10. MOUNTING HOLES ARE UNPLATED Ø 2.20±0.05 FOR SOLDER TAILS																																																																					
<table><tr><td colspan="2">spec ref</td><td colspan="2">dr Daniel Xiao2013/03/17</td><td colspan="2">projection</td><td colspan="2">MM</td><td colspan="2">size A2</td><td colspan="2">scale 4:1</td></tr><tr><td colspan="2" rowspan="4">tolerance std</td><td colspan="4" rowspan="4">TOLERANCES UNLESS OTHERWISE SPECIFIED</td><td colspan="2">eng Daniel Xiao2014/02/27</td><td colspan="2" rowspan="4"></td><td colspan="2">ecn no -</td></tr><tr><td colspan="2">chr -</td><td colspan="2">rel level</td></tr><tr><td colspan="2">appr Collins Lu2014/02/27</td><td colspan="2">Released</td></tr><tr><td colspan="2">product family</td><td colspan="2"></td></tr><tr><td colspan="2" rowspan="4">surface ✓</td><td colspan="2" rowspan="4">linear</td><td colspan="2">0.X ±0.3</td><td colspan="2" rowspan="4"></td><td colspan="2" rowspan="4">title HPCE BTB R/A HEADER</td><td colspan="2" rowspan="4">dwg no 10124392</td><td colspan="2" rowspan="4">rev A</td></tr><tr><td colspan="2">0.XX ±0.15</td></tr><tr><td colspan="2">0.XXX ±0.05</td></tr><tr><td colspan="2">angular 0° ±2°</td></tr><tr><td colspan="2">www.fci.com</td><td colspan="2">cat. no.</td><td colspan="2">Product - Customer Drw</td><td colspan="2">sheet 3 of 3</td></tr></table>						spec ref		dr Daniel Xiao2013/03/17		projection		MM		size A2		scale 4:1		tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Daniel Xiao2014/02/27				ecn no -		chr -		rel level		appr Collins Lu2014/02/27		Released		product family				surface ✓		linear		0.X ±0.3				title HPCE BTB R/A HEADER		dwg no 10124392		rev A		0.XX ±0.15		0.XXX ±0.05		angular 0° ±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3	
spec ref		dr Daniel Xiao2013/03/17		projection		MM		size A2		scale 4:1																																																											
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Daniel Xiao2014/02/27				ecn no -																																																											
						chr -				rel level																																																											
						appr Collins Lu2014/02/27				Released																																																											
						product family																																																															
surface ✓		linear		0.X ±0.3				title HPCE BTB R/A HEADER		dwg no 10124392		rev A																																																									
				0.XX ±0.15																																																																	
				0.XXX ±0.05																																																																	
				angular 0° ±2°																																																																	
www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3																																																															
1		2		3		4		5		PDS: Rev :A		STATUS:Released		Printed: Feb 28, 2014																																																							

spec ref		dr		Daniel Xiao		2013/03/17		projection		MM		size		A2		scale		4:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Daniel Xiao		2014/02/27						ecn no		-		rel level		Released	
				chr		-															
				appr		Collins Lu		2014/02/27													
surface				linear		0.X		±0.3				title		HPCE BTB R/A HEADER		dwg no		10124392		rev	
		0.XX		±0.15																	
		0.XXX		±0.05																	
		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3							

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А