




TYPE-1:STANDARD TOP ENTRY
类型-1:标准顶装




TYPE-2:STANDARD SIDE ENTRY
类型-2:标准侧装



TYPE-3:STANDARD SIDE AND TOP ENTRY
类型-3:标准侧装+顶装



TYPE-4: TOP ENTRY (FOUR HOLES)
类型-4:顶装 (4孔)



NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED
DEGREE OF PROTECTION: IP68 (MATED)


注释:
1. 技术参数:
上壳材料: 压铸铝
表面处理: 粉末喷涂
防护等级: IP68(标配)

8		7		6		5		4		3		2		1	
NOTES: DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		24											
COPYRIGHT 20		BY :		ALL RIGHTS RESERVED											

REVISIIONS					
#	DATE	DESCRIPTION	DATE	OWN	APPRO
-	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1
圖號:
X SHEET 1

T1926320425-000	H32BPR-TGH-4S-4M25	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY 4M25, POWDER COATED,BLACK H32BPR上壳, 頂角鎖定, 頂出4M25, 黑色粉末噴漆	4X M25X1,5	-	-	-	TYPE-4: TOP ENTRY (FOUR HOLES) 類型-4: 頂出 (4孔)
T1906325050-002	H32BPR-TSH/TGH-4S-2M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50, TOP ENTRY M50, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 側出M50, 頂出M50, 灰色粉末噴漆	-	-	M50X1,5	M50X1,5	TYPE-3: STANDARD SIDE AND TOP ENTRY 類型-3: 標準側出, 頂出
T1906325050-000	H32BPR-TSH/TGH-4S-2M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50, TOP ENTRY M50, POWDER COATED,BLACK H32BPR上壳, 頂角鎖定, 側出M50, 頂出M50, 黑色粉末噴漆	-	-	M50X1,5	M50X1,5	
T1916322163-000	H32BPR-TSH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M63, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 側出M63, 灰色粉末噴漆	-	M63X1,5	-	-	TYPE-2: STANDARD SIDE ENTRY 類型-2: 標準側出
T1916322150-000	H32BPR-TSH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 側出M50, 灰色粉末噴漆	-	M50X1,5	-	-	
T1916322148-000	H32BPR-TSH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG48, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 側出PG48, 灰色粉末噴漆	-	PG48	-	-	
T1916322142-000	H32BPR-TSH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG42, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 側出PG42, 灰色粉末噴漆	-	PG42	-	-	
T1916320163-000	H32BPR-TSH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M63, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 側出M63, 黑色粉末噴漆	-	M63X1,5	-	-	
T1916320150-000	H32BPR-TSH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 側出M50, 黑色粉末噴漆	-	M50X1,5	-	-	
T1916320148-000	H32BPR-TSH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG48, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 側出PG48, 黑色粉末噴漆	-	PG48	-	-	
T1916320142-000	H32BPR-TSH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG42, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 側出PG42, 黑色粉末噴漆	-	PG42	-	-	
T1926322163-000	H32BPR-TGH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M63, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 頂出M63, 灰色粉末噴漆	M63X1,5	-	-	-	TYPE-1: STANDARD TOP ENTRY 類型-1: 標準頂出
T1926322150-000	H32BPR-TGH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M50, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 頂出M50, 灰色粉末噴漆	M50X1,5	-	-	-	
T1926322148-000	H32BPR-TGH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG48, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 頂出PG48, 灰色粉末噴漆	PG48	-	-	-	
T1926322142-000	H32BPR-TGH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG42, POWDER COATED, GREY H32BPR上壳, 頂角鎖定, 頂出PG42, 灰色粉末噴漆	PG42	-	-	-	
T1926320163-000	H32BPR-TGH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M63, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 頂出M63, 黑色粉末噴漆	M63X1,5	-	-	-	
T1926320150-000	H32BPR-TGH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M50, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 頂出M50, 黑色粉末噴漆	M50X1,5	-	-	-	
T1926320148-000	H32BPR-TGH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG48, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 頂出PG48, 黑色粉末噴漆	PG48	-	-	-	
T1926320142-000	H32BPR-TGH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG42, POWDER COATED, BLACK H32BPR上壳, 頂角鎖定, 頂出PG42, 黑色粉末噴漆	PG42	-	-	-	
PART NUMBER 料 号	PART DESCRIPTION 描 述		PG/M THREAD-1 PG/M 螺紋孔-1	PG/M THREAD-2 PG/M 螺紋孔-2	PG/M THREAD-3 PG/M 螺紋孔-3	PG/M THREAD-4 PG/M 螺紋孔-4	TYPE 类 型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 25 JUL 2016 BY: LIANG YUAN	
DIMENSIONS: mm		TOLERANCES (UNLESS OTHERWISE SPECIFIED): 2 PLC ± 1 PLC ± 1 PLC ± 1 PLC ± HOLE ±	
		APPROVAL: DATE: 28 JUL 2016 BY: XYLE ZENG	
MATERIAL: -		FINISH: -	
WEIGHT: -		CUSTOMER DRAWING	

DRAWING NO. 109-137014		PRODUCT SPEC	
APPLICATION SPEC		114-137014	
SIZE: A0		CASE CODE: -	
DRAWING NO. 119263201XX000		RESTRICTED TO: -	
SCALE: 1:1		SHEET 2 OF 2	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А