

1. FOR WAVESOLDERING (SOLDER BATH TEMPERATURE 265°C FOR 8 SEC.
AND SOLDER PREHEAT 150°C FOR 180 SEC.)

2. IP RATING: IP 67

3. SEALED TO WITHSTAND PRESSURE UP TO 1,45 PSI
FOR 30 MINUTES
AFTER HIGH TEMPERATURE EXPOSURE

4. METALSHELL:
ZINC DIE CAST; min. 50µin NICKEL PLATING over COPPER

5. INSULATORS: PBT GF UL 94 V-0, BLACK

6. O-RING: SILICONE PER ASTM D2000 70 SHORE A

7. RUBBER GASKET: TPE

8. SEALING COMPOUND: EPOXY RESIN UL 94 V-0; BLACK

9. CONTACTS: COPPER ALLOY
PLATING (SEE PART NO):

☐ PLEASE ADD 1 for 30µin HARD GOLD
over min. 50µin NICKEL

☐ PLEASE ADD 3 for 8µin HARD GOLD
over min. 50µin NICKEL

10. METAL BRACKETS: ZINC DIE CAST;
300µin COPPER/40-120µin NICKEL/120-200µin TIN

11. WASHERS: COPPER ALLOY; 80µin NICKEL

12. HEXLOCKING SCREWS: STAINLESS STEEL

13. PCB-SNAPS: COPPER ALLOY; min. 200µin TIN over 80µin NICKEL
PCB-HOLE: $\varnothing 3.1 \pm 0.1$; PCB THICKNESS 1.6mm

14. P.C.B. HOLE DRILLINGS and
RECOMMENDED PANEL CUT-OUT ON SHEET 2


15. RECOMMENDED TORQUE FOR MOUNTING SCREW
35Ncm (3.1 in.LB) / max.67Ncm (6 in.LB)

16. CONNECTOR IS PART MARKED: 15-00076 □ CONEC ABC



13,5^{+0,4}_{-0,3}

13,07^{+0,4}_{-0,3}


10,75^{+0,4}_{-0,3}



RUBBER GASKET
PLACED ON TOP SURFACE
OF MALE INSULATOR




—SEE NOTE 16



4-40 UNC

©

AT ALL TIMES WATER RESISTANT CONNECTORS NOT IN USE SHOULD BE COVERED WITH A CONEC WATER RESISTANT CAP OR WATER TIGHT HOOD.



Directive 2002/95/EC
"RoHS"
Compliant

SW 4.8

APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL	CUSTOMER APPROVAL DATE:	APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL
APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL	NAME: TITLE:	APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL
APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL	COMPANY NAME:	APPROVAL # FREIGABE # DEBLOCKAGE # AUTORIZACION # APPROVAL

THIS DRAWING MAY NOT BE COPIED OR
PRODUCED IN ANY WAY, AND MAY NOT
PASSED ON TO A THIRD PARTY WITHOUT
WRITTEN PERMISSION.

DO NOT ALTER CAD DRAWING BY HAND


4 x c	À 3435	05.10.09	HS
a	Origin		
rev	description	date	name




tolerance		 dim. in mm
drawn	17.10.08	Petker
appd.	23.10.08	Fischer
norm		
d-old		

scale:	2:1 (5:1)		
material:	see notes		
title:			
D-SUB MALE 90° 37pos. SOLDER PIN ANGLED with metal bracket, hexlocking screw and snap			
dwg no:	Inventor 10		DIN- A3
15K1A318		sh: 1	
part no:	15-00076□ (see note 9)		

P.C.B. HOLE DRILLINGS



RECOMMENDED PANEL CUT-OUT



APPROVAL # FREIGABE # DEBLOCAGE # AUTORIZACION # APPROVAL	
CUSTOMER APPROVAL DATE:	
NAME:	TITLE:
COMPANY NAME:	
APPROVAL # FREIGABE # DEBLOCAGE # AUTORIZACION # APPROVAL	

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH

DO NOT ALTER CAD DRAWING BY HAND

rev.	description	date	name
2 x c	Ä 3435	05.10.09	HS
2 x b	Ä 3344	15.04.09	HS
a	Origin		

tolerance	dim. in mm
drawn	17.10.08
appd.	23.10.08
norm	
d-old	

scale:	3:1
material:	see sheet 1
title:	
P.C.B. HOLE DRILLINGS	
PANEL CUT-OUT	
D-SUB Male 37pos. Solder pin angled 90°	
dwg no:	Inventor 10
15K1A318	DIN-A3
part no:	see sheet 1
sh: 2	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А