


# NBF-SERIES NEMA ECONOMY ENCLOSURES



Part Number and Product Details on Page 3-4

## Ordering Information

- All items priced, sold and packaged in quantities of one
- Available beginning June 1, 2010
- Contact the factory for modified versions

## Obsolete Product Replacement Suggestions

| Obsolete Part Number | Suggested Replacement Part | Obsolete Part Number | Suggested Replacement Part | Obsolete Part Number | Suggested Replacement Part | Obsolete Part Number | Suggested Replacement Part |
|----------------------|----------------------------|----------------------|----------------------------|----------------------|----------------------------|----------------------|----------------------------|
| NBB-10220            | NBF-32102                  | NBB-10231            | NBF-32204                  | NBB-15258            | NBF-32346                  | NBB-22258            | NBF-32046                  |
| NBB-10221            | NBF-32104                  | NBB-10232            | NBF-32206                  | NBB-22220            | NBF-32002                  | NBB-32640            | NBF-32010                  |
| NBB-10222            | NBF-32106                  | NBB-10233            | NBF-32208                  | NBB-22221            | NBF-32004                  | NBB-32643            | NBF-32018                  |
| NBB-10223            | NBF-32108                  | NBB-10258            | NBF-32146                  | NBB-22222            | NBF-32006                  | NBB-32647            | NBF-32026                  |
| NBB-10230            | NBF-32202                  | NBB-10278            | NBF-32246                  | NBB-22223            | NBF-32008                  | NBB-32653            | NBF-32032                  |



**BUD INDUSTRIES, INC.** • 4605 E. 355<sup>th</sup> Street • Willoughby,  
Ohio 44094 • (440) 946-3200 • Fax (440) 951-4015  
**E-MAIL:** [saleseast@budind.com](mailto:saleseast@budind.com) • **WEB SITE:** [www.budind.com](http://www.budind.com)  
**BUD WEST** • Phoenix, Arizona • (602) 870-8377 • Fax (602) 870-8477

## Tradename

- NEMA NBF Series Box

## Benefits and Features

- Industry Standards:
  - NEMA Type 1, 2, 4, 4X, 12 and 13
  - IEC529, IP66
- Materials:
  - **ABS:** Light gray ABS plastic with UL94-HB flammability rating. These boxes are not UL listed.
  - **INDOOR VERSION:** Light Gray ABS/PC blended plastic with UL94-5V flammability rating
  - **OUTDOOR VERSION:** Light Gray PC/PBT blended plastic with UL94-5VA flammability rating
- Front door attached with non-metallic latches and hinges for maximum durability and corrosion resistance
- Holes in selected internal and external mounting bosses allow for self threading fasteners.
- Comes complete with stainless steel wall mounting brackets and hardware.

## Accessories

- Internal Hinged Panel Mounting Brackets
- Air and Moisture Vents
- Stainless Steel Locking Hasp

## Applications

- Control Boxes
  - Lighting
  - Access Controls
- Facilities With Wash Down Requirements
  - Food

- Beverage
- Pharmaceutical
- Corrosive Environments
  - Chemical Plants
  - Pulp/Paper Mills
- General Factory Environments
  - Machine Controls
  - Process Controls

## Competition and Competitive Advantages

- Non-metallic enclosures manufactured by:
  - Hammond
  - Fibox
  - Hoffman
  - Carlon
- Lighter weight and lower cost while retaining durability and strength for most applications

## Related Products

- Machine Controls
- Pneumatic, Hydraulic and/or Electrical Switches
- Timing Devices

## Key Customer Contacts

- Industrial Engineers
- Design Engineers
- Plant Maintenance Foremen
- Architects

## Questions to Ask

- Who designs or specifies your enclosures?
- Is your product used in an unfriendly environment?
- Do your controls and/or equipment need limited access control?

## Product Detail Information

| ABS Catalog # | Indoor Version |            | Outdoor Version |            | Nominal External Dimensions |                 |                 |                 | Actual Internal Dimensions |      |      | Wgt. Lbs. |
|---------------|----------------|------------|-----------------|------------|-----------------------------|-----------------|-----------------|-----------------|----------------------------|------|------|-----------|
|               | Catalog Number |            | Catalog Number  |            | Inches [Millimeters]        |                 |                 |                 | Inches                     |      |      |           |
| Solid Door    | Solid Door     | Clear Door | Solid Door      | Clear Door | A                           | B               | C               | D               | E                          | F    | G    |           |
| NBF-32002     | NBF-32102      | NBF-32202  | NBF-32302       | NBF-32402  | 5.11<br>[130mm]             | 3.93<br>[100mm] | 2.75<br>[70mm]  | 1.97<br>[50mm]  | 4.55                       | 3.42 | 2.52 | 0.6       |
| NBF-32004     | NBF-32104      | NBF-32204  | NBF-32304       | NBF-32404  | 5.90<br>[150mm]             | 3.93<br>[100mm] | 2.75<br>[70mm]  | 1.97<br>[50mm]  | 5.37                       | 3.42 | 2.52 | 0.7       |
| NBF-32006     | NBF-32106      | NBF-32206  | NBF-32306       | NBF-32406  | 7.87<br>[200mm]             | 3.93<br>[100mm] | 2.75<br>[70mm]  | 1.97<br>[50mm]  | 7.31                       | 3.42 | 2.52 | 0.8       |
| NBF-32008     | NBF-32108      | NBF-32208  | NBF-32308       | NBF-32408  | 10.63<br>[270mm]            | 3.93<br>[100mm] | 2.75<br>[70mm]  | 1.97<br>[50mm]  | 10.02                      | 3.42 | 2.52 | 0.8       |
| NBF-32010     | NBF-32110      | NBF-32210  | NBF-32310       | NBF-32410  | 5.9<br>[150mm]              | 5.90<br>[150mm] | 3.54<br>[90mm]  | 2.76<br>[70mm]  | 5.22                       | 5.22 | 3.31 | 0.8       |
| NBF-32012*    | NBF-32112*     | NBF-32212* | NBF-32312*      | NBF-32412* | 7.87<br>[200mm]             | 5.90<br>[150mm] | 3.93<br>[100mm] | 2.95<br>[75mm]  | 7.70                       | 5.73 | 3.70 | 1.2       |
| NBF-32014*    | NBF-32114*     | NBF-32214* | NBF-32314*      | NBF-32414* | 7.08<br>[180mm]             | 7.08<br>[180mm] | 5.90<br>[150mm] | 4.72<br>[120mm] | 7.09                       | 7.09 | 5.67 | 1.5       |
| NBF-32016*    | NBF-32116*     | NBF-32216* | NBF-32316*      | NBF-32416* | 11.81<br>[300mm]            | 7.87<br>[200mm] | 5.11<br>[130mm] | 4.02<br>[102mm] | 11.18                      | 7.20 | 4.82 | 2.0       |
| NBF-32018     | NBF-32118      | NBF-32218  | NBF-32318       | NBF-32418  | 11.81<br>[300mm]            | 7.87<br>[200mm] | 6.29<br>[160mm] | 5.20<br>[132mm] | 11.18                      | 7.20 | 6.00 | 2.7       |
| NBF-32020*    | NBF-32120*     | NBF-32220* | NBF-32320*      | NBF-32420* | 11.81<br>[300mm]            | 7.87<br>[200mm] | 7.87<br>[200mm] | 6.81<br>[173mm] | 11.18                      | 7.20 | 7.58 | 2.8       |
| NBF-32022*    | NBF-32122*     | NBF-32222* | NBF-32322*      | NBF-32422* | 13.78<br>[350mm]            | 9.84<br>[250mm] | 5.90<br>[150mm] | 4.72<br>[120mm] | 12.99                      | 9.06 | 5.61 | 3.0       |
| NBF-32024*    | NBF-32124*     | NBF-32224* | NBF-32324*      | NBF-32424* | 13.78<br>[350mm]            | 9.84<br>[250mm] | 7.08<br>[180mm] | 5.91<br>[150mm] | 12.99                      | 9.06 | 7.58 | 4.7       |

\* Non-stocking item. Contact factory for price and availability.

N/A = Not Available.

| ABS Catalog # | Indoor Version |            | Outdoor Version Catalog Number |            | Nominal External Dimensions |                  |                  |                  | Actual Internal Dimensions |       |       | Wgt<br>·<br>Lbs. |
|---------------|----------------|------------|--------------------------------|------------|-----------------------------|------------------|------------------|------------------|----------------------------|-------|-------|------------------|
|               | Catalog Number |            | Solid Door                     | Clear Door | Inches [Milimeters]         |                  |                  |                  | Inches                     |       |       |                  |
| Solid Door    | Solid Door     | Clear Door |                                |            | Solid Door                  | Clear Door       | A                | B                | C                          | D     | E     | F                |
| NBF-32026     | NBF-32126      | NBF-32226  | NBF-32326                      | NBF-32426  | 15.74<br>[400mm]            | 11.81<br>[300mm] | 6.29<br>[160mm]  | 5.2<br>[132mm]   | 15.14                      | 11.02 | 5.96  | 5.6              |
| NBF-32028*    | NBF-32128*     | NBF-32228* | NBF-32328*                     | NBF-32428* | 17.71<br>[450mm]            | 13.78<br>[350mm] | 6.29<br>[160mm]  | 5.12<br>[130mm]  | 16.65                      | 12.64 | 5.96  | 6.9              |
| NBF-32030*    | NBF-32130*     | NBF-32230* | NBF-32330*                     | NBF-32430* | 17.71<br>[450mm]            | 13.78<br>[350mm] | 7.87<br>[200mm]  | 6.69<br>[170mm]  | 16.65                      | 12.64 | 7.54  | 8.9              |
| NBF-32032     | NBF-32132      | NBF-32232  | NBF-32332                      | NBF-32432  | 19.68<br>[500mm]            | 15.74<br>[400mm] | 6.29<br>[160mm]  | 5.12<br>[130mm]  | 18.82                      | 14.88 | 5.96  | 9.6              |
| NBF-32034*    | NBF-32134*     | NBF-32234* | NBF-32334*                     | NBF-32434* | 19.68<br>[500mm]            | 15.74<br>[400mm] | 7.87<br>[200mm]  | 6.69<br>[170mm]  | 18.82                      | 14.88 | 7.54  | 10.6             |
| NBF-32036*    | NBF-32136*     | NBF-32236* | NBF-32336*                     | NBF-32436* | 20.86<br>[530mm]            | 16.92<br>[430mm] | 6.29<br>[160mm]  | 5.12<br>[130mm]  | 19.69                      | 15.71 | 5.96  | 10.6             |
| NBF-32038     | NBF-32138      | NBF-32238  | NBF-32338                      | NBF-32438  | 20.86<br>[500mm]            | 16.92<br>[430mm] | 7.87<br>[200mm]  | 6.69<br>[170mm]  | 19.69                      | 15.71 | 7.54  | 11.7             |
| NBF-32040*    | NBF-32140*     | NBF-32240* | NBF-32340*                     | NBF-32440* | 23.62<br>[600mm]            | 19.68<br>[500mm] | 7.08<br>[180mm]  | 5.91<br>[150mm]  | 23.58                      | 19.69 | 6.71  | 13.9             |
| NBF-32042     | NBF-32142      | NBF-32242  | NBF-32342                      | NBF-32442  | 23.62<br>[600mm]            | 19.68<br>[500mm] | 9.84<br>[250mm]  | 8.66<br>[220mm]  | 23.62                      | 19.69 | 9.47  | 16.1             |
| NBF-32044*    | NBF-32144*     | NBF-32244* | NBF-32344*                     | NBF-32444* | 27.55<br>[700mm]            | 19.68<br>[500mm] | 7.08<br>[180mm]  | 5.91<br>[150mm]  | 27.52                      | 19.65 | 6.71  | 15.8             |
| NBF-32046     | NBF-32146      | NBF-32246  | NBF-32346                      | NBF-32446  | 27.55<br>[700mm]            | 19.68<br>[500mm] | 9.84<br>[250mm]  | 8.66<br>[220mm]  | 27.56                      | 19.69 | 9.47  | 18.2             |
| NBF-32048     | NBF-32148      | N/A        | NBF-32348                      | N/A        | 31.49<br>[800mm]            | 23.62<br>[600mm] | 11.02<br>[280mm] | 10.12<br>[257mm] | 30.59                      | 22.60 | 10.65 | 24.3             |

\* Non-stocking item. Contact factory for price and availability.

N/A = Not Available.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А