

## Betaduct PVC Grey Open Slot

Supplied with Lid



Open Slot PVC Betaduct provides a lightweight self-extinguishing cable trunking with excellent rigidity and performance characteristics. Wide fingers give additional cable support and terminated wires can be re-routed easily. Ideal for use when bundles, cables and wires need supporting in control panels, distribution boards and switchgear. Ideal for all panel building applications.

### STANDARD COLOURS

Grey RAL 7030

### FLAMMABILITY

UL94 V-O Rated Material

### APPROVALS

RoHS, CSA, UL and Lloyds Register

### MATERIAL

Self-extinguishing PVC


### SERVICE TEMPERATURE RANGE

15°C to +60°C

### STANDARDS

Base Slots to DIN 43659.

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell<br>Part. PVC Grey RAL 7030 | Betaduct Manufacturer<br>Part. PVC Grey RAL 7030 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|------------------------------------|--------------------------------------------------|--------------------------|
| 25 x 37.5                        | 29 x 37.5                        | 1578131                            | 10451022                                         | 4M                       |
| 25 x 37.5                        | 29 x 37.5                        | 1630243                            | 10450022                                         | 12M                      |
| 25 x 50                          | 29 x 54                          | 1578132                            | 10451023                                         | 4M                       |
| 25 x 50                          | 29 x 54                          | 1630244                            | 10450023                                         | 12M                      |
| 25 x 75                          | 29 x 79                          | 1630245                            | 10450024                                         | 8M                       |
| 37.5 x 37.5                      | 41 x 41                          | 1630247                            | 10450032                                         | 12M                      |
| 37.5 x 50                        | 41 x 54                          | 1630248                            | 10450033                                         | 8M                       |
| 37.5 x 75                        | 39 x 79                          | 1630249                            | 10450034                                         | 8M                       |
| 50 x 25                          | 54 x 28                          | 1578134                            | 10451051                                         | 4M                       |
| 50 x 50                          | 54 x 54                          | 1578135                            | 10451053                                         | 4M                       |
| 50 x 50                          | 54 x 54                          | 1630250                            | 10450053                                         | 8M                       |
| 50 x 75                          | 55 x 79                          | 1630251                            | 10450054                                         | 8M                       |
| 50 x 100                         | 56 x 105                         | 1630252                            | 10450055                                         | 4M                       |
| 75 x 75                          | 80 x 80                          | 1630253                            | 10450074                                         | 8M                       |
| 75 x 100                         | 80 x 105                         | 1630254                            | 10450075                                         | 4M                       |
| 100 x 50                         | 107 x 54                         | 1630255                            | 10450103                                         | 4M                       |
| 100 x 75                         | 107 x 80                         | 1630256                            | 10450104                                         | 4M                       |
| 100 x 100                        | 107 x 104                        | 1630257                            | 10450105                                         | 4M                       |
| 125 x 75                         | 131 x 78                         | 1630259                            | 10450124                                         | 4M                       |



## Betaduct PVC Black Open Slot

Supplied with Lid



Open Slot PVC Betaduct provides a lightweight self-extinguishing cable trunking with excellent rigidity and performance characteristics. Wide fingers give additional cable support and terminated wires can be re-routed easily. Ideal for use when bundles, cables and wires need supporting in control panels, distribution boards and switchgear. Ideal for all panel building applications.

### STANDARD COLOURS

Black RAL 9005

### FLAMMABILITY

UL94 V-O Rated Material

### APPROVALS

RoHS, CSA, UL and Lloyds Register

### MATERIAL

Self-extinguishing PVC


### SERVICE TEMPERATURE RANGE

15°C to +60°C

### STANDARDS

Base Slots to DIN 43659.

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell<br>Part. PVC Black RAL 9005 | Betaduct Manufacturer<br>Part. PVC Black RAL 9005 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|-------------------------------------|---------------------------------------------------|--------------------------|
| 25 x 37.5                        | 29 x 37.5                        | 1630261                             | 09810000                                          | 12M                      |
| 25 x 50                          | 29 x 54                          | 1630262                             | 09130000                                          | 12M                      |
| 25 x 75                          | 29 x 79                          | 1630263                             | 09140000                                          | 8M                       |
| 50 x 50                          | 54 x 54                          | 1630264                             | 09160000                                          | 8M                       |
| 50 x 75                          | 55 x 79                          | 1630265                             | 09170000                                          | 8M                       |
| 50 x 100                         | 56 x 105                         | 1630266                             | 09920000                                          | 4M                       |
| 75 x 75                          | 80 x 80                          | 1630267                             | 09190000                                          | 8M                       |
| 100 x 75                         | 107 x 80                         | 1630268                             | 09990000                                          | 4M                       |



## Betaduct PVC Black Closed Slot

Supplied with Lid



Closed Slot PVC Betaduct provides lightweight self-extinguishing cable trunking with excellent rigidity and performance characteristics. It has excellent cable retention with enhanced protection for installers. For use when bundles, cables and wires need supporting in control panels, distribution boards and switchgear. Ideal for all panel building applications.

### STANDARD COLOURS

Black RAL 9005

### FLAMMABILITY

UL94 V-O Rated Material

### APPROVALS

RoHS, CSA, UL and Lloyds Register

### MATERIAL

Self-extinguishing PVC

### SERVICE TEMPERATURE RANGE

15°C to +60°C

### STANDARDS

Base Slots to DIN 43659.

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell<br>Part. PVC Black RAL 9005 | Betaduct Manufacturer<br>Part. PVC Black RAL 9005 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|-------------------------------------|---------------------------------------------------|--------------------------|
| 15 x 15                          | 17 x 17                          | 1578127                             | 08700000                                          | 4M                       |
| 25 x 20                          | 29 x 23                          | 1578128                             | 08710000                                          | 4M                       |
| 25 x 20                          | 29 x 23                          | 1630290                             | 09010000                                          | 12M                      |
| 25 x 37.5                        | 29 x 41                          | 1630291                             | 09510000                                          | 12M                      |
| 25 x 50                          | 29 x 54                          | 1578129                             | 08720000                                          | 4M                       |
| 25 x 50                          | 29 x 54                          | 1630292                             | 09030000                                          | 12M                      |
| 25 x 75                          | 29 x 79                          | 1630293                             | 09040000                                          | 8M                       |
| 50 x 25                          | 54 x 28                          | 1578129                             | 08720000                                          | 4M                       |
| 50 x 50                          | 54 x 54                          | 1578130                             | 08730000                                          | 4M                       |
| 50 x 50                          | 54 x 54                          | 1630294                             | 09060000                                          | 8M                       |
| 50 x 75                          | 55 x 79                          | 1630296                             | 09070000                                          | 8M                       |
| 75 x 75                          | 80 x 80                          | 1630297                             | 09090000                                          | 8M                       |
| 100 x 75                         | 107 x 80                         | 1630298                             | 09690000                                          | 4M                       |
| 125 x 75                         | 131 x 78                         | 1630299                             | 09400000                                          | 4M                       |



## Betaduct PVC Grey Closed Slot

Supplied with Lid



Closed Slot PVC Betaduct provides lightweight self-extinguishing cable trunking with excellent rigidity and performance characteristics. It has excellent cable retention with enhanced protection for installers. For use when bundles, cables and wires need supporting in control panels, distribution boards and switchgear. Ideal for all panel building applications.

### STANDARD COLOURS

Grey RAL 7035

### FLAMMABILITY

UL94 V-O Rated Material

### APPROVALS

RoHS, CSA, UL and Lloyds Register

### MATERIAL

Self-extinguishing PVC


### SERVICE TEMPERATURE RANGE

15°C to +60°C

### STANDARDS

Base Slots to DIN 43659.

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell<br>Part. PVC Grey RAL 7035 | Betaduct Manufacturer<br>Part. PVC Grey RAL 7035 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|------------------------------------|--------------------------------------------------|--------------------------|
| 25 x 20                          | 29 x 23                          | 1630280                            | 10460021                                         | 12M                      |
| 25 x 37.5                        | 29 x 41                          | 1630281                            | 10460022                                         | 12M                      |
| 25 x 50                          | 29 x 54                          | 1630282                            | 10460023                                         | 12M                      |
| 25 x 75                          | 29 x 79                          | 1630284                            | 10460024                                         | 8M                       |
| 50 x 50                          | 54 x 54                          | 1630285                            | 10460053                                         | 8M                       |
| 50 x 75                          | 55 x 79                          | 1630286                            | 10460054                                         | 8M                       |
| 75 x 75                          | 80 x 80                          | 1630287                            | 10460074                                         | 8M                       |
| 100 x 75                         | 107 x 80                         | 1630288                            | 10460104                                         | 4M                       |
| 125 x 75                         | 131 x 78                         | 1630289                            | 10460124                                         | 4M                       |



## Betaduct PVC Grey Narrow Slot

Supplied with Lid



Narrow Slot PVC Betaduct provides a lightweight self extinguishing cable trunking with excellent rigidity and performance characteristics. Ideal for use with slimmer terminal blocks where more access is required, it improves appearance of panels with cables out in best position. For use when bundles, cables and wires need supporting in control panels, distribution boards and switchgear. Ideal for all panel building applications.

### STANDARD COLOURS

Grey RAL 7030

### FLAMMABILITY

UL94 V-O Rated Material

### APPROVALS

RoHS, CSA, UL and Lloyds Register

### MATERIAL

Self-extinguishing PVC

### SERVICE TEMPERATURE RANGE

15°C to +60°C

### STANDARDS

Base Slots to DIN 43659.

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell. Part<br>PVC Grey RAL 7030 | Manufacturer Betaduct<br>PVC Grey RAL 7030 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|------------------------------------|--------------------------------------------|--------------------------|
| 25 x 37.5                        | 29 x 37.5                        | 1630269                            | 10470022                                   | 12                       |
| 25 x 50                          | 29 x 54                          | 1630270                            | 10470023                                   | 12                       |
| 25 x 75                          | 29 x 79                          | 1630272                            | 10470024                                   | 8                        |
| 37.5 x 50                        | 41 x 54                          | 1630273                            | 10470033                                   | 8                        |
| 37.5 x 75                        | 39 x 79                          | 1630274                            | 10470034                                   | 8                        |
| 50 x 50                          | 54 x 54                          | 1630275                            | 10470053                                   | 8                        |
| 50 x 75                          | 55 x 79                          | 1630276                            | 10470054                                   | 8                        |
| 50 x 100                         | 56 x 105                         | 1630277                            | 10470055                                   | 4                        |
| 75 x 75                          | 80 x 80                          | 1630278                            | 10470074                                   | 8                        |
| 100 x 75                         | 107 x 80                         | 1630279                            | 10470104                                   | 4                        |



## Betaduct Noryl Open Slot, Closed Slot.

Supplied with Lid



Betaduct Noryl is manufactured from high grade NH6010B Noryl, which is a modified polymer manufactured by SABIC Innovative Plastics IPBV.

Noryl is halogen-free and has excellent low smoke characteristics. No other manufacturer extrudes ducting from this grade of Noryl. It is recommended for areas where human life or electronic components are a risk. It is designed and specified for installations in hazardous applications such as rail, underground, marine, mass transit and military applications. It is also widely used in petrochemical plants and offshore oil and gas installations, accommodation modules, rail and mass transit applications.

Available in open slot, closed slot or solid wall, in a wide range of sizes with 19mm pitching.

### STANDARD COLOURS

Black RAL 9004

### FLAMMABILITY

UL94 V-1 Rated Material

### APPROVALS

RoHS, UL and cULus Approved

### MATERIAL

Self-extinguishing Noryl Extra, Halogen-Free NH6010B

### SERVICE TEMPERATURE RANGE

30°C to +120°C

### STANDARDS

Base Slots to DIN 43659.

### OPEN SLOT

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell Part. Noryl Black<br>RAL 9004 | Manufacturer Betaduct<br>Noryl Black RAL 9004 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|---------------------------------------|-----------------------------------------------|--------------------------|
| 25 x 37.5                        | 29 x 38                          | 1630300                               | 23461000                                      | 12                       |
| 25 x 50                          | 29 x 54                          | 1630302                               | 23462000                                      | 12                       |
| 25 x 75                          | 29 x 79                          | 1630303                               | 23463000                                      | 8                        |

### CLOSED SLOT

| Nominal Size Inner<br>W x H (mm) | Nominal Size Outer<br>W x H (mm) | Farnell Part. Noryl Black<br>RAL 9004 | Manufacturer Betaduct<br>Noryl Black RAL 9004 | Total Metres<br>Per Pack |
|----------------------------------|----------------------------------|---------------------------------------|-----------------------------------------------|--------------------------|
| 25 x 37.5                        | 29 x 38                          | 1630304                               | 23451000                                      | 12                       |
| 25 x 50                          | 29 x 54                          | 1630305                               | 23452000                                      | 12                       |
| 25 x 75                          | 29 x 79                          | 1630306                               | 23453000                                      | 8                        |

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А