








PART NO.
DWG. NO.

Section A - B
5:1



View X
5:1



FIRST ANGLE PROJECTION

REVISE ONLY ON CAD SYSTEM

SH. REV.

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR ±2°

DRWG
BY

SIGN

CAD/CAM PROJECT NAME

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO
MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

INCH METRIC

Ca

SIGN

TITLE

3 PLACE ± . ±

CHK'D

SIGN

20 pos. Male connector

2 PLACE ± . ±

KN

SIGN

acc. DIN 41612 style Q/3

1 PLACE ± . ±

APP'D

SIGN

Dimensions

DRAFT WHERE APPLICABLE MUST
REMAIN WITHIN DIMENSIONS

BY

SIGN

MOLEX EUROPE

DESIGN DIMENSION

SCALE

2:1

SHEET NO. DATE

EQUIVALENT DIMENSION

SIZE

B

1 OF 95/06/08

IF TWO DIMENSIONS ARE SHOWN THE UPPER IS
THE DESIGN DIMENSION, LOWER IS SECONDARY

PART NO.

DWG NO.

SDA-85011-0001

[illegible]

View on mating side																																																																																						
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿																																																																																						
A = 20 standard contacts L=4,5																																																																																						
<table><tr><td>Marking</td><td colspan="9">Standard</td></tr><tr><td>Performance level</td><td colspan="9">G1/0 = Contact area perform. level I / Termination tin</td></tr><tr><td>Flux proof</td><td colspan="9">no</td></tr><tr><td>Fixing clip</td><td colspan="9">no</td></tr><tr><td>Dimensions</td><td colspan="9">SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td colspan="9">PS-85013-0001</td></tr></table>										Marking	Standard									Performance level	G1/0 = Contact area perform. level I / Termination tin									Flux proof	no									Fixing clip	no									Dimensions	SDA-85011-0001 sht.1									Technical Data	PS-85013-0001																									
Marking	Standard																																																																																					
Performance level	G1/0 = Contact area perform. level I / Termination tin																																																																																					
Flux proof	no																																																																																					
Fixing clip	no																																																																																					
Dimensions	SDA-85011-0001 sht.1																																																																																					
Technical Data	PS-85013-0001																																																																																					
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number																																												
A	G1/0	a1-10	b1-10																																																																																			
Contact symbol	Perform. level	Contact position number																																																																																				
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="8">FOR PREVIOUS REVISIONS SEE MRI LIST</td></tr><tr><td colspan="2">UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°</td><td>DRWG BY</td><td>SIGN</td><td colspan="4">CAD/CAM PROJECT NAME</td><td>SH. REV.</td></tr><tr><td rowspan="4">LTR</td><td rowspan="4"></td><td colspan="2">INCH</td><td colspan="2">METRIC</td><td rowspan="4">CQ</td><td rowspan="4">SIGN</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td rowspan="4">TITLE</td></tr><tr><td>3 PLACE ± °</td><td>±</td><td>3 PLACE ± °</td><td>±</td><td rowspan="3">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td></tr><tr><td>2 PLACE ± °</td><td>±</td><td>2 PLACE ± °</td><td>±</td></tr><tr><td>1 PLACE ± °</td><td>±</td><td>1 PLACE ± °</td><td>±</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">DESIGN DIMENSION</td><td>☐ MM</td><td>☐ IN.</td><td>APP'D BY</td><td>SIGN</td><td colspan="3">SHEET NO. DATE</td></tr><tr><td colspan="2">EQUIVALENT DIMENSION</td><td>☐ MM</td><td>☐ IN.</td><td colspan="2">SCALE</td><td colspan="2">PART NO.</td><td colspan="2">DWG NO.</td><td>SIZE</td></tr><tr><td colspan="2">IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY</td><td colspan="2"></td><td colspan="2"></td><td colspan="2">85011-0103</td><td colspan="2">SDA-85011-0103</td><td>A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST								UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°		DRWG BY	SIGN	CAD/CAM PROJECT NAME				SH. REV.	LTR		INCH		METRIC		CQ	SIGN	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			TITLE	3 PLACE ± °	±	3 PLACE ± °	±	20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement	2 PLACE ± °	±	2 PLACE ± °	±	1 PLACE ± °	±	1 PLACE ± °	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DESIGN DIMENSION		☐ MM	☐ IN.	APP'D BY	SIGN	SHEET NO. DATE			EQUIVALENT DIMENSION		☐ MM	☐ IN.	SCALE		PART NO.		DWG NO.		SIZE	IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY						85011-0103		SDA-85011-0103		A
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST																																																																																				
		UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°		DRWG BY	SIGN	CAD/CAM PROJECT NAME				SH. REV.																																																																												
LTR		INCH		METRIC		CQ	SIGN	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			TITLE																																																																											
		3 PLACE ± °	±	3 PLACE ± °	±			20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																																																														
		2 PLACE ± °	±	2 PLACE ± °	±																																																																																	
		1 PLACE ± °	±	1 PLACE ± °	±																																																																																	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DESIGN DIMENSION		☐ MM	☐ IN.	APP'D BY	SIGN	SHEET NO. DATE																																																																														
EQUIVALENT DIMENSION		☐ MM	☐ IN.	SCALE		PART NO.		DWG NO.		SIZE																																																																												
IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY						85011-0103		SDA-85011-0103		A																																																																												

View on mating side																																																																					
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿																																																																					
A = 20 standard contacts L=4,5																																																																					
<table><tr><td>Marking</td><td colspan="9">Standard</td></tr><tr><td>Performance level</td><td colspan="9">G1/0 = Contact area perform. level I / Termination tin</td></tr><tr><td>Flux proof</td><td colspan="9">no</td></tr><tr><td>Fixing clip</td><td colspan="9">no</td></tr><tr><td>Dimensions</td><td colspan="9">SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td colspan="9">PS-85013-0001</td></tr></table>										Marking	Standard									Performance level	G1/0 = Contact area perform. level I / Termination tin									Flux proof	no									Fixing clip	no									Dimensions	SDA-85011-0001 sht.1									Technical Data	PS-85013-0001								
Marking	Standard																																																																				
Performance level	G1/0 = Contact area perform. level I / Termination tin																																																																				
Flux proof	no																																																																				
Fixing clip	no																																																																				
Dimensions	SDA-85011-0001 sht.1																																																																				
Technical Data	PS-85013-0001																																																																				
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number																											
A	G1/0	a1-10	b1-10																																																																		
Contact symbol	Perform. level	Contact position number																																																																			
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="4">FOR PREVIOUS REVISIONS SEE MRI LIST</td><td colspan="2">REVISE ONLY ON CAD SYSTEM</td><td>SH.</td><td>REV.</td></tr><tr><td>CAD/CAM PROJECT NAME</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td><td></td></tr><tr><td colspan="2">TITLE</td><td colspan="8">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td></tr><tr><td colspan="2">molex</td><td colspan="3">MOLEX EUROPE</td><td colspan="2">SHEET NO.</td><td colspan="3">DATE</td></tr><tr><td colspan="2">PART NO.</td><td colspan="3">85011-0103</td><td colspan="2">DWG NO.</td><td colspan="3">SDA-85011-0103</td></tr><tr><td colspan="2">SIZE</td><td colspan="8">A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.	CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement								molex		MOLEX EUROPE			SHEET NO.		DATE			PART NO.		85011-0103			DWG NO.		SDA-85011-0103			SIZE		A											
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.																																																												
		CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																																																			
molex		MOLEX EUROPE			SHEET NO.		DATE																																																														
PART NO.		85011-0103			DWG NO.		SDA-85011-0103																																																														
SIZE		A																																																																			

View on mating side																																																	
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿																																																	
A = 20 standard contacts L=4,5																																																	
<table><tr><td>Marking</td><td>Standard</td></tr><tr><td>Performance level</td><td>G1/0 = Contact area perform. level I / Termination tin</td></tr><tr><td>Flux proof</td><td>no</td></tr><tr><td>Fixing clip</td><td>no</td></tr><tr><td>Dimensions</td><td>SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td>PS-85013-0001</td></tr></table>										Marking	Standard	Performance level	G1/0 = Contact area perform. level I / Termination tin	Flux proof	no	Fixing clip	no	Dimensions	SDA-85011-0001 sht.1	Technical Data	PS-85013-0001																												
Marking	Standard																																																
Performance level	G1/0 = Contact area perform. level I / Termination tin																																																
Flux proof	no																																																
Fixing clip	no																																																
Dimensions	SDA-85011-0001 sht.1																																																
Technical Data	PS-85013-0001																																																
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number							
A	G1/0	a1-10	b1-10																																														
Contact symbol	Perform. level	Contact position number																																															
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="4">FOR PREVIOUS REVISIONS SEE MRI LIST</td><td colspan="2">REVISE ONLY ON CAD SYSTEM</td><td>SH.</td><td>REV.</td></tr><tr><td>CAD/CAM PROJECT NAME s8501101 s01</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td><td></td></tr><tr><td colspan="2">TITLE</td><td colspan="8">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td></tr><tr><td colspan="2"></td><td colspan="2">molex</td><td colspan="2">MOLEX EUROPE</td><td colspan="2">SHEET NO. DATE 1 OF 1 95/06/08</td><td colspan="2">SIZE A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.	CAD/CAM PROJECT NAME s8501101 s01	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement										molex		MOLEX EUROPE		SHEET NO. DATE 1 OF 1 95/06/08		SIZE A					
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.																																								
		CAD/CAM PROJECT NAME s8501101 s01	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																														
TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																															
		molex		MOLEX EUROPE		SHEET NO. DATE 1 OF 1 95/06/08		SIZE A																																									

View on mating side																																																																					
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿																																																																					
A = 20 standard contacts L=4,5																																																																					
<table><tr><td>Marking</td><td colspan="9">Standard</td></tr><tr><td>Performance level</td><td colspan="9">G1/0 = Contact area perform. level I / Termination tin</td></tr><tr><td>Flux proof</td><td colspan="9">no</td></tr><tr><td>Fixing clip</td><td colspan="9">no</td></tr><tr><td>Dimensions</td><td colspan="9">SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td colspan="9">PS-85013-0001</td></tr></table>										Marking	Standard									Performance level	G1/0 = Contact area perform. level I / Termination tin									Flux proof	no									Fixing clip	no									Dimensions	SDA-85011-0001 sht.1									Technical Data	PS-85013-0001								
Marking	Standard																																																																				
Performance level	G1/0 = Contact area perform. level I / Termination tin																																																																				
Flux proof	no																																																																				
Fixing clip	no																																																																				
Dimensions	SDA-85011-0001 sht.1																																																																				
Technical Data	PS-85013-0001																																																																				
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number																											
A	G1/0	a1-10	b1-10																																																																		
Contact symbol	Perform. level	Contact position number																																																																			
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="4">FOR PREVIOUS REVISIONS SEE MRI LIST</td><td colspan="2">REVISE ONLY ON CAD SYSTEM</td><td>SH.</td><td>REV.</td></tr><tr><td>CAD/CAM PROJECT NAME</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td><td></td></tr><tr><td colspan="2">TITLE</td><td colspan="8">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td></tr><tr><td colspan="2">molex</td><td colspan="3">MOLEX EUROPE</td><td colspan="2">SHEET NO. DATE</td><td colspan="3">1 OF 1 95/06/08</td></tr><tr><td colspan="2">PART NO.</td><td colspan="3">85011-0103</td><td colspan="2">DWG NO.</td><td colspan="3">SDA-85011-0103</td></tr><tr><td colspan="2">SIZE</td><td colspan="8">A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.	CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement								molex		MOLEX EUROPE			SHEET NO. DATE		1 OF 1 95/06/08			PART NO.		85011-0103			DWG NO.		SDA-85011-0103			SIZE		A											
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.																																																												
		CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																																																			
molex		MOLEX EUROPE			SHEET NO. DATE		1 OF 1 95/06/08																																																														
PART NO.		85011-0103			DWG NO.		SDA-85011-0103																																																														
SIZE		A																																																																			

View on mating side																																																																					
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿																																																																					
A = 20 standard contacts L=4,5																																																																					
<table><tr><td>Marking</td><td colspan="9">Standard</td></tr><tr><td>Performance level</td><td colspan="9">G1/0 = Contact area perform. level I / Termination tin</td></tr><tr><td>Flux proof</td><td colspan="9">no</td></tr><tr><td>Fixing clip</td><td colspan="9">no</td></tr><tr><td>Dimensions</td><td colspan="9">SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td colspan="9">PS-85013-0001</td></tr></table>										Marking	Standard									Performance level	G1/0 = Contact area perform. level I / Termination tin									Flux proof	no									Fixing clip	no									Dimensions	SDA-85011-0001 sht.1									Technical Data	PS-85013-0001								
Marking	Standard																																																																				
Performance level	G1/0 = Contact area perform. level I / Termination tin																																																																				
Flux proof	no																																																																				
Fixing clip	no																																																																				
Dimensions	SDA-85011-0001 sht.1																																																																				
Technical Data	PS-85013-0001																																																																				
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number																											
A	G1/0	a1-10	b1-10																																																																		
Contact symbol	Perform. level	Contact position number																																																																			
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="4">FOR PREVIOUS REVISIONS SEE MRI LIST</td><td colspan="2">REVISE ONLY ON CAD SYSTEM</td><td>SH.</td><td>REV.</td></tr><tr><td>CAD/CAM PROJECT NAME</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td></td><td></td></tr><tr><td colspan="2">TITLE</td><td colspan="8">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td></tr><tr><td colspan="2">molex</td><td colspan="3">MOLEX EUROPE</td><td colspan="2">SHEET NO. DATE</td><td colspan="3">1 OF 1 95/06/08</td></tr><tr><td colspan="2">PART NO.</td><td colspan="3">85011-0103</td><td colspan="2">DWG NO.</td><td colspan="3">SDA-85011-0103</td></tr><tr><td colspan="2">SIZE</td><td colspan="8">A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.	CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement								molex		MOLEX EUROPE			SHEET NO. DATE		1 OF 1 95/06/08			PART NO.		85011-0103			DWG NO.		SDA-85011-0103			SIZE		A											
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM		SH.	REV.																																																												
		CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																																																			
molex		MOLEX EUROPE			SHEET NO. DATE		1 OF 1 95/06/08																																																														
PART NO.		85011-0103			DWG NO.		SDA-85011-0103																																																														
SIZE		A																																																																			

View on mating side																																																																					
A A A A A A A A A A A A A A A A A A A A ↖ ↗ ↘ ↙ ↚ ↛ ↜ ↝ ↞ ↠ ↡ ↢ ↣ ↤ ↥ ↦ ↧ ↨ ↩ ↪ ↫ ↬ ↭ ↮ ↯ ↰ ↱ ↲ ↳ ↴ ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↼ ↽ ↾ ↿ ⇀ ⇁ ⇂ ⇃ ⇄ ⇅ ⇆ ⇇ ⇈ ⇉ ⇊ ⇋ ⇌ ⇍ ⇎ ⇏ ⇐ ⇑ ⇒ ⇓ ⇔ ⇕ ⇖ ⇗ ⇘ ⇙ ⇚ ⇛ ⇜ ⇝ ⇞ ⇟ ⇠ ⇡ ⇢ ⇣ ⇤ ⇥ ⇦ ⇧ ⇨ ⇩ ⇪ ⇫ ⇬ ⇭ ⇮ ⇯ ⇰ ⇱ ⇲ ⇳ ⇴ ⇵ ⇶ ⇷ ⇸ ⇹ ⇺ ⇻ ⇼ ⇽ ⇾ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿ ⇿																																																																					
A = 20 standard contacts L=4,5																																																																					
<table><tr><td>Marking</td><td colspan="9">Standard</td></tr><tr><td>Performance level</td><td colspan="9">G1/0 = Contact area perform. level 1 / Termination tin</td></tr><tr><td>Flux proof</td><td colspan="9">no</td></tr><tr><td>Fixing clip</td><td colspan="9">no</td></tr><tr><td>Dimensions</td><td colspan="9">SDA-85011-0001 sht.1</td></tr><tr><td>Technical Data</td><td colspan="9">PS-85013-0001</td></tr></table>										Marking	Standard									Performance level	G1/0 = Contact area perform. level 1 / Termination tin									Flux proof	no									Fixing clip	no									Dimensions	SDA-85011-0001 sht.1									Technical Data	PS-85013-0001								
Marking	Standard																																																																				
Performance level	G1/0 = Contact area perform. level 1 / Termination tin																																																																				
Flux proof	no																																																																				
Fixing clip	no																																																																				
Dimensions	SDA-85011-0001 sht.1																																																																				
Technical Data	PS-85013-0001																																																																				
<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>A</td><td>G1/0</td><td>a1-10</td><td>b1-10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Contact symbol</td><td>Perform. level</td><td colspan="8">Contact position number</td></tr></table>																														A	G1/0	a1-10	b1-10							Contact symbol	Perform. level	Contact position number																											
A	G1/0	a1-10	b1-10																																																																		
Contact symbol	Perform. level	Contact position number																																																																			
<table><tr><td rowspan="2">see ECN No. 2204 96/07/18 cd</td><td rowspan="2">REVISIONS</td><td colspan="4">FOR PREVIOUS REVISIONS SEE MRI LIST</td><td colspan="4">REVISE ONLY ON CAD SYSTEM</td><td>SH.</td><td>REV.</td></tr><tr><td>CAD/CAM PROJECT NAME</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="3"></td><td></td><td></td></tr><tr><td colspan="2">TITLE</td><td colspan="9">20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="3">MOLEX EUROPE</td><td colspan="3">SHEET NO. DATE</td><td colspan="3">1 OF 1 95/06/08</td><td colspan="2">SIZE</td></tr><tr><td colspan="2"></td><td colspan="3">PART NO.</td><td colspan="3">DWG NO.</td><td colspan="3">SDA-85011-0103</td><td colspan="2">A</td></tr></table>										see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM				SH.	REV.	CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement													MOLEX EUROPE			SHEET NO. DATE			1 OF 1 95/06/08			SIZE				PART NO.			DWG NO.			SDA-85011-0103			A	
see ECN No. 2204 96/07/18 cd	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST				REVISE ONLY ON CAD SYSTEM						SH.	REV.																																																								
		CAD/CAM PROJECT NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
TITLE		20 pos. Male connector acc. DIN 41612 style Q/3 contacts arrangement																																																																			
		MOLEX EUROPE			SHEET NO. DATE			1 OF 1 95/06/08			SIZE																																																										
		PART NO.			DWG NO.			SDA-85011-0103			A																																																										

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А