

G4, Bottom Pin Mount LEDs




Features:

- Designed as an ideal replacement for halogen G4 lamp
- Super bright SMD5050 LEDs as the light source
- Operating voltage range 10 to 30 V
- No mercury
- No UV, IR or other deleterious radiation
- Consumes as low as 1.3 W power
- Rated life up to 40,000 hours

Applications:

- Marine
- Automotive
- Backlighting
- Light source in fixtures

G4, Side Mount Pins, 6 LEDs, SMD5050, Small PCB



Specifications:

Cool White (MCG46BSB30DCW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 0.9 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens

Warm White (MCG46BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.2 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4 Bottom Pin Mount, 10 LEDs, SMD5050



G4, Bottom Pin Mount LEDs



Specifications:

Cool White (MCG410BSB30DCW)


Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 2.2 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens

Warm White (MCG410BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.54 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4, Bottom Pin Mount, 15 LEDs, SMD5050, Large PCB



Dimensions : Millimetres

Specifications:

Cool White (MCG415BSB30DCW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 240 Lumens

Warm White (MCG415BSB30DWW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 197 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А