



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Table of Contents

| | |
|---|----|
| Introduction | 2 |
| T200-Ident-Printer (Thermal Transfer) | 3 |
| Cable Identification markers | 3 |
| T200-Ident-Printer (Thermal Transfer) | 4 |
| Cable Identification Continuous Tube | 4 |
| T200-Ident-Printer (Thermal Transfer) | 5 |
| Labels | 5 |
| T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued) | 6 |
| Cable Identification markers | 6 |
| Labels | 6 |
| T200-Label-Printer (Thermal Transfer) | 7 |
| Labels (Only) | 7 |
| TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer) | 8 |
| Cable Identification markers | 8 |
| TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer) | 9 |
| Cable Identification Continuous Tube | 9 |
| TE3112-Printer and TE3124-Printer (Thermal Transfer) | 10 |
| Labels | 10 |
| T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer) | 11 |
| Cable Identification markers | 11 |
| T312M-Printer and T312Mi-Printer (Thermal Transfer) | 12 |
| Labels | 12 |
| T6112DS-Printer (Thermal Transfer) | 12 |
| T6112DS-Printer (Thermal Transfer) | 14 |
| Cable Identification Markers and Continuous Tube | 14 |
| T612M-DS-Printer (Thermal Transfer) (Printer Discontinued) | 15 |
| TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued) | 16 |
| (Thermal Transfer) | 16 |
| Labels (only) | 16 |
| TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued) | 17 |
| (Thermal Transfer) | 17 |
| Labels (only) | 17 |
| TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued) | 18 |
| TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued) | 19 |
| T408M-Printer (Thermal Transfer) (Printer Discontinued) | 20 |
| T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued) | 21 |
| Labels (only) | 21 |
| T2000CT-Printer (Thermal Transfer) (Printer Discontinued) | 22 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 1 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

| | |
|--|----|
| LQ870 (Dot Matrix) (Printer Discontinued) | 23 |
| LQ590 (Dot Matrix) | 23 |
| Lexmark 2390 (Dot Matrix) (Printer Discontinued) | 24 |
| AM6310 / AM6310D (Dot Matrix) (Printer Discontinued) | 24 |
| OKI-380 (Dot Matrix) (Printer Discontinued) | 25 |
| Epson WF-R5190DW (Inkjet) | 26 |
| Epson B-310N (Inkjet) (Printer Discontinued) | 26 |
| Epson Stylus Photo R285 (Inkjet) (Printer Discontinued) | 26 |
| Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued) | 26 |
| BTT-02 (card printer) | 27 |
| Ribbon ordering details | 28 |
| Cable Identification markers (25.4MM ID core) | 28 |
| Cable Identification markers (12.7MM ID core) | 28 |
| Labels (25.4MM ID core) | 29 |
| Labels (12.7MM ID core) | 29 |
| BTT-02 (card printer) | 30 |
| Dot Matrix Inks ordering details | 30 |
| Trademarks | 30 |
| Related Documents: | 30 |

Introduction

It is essential that the combination of Printers, Products and Ribbons or Inks are correct, to ensure the best print quality and mark permanence.

Each combination of Printer, Product, Ribbon and Ink have been evaluated for Print quality and tested for mark permanence. Any deviation from the information contained in this document will invalidate any assurances of print quality and mark permanence.

This document supersedes all previous documents detailing Identification printer, ribbon and product combinations.

When selecting a ribbon width, it is essential that the ribbon width covers the entire area of the label, to avoid missed print and damage to the print head.

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|---|
| CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HLXNEL | 1966-RIBBON |
| HS | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS | 1966-RIBBON (For Superior performance) |
| HS | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| HX-SCE | 1966-RIBBON |
| MultiMark | TMS-RJS-RIBBON-4RPSCE |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZTSL | 1966-RIBBON |

When printing CM-SCE-TP, the smooth side of the marker must be used to print onto when using a Thermal Transfer printer.



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Cable Identification Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---|
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| E4 | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| E4 | 1966-RIBBON (For Superior performance) |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT Sizes 25.4 and above | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |
| WM-SCE | LBF-2000P-RIBBON-1966-MED |
| ZHDCT Sizes 38.1 and above | 1966-RIBBON |
| ZHDCT Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 4 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 |
| HPK | 1330-0607-10 |
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 KTT | For labels with liner width of 60mm or smaller: TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529 |
| Kapton® polyimide (T1K/T2K) | 1330-0619-10 |
| Nylon cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| SB Plus | TMS-RJS-RIBBON-4RPSCE |
| SP | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 |
| WV | 1330-0607-10 |
| WPM | 1330-0607-10 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 5 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|--|
| D-SCE | TMS-101-RIBBON-4DSCE |
| HLXNEL * | T200-RIBBON-1966 |
| HPK | 1330-0607-T200 |
| HT-SCE | TMS-101-RIBBON-4HT |
| HT-SCE (Black) | T200-RIBBON-WH-4HT |
| HX-SCE* | T200-RIBBON-1966 |
| NBC-SCE | TMS-101-RJS-RIBBON-4HT |
| RPS | TMS-101-RIBBON-4RPSCE |
| Shrinkmark | TMS-101-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | TMS-101-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-101-RIBBON-4AG (silver) T200-RIBBON-WH (White) |
| TMS-90-SCE* | T200-RIBBON-1966 |

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|-----------------------|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EP Paper Labels | 1330-0600-T200 |
| Kapton® polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-101TT |
| White Vinyl (WV) | 1330-0607-T200 |

* HX-SCE, HLXNEL & TMS-90-SCE for T212M only

Note: T208M-PRINTER has been superseded by T200-LABEL-PRINTER, for label products only.

Note: T212M-PRINTER has been superseded by the T200-IDENT-PRINTER, for both Label and cable Ident products.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 6 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Label-Printer (Thermal Transfer)

Labels (Only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------|-----------------------|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EET (P-8A, P-9, P-4) | 1330-TTB-T200 |
| EET (PY-9) | 1330-TTB-T200 |
| EET (G-4) | 1330-TTB-T200 |
| EET (V-8A, V-4-W, SL...V-4-W) | 1330-TTB-T200 |
| EET (V-9) | 1330-TTB-T200 |
| EET (K-9) | 1330-TTB-T200 |
| HPK | 1330-0607-T200 |
| Kapton (T1K/T2K) | 1330-0619-T200 |
| KTT | 1330-TTB-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Paper (EP) | 1330-0600-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| PPT | 1330-TTB-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| SOLAR LABELS | 1330-0607-T200 |
| Tedlar (TTVF/PVF) | 1330-3300-101TT |
| White Vinyl (WV) | 1330-0607-T200 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 7 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|---|
| CM-NMX (TE3112 only) | 1330-3300-10 |
| CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HL | 1966-RIBBON (For Superior performance) |
| HL | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HLX | 1966-RIBBON |
| HLX | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| MultiMark | TMS-RJS-RIBBON-4RPSCE |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS/HC | 1966-RIBBON (For Superior performance) |
| HS/HC | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | T300-UV-SCE-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZTSL | 1966-RIBBON |

When printing CM-SCE-TP, CM-NMX, NCM-SCE-TP or HTCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 8 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

Cable Identification Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---|
| D-SCE-SP | TMS-RJS-RIBBON-4DSCE |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| E4 | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| E4 | 1966-RIBBON (For Superior performance) |
| HXCT Sizes 25.4 and above | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |
| WM-SCE | LBF-2000P-RIBBON-1966-MED |
| ZHDCT sizes 38.1 | 1966-RIBBON |
| ZHDCT sizes 25.4 and bellow | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 9 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer and TE3124-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 |
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...G-4 EET...PY-9 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4, DF-9 KTT | For labels with liner width of 60mm or smaller : TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-114SC/360AQ529 |
| HPK | 1330-0607-10 |
| Kapton® polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KMT | TTB-110SC/300WH |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Self Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| SOLAR LABELS | 1330-0607-10 |
| TP Tape | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 |
| White Vinyl (WV) | 1330-0607-10 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 10 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--------------------------|--|
| CM-NMX | 1330-3300-10 |
| CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| ¹ HL | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| ¹ HL | 1966-RIBBON (For Superior performance) |
| HLX | 1966-RIBBON |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS/HC | 1966-RIBBON (For Superior performance) |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (white) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| * TMS-SCE and TMS-SCE 2X | *1966-RIBBON (For Superior performance) |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | T300-UV-SCE-RIBBON |
| ZHD-SCE | 1966-RIBBON |

¹Note: HL sizes HL253 and HL203 can be printed on TE3112 only

Note: T312M is superseded by the T312Mi

*Note: When printing with 1966-RIBBON. Select High energy and half speed check boxes. This feature is only available in WinTotal 5.4.03 or higher

When printing CM-SCE-TP, HTCM-SCE-TP, NCM-SCE-TP or CM-NMX, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 11 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T312M-Printer and T312Mi-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|-----------------------|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| Kapton® polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Self Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

T6112DS-Printer (Thermal Transfer)

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 12 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Cable Identification Markers and Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---|
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| D-SCE-SP | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE-SP | 1966-RIBBON (For Superior performance) |
| D-SCE-SP | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less). |
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| E4 | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| E4 | 1966-RIBBON (For Superior performance) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT, sizes 38.1 and above | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (2X) | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T6112DS-Printer (Thermal Transfer)

Cable Identification Markers and Continuous Tube

| COMPATIBLE PRODUCTS (Continued) | STANDARD RIBBON (Continued) |
|------------------------------------|---|
| ZTSL | 1966-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZHDCT sizes 38.1 | 1966-RIBBON |
| ZHDCT sizes 25.4 and bellow | 1966-RIBBON LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 14 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T612M-DS-Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|--|
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 15 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...G-4 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 | For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/36-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529 When "Ink in" is required delete "S" (TTB-040SC/450AQ529) |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300 |



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

Labels (only)

| COMPATIBLE PRODUCTS (Continued) | STANDARD RIBBON (Continued) |
|------------------------------------|--|
| PPT...DF-4 | For labels with liner width of 76mm or smaller: TTB-076SC/300WH |
| PPT...DF-9 | For labels with liner width of 84mm to 76mm: TTB-084SC/300WH |
| KMT | For labels with liner width of 110mm to 84mm: TTB-110SC/300WH |
| EP | For labels with liner width of 145mm to 110mm: TTB-145SC/300WH |
| | For labels with liner width of 170 to 145mm: TTB-170SC/300WH |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 17 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 | For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360-AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529S When "Ink in" is required delete "S" (TTB-040SC/450AQ529) |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300 |



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS (Continued) | STANDARD RIBBON (Continued) |
|------------------------------------|--|
| PPT...DF-4 | For labels with liner width of 76mm or smaller: TTB-076SC/300WH |
| PPT...DF-9 | For labels with liner width of 84mm to 76mm: TTB-084SC/300WH |
| KMT | For labels with liner width of 110mm to 84mm: TTB-110SC/300WH |
| EP | For labels with liner width of 145mm to 110mm: TTB-145SC/300WH |
| | For labels with liner width of 170mm to 145mm: TTB-170SC/300WH |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 19 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T408M-Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HL | TMS-RJS-RIBBON-4RPSCE |
| HLX | 1966-RIBBON |
| HPK | 1330-0607-10 |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| Kapton® polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | TTB-114SC/360 |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Shrinmark | TMS-RJS-RIBBON-4RPSCE |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | T300-RIBBON-WH (White) or TMS-RJS-RIBBON-4AG (Silver) |
| TMS-90-SCE | 1966-RIBBON |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 20 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|-----------------------|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| Kapton® polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | TTB-114SC/360-AQ529 |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 21 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T2000CT-Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---------------------------|
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT Sizes 25.4 and above | 1966-RIBBON |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 22 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

LQ870 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|-------------------------|
| RPS | TMS-SYSTEM-SIX-RIBBON-A |
| D-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| CM-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| NCM-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| Shrinkmark | TMS-SYSTEM-SIX-RIBBON-A |
| NMX (Nomex) | 1330-0037-00 |
| Raymark (RMK6) | TMS-SYSTEM-SIX-RIBBON-A |
| Tedlar (DMVF) | 1330-0037-00 |
| Self Lams (TW/PV) | 1330-0037-00 |
| Kapton (K) | 1330-0037-00 |
| Vinyl Cloth (C) | 1300-0037-00 |
| Polyesters (E/M) | 1330-0037-00 |

LQ590 (Dot Matrix)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|------------------|
| RPS | TMS-LQ590-RIBBON |
| D-SCE | TMS-LQ590-RIBBON |
| CM-SCE | TMS-LQ590-RIBBON |
| CM-SCE | LQ590-RIBBON |
| NCM-SCE | TMS-LQ590-RIBBON |
| Shrinkmark | TMS-LQ590-RIBBON |
| Raymark (RMK6) | TMS-LQ590-RIBBON |
| Raymark (RMK6) | LQ590-RIBBON |

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 23 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Lexmark 2390 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|-------------------------|
| RPS | TMS-SYSTEM-SIX-RIBBON-B |
| D-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| CM-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| NCM-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| Shrinkmark | TMS-SYSTEM-SIX-RIBBON-B |
| Raymark (RMK6) | TMS-SYSTEM-SIX-RIBBON-B |

AM6310 / AM6310D (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|---------------------------|
| RPS | 1892BK04-RIBBON |
| D-SCE | |
| CM-SCE | |
| Raymark (RMK6) | |
| HL | |
| HS/HC | |
| MultiMark (HM) | |
| Shrinkmark | |
| NMX (Nomex) | 1892BK03-HIGH-PERF-RIBBON |
| Tedlar (DMVF) | |
| Self Lams (TW/PV) | |
| Kapton (K) | |
| HX | |
| HX-SCE | |
| HLX | |
| Vinyl Cloth (CW) | |
| Polyesters (E/M) | |

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 24 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005

Issue: 19

Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

OKI-380 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|------------------------|
| HL | 18910000-OKI380-RIBBON |
| HS | |
| HX | |
| MultiMark (HM) | |

Author: I. Ridgeway

Print date: 7-Jul-15

Issue date: Jul 2015:

Page: 25 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Epson WF-R5190DW (Inkjet)

| COMPATIBLE PRODUCT | STANDARD INK |
|--------------------|------------------------------|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

Epson B-310N (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCT | STANDARD INK |
|--------------------|------------------------------|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

(Recommended for enhanced humidity resistance)

Epson Stylus Photo R285 (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCT | STANDARD INK |
|--------------------|-------------------------------------|
| Raymark A4 sheets | Claria Photographic ink (Epson ink) |

Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|--|
| Raymark 1 | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |
| Raymark A4 Sheets | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

BTT-02 (card printer)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|---|
| BGS | BBB-060SC/200 (black). BBB-060WE/200 (white). BBB-060BL/200 (blue). BBB-060RT/200 (red). |
| BGF | |
| BET | |
| BTS | |
| BBK | |
| BBL | |
| BBS | |
| BKB | |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 27 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Ribbon ordering details

Cable Identification markers (25.4MM ID core)

| DESCRIPTION | TE PART NUMBER |
|---|----------------|
| 1330-3300-10 | 980892-000 |
| 1966-RIBBON | F55931-000 |
| LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) | 6-1768383-4 |
| 2000P-RIBBON-4TT-MED | 893803-000 |
| 2000P-RIBBON-4TT-NAR | 277493-000 |
| TMS-RJS-RIBBON-4DSCE | 311292-000 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| TMS-RJS-RIBBON-4HT | 754073-000 |
| T300-RIBBON-WH-4HT (White) | 154739-000 |
| 2000P-RIBBON-WH-MED (White) | 094514-000 |
| 2000P-RIBBON-WH-NAR (White) | 530304-000 |
| TMS-RJS-RIBBON-4AG (Silver) | 124503-000 |
| 2000P-RIBBON-4AG-MED | 351013-000 |
| 2000P-RIBBON-4AG-NAR | 346933-000 |
| 1330-0607-10 | 742412-000 |
| T300-UV-SCE-RIBBON | EC8932-000 |

Cable Identification markers (12.7MM ID core)

| DESCRIPTION | TE PART NUMBER |
|-----------------------------|----------------|
| TMS-101-RIBBON-4DSCE | 505478-000 |
| T200-RIBBON-1966 | D60849-000 |
| 1330-0607-T200 | E45478-000 |
| TMS-101-RIBBON-4HT | 746617-000 |
| T200-RIBBON-WH-4HT (White) | 086961-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| TMS-101-RIBBON-4AG (Silver) | 252557-000 |



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Labels (25.4MM ID core)

| DESCRIPTION | TE PART NUMBER |
|--|----------------|
| 1330-0607-10 | 742412-000 |
| TTB-060SC/300 | 2-1768049-6 |
| TTB-076SC/300 | 3-1768049-0 |
| TTB-084SC/300 | C75514-000 |
| TTB-110SC/300 | 3-1768049-6 |
| TTB-060SC/450AQ529 | 2-1768049-7 |
| TTB-090SC/360-AQ529 | 3-1768049-4 |
| TTB-110SC/300AQ529 | 3-1768049-7 |
| 1330-0619-10 | 952888-000 |
| TTB-110SC/300WH | 3-1768049-8 |
| 1330-0600-10 | 143060-000 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| 1330-3300-10 (For labels with liner width of 110mm or smaller) | 980892-000 |
| 1330-3300-15 (For labels with liner width of 110mm to 165mm) | 562492-000 |

Labels (12.7MM ID core)

| DESCRIPTION | TE PART NUMBER |
|-----------------------|----------------|
| 1330-0607-T200 | E45478-000 |
| 1330-0619-T200 | C49013-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| 1330-3300-101TT | C95590-000 |
| 1330-TTB-T200 | 1-1768384-8 |
| 1330-0600-T200 | C36369-000 |

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 29 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

BTT-02 (card printer)

| DESCRIPTION | TE PART NUMBER |
|------------------------|----------------|
| BBB-060SC/200 (black). | 1-1768016-4 |
| BBB-060WE/200 (white). | 1-1768016-5 |
| BBB-060BL/200 (blue). | 1-1768016-1 |
| BBB-060RT/200 (red). | 1-1768016-3 |

Dot Matrix Inks ordering details

| DESCRIPTION | TE PART NUMBER |
|--------------------------------------|----------------|
| LQ590-RIBBON | 1-2186029-1 |
| TMS-SYSTEM-SIX-RIBBON-A (Obsolete) | 310347-000 |
| TMS-SYSTEM-SIX-RIBBON-B (Obsolete) | 264327-000 |
| TMS-LQ590-RIBBON | CC3130-000 |
| 1892BK04-RIBBON (Obsolete) | D06106-000 |
| 1892BK03-HIGH-PERF-RIBBON (Obsolete) | A72722-000 |
| 18910000-OKI380-RIBBON (Obsolete) | 856832-000 |
| 1330-0037-00 (Obsolete) | 9-1198202-3 |

Trademarks

TMS, TE Connectivity (TE) logo and Tyco Electronics are trademarks of the Tyco Electronics group of companies and its licensors. Other products, logos, and Company names mentioned herein may be trademarks of their respective owners.

Kapton and Tedlar are trademarks of E I du Pont de Nemours & Company for polyimide films.

Related Documents:

404-121000 WinTotal Ribbon List
TTDS-257 Printing Ribbons and Inks

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 30 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А