








PRODUCT NUMBER
85832-XYX
85832-XYLX



mat'l code				--		tolerances unless otherwise specified				CUSTOMER				www.fciconnect.com			
ltr	ecm no.	dr	date	linear	0.X ±0.3				COPY			title					
T	V06-0569	DCH	2006-06-12		0.XX ±0.13				projection			METRAL SIGNAL HEADER					
U	DG09-0256	TER	2009-08-19		.XXX ±.051				2 MOD, 5 ROW PRESS-FIT								
-	-	-	-	angles	0° ±2°						product family		METRAL		code		
N	V04-0559	HTB	06/01/04	dr	T.BRUNGARD		11/19/99		scale		A	size	dwg no	85832	213		
P	V04-1059	HTB	10/25/04	enrg	M.STRAWER		11/19/99		2:1						sheet		
R	V04-1100	DAI	01/20/05	chr	M.STRAWER		11/19/99		1 of 8								
S	V05-0235	LP	3/30/05	appd	M.STRAWER		02/29/00										
sheet index		revision		U	U	U	U	U	U	U							
sheet		sheet		1	2	3	4	5	6	7	8						



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
25	5.75	15.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
40	5.00	15.60
41	6.50	15.60
42	7.25	15.60
43	8.00	15.60
44	5.75	12.10
45	6.50	12.10
48	5.00	15.10
54	5.00	11.50
55	5.75	11.50
56	6.50	11.50
59	5.00	11.80
60	5.75	11.80
61	6.50	11.80
62	7.25	11.80
63	8.00	11.80
64	5.75	14.90

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
U				linear	0.XX ±0.13	projection		title	
				angles	.XXX ±.051			METRAL SIGNAL HEADER	
				dr	T.BRUNGARD 11/19/99			2 MOD, 5 ROW PRESS-FIT	
				enr	M.STRAWSE 11/19/99	MM		product family	
				chr	M.STRAWSE 11/19/99	scale		METRAL	
				appd	M.STRAWSE 02/29/00	2:1		code	
sheet index	revision sheet							213	
								sheet	
								2	
								cage code	
								22526	



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X14	E	16	16	16	16	16	16	16	16	16	16
	D	16	16	16	16	16	16	16	16	16	16
85832-X14LF	C	16	16	16	16	16	16	16	16	16	16
	B	16	16	16	16	16	16	16	16	16	16
	A	16	16	16	16	16	16	16	16	16	16

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X15	E	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13
85832-X15LF	C	13	13	13	13	13	13	13	13	13	13
	B	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X16	E	17	17	17	17	17	17	17	17	17	17
	D	17	17	17	17	17	17	17	17	17	17
85832-X16LF	C	17	17	17	17	17	17	17	17	17	17
	B	17	17	17	17	17	17	17	17	17	17
	A	17	17	17	17	17	17	17	17	17	17

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X17	E	14	14	14	14	14	14	14	14	14	14
	D	14	14	14	14	14	14	14	14	14	14
85832-X17LF	C	14	14	14	14	14	14	14	14	14	14
	B	14	14	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14	14	14

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X18	E	18	18	18	18	18	18	18	18	18	18
	D	18	18	18	18	18	18	18	18	18	18
85832-X18LF	C	18	18	18	18	18	18	18	18	18	18
	B	18	18	18	18	18	18	18	18	18	18
	A	18	18	18	18	18	18	18	18	18	18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X19	E	15	15	15	15	15	15	15	15	15	15
	D	15	15	15	15	15	15	15	15	15	15
85832-X19LF	C	15	15	15	15	15	15	15	15	15	15
	B	15	15	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15	15	15

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X20	E	10	10	10	10	10	10	10	10	10	10
	D	9	9	9	9	9	9	9	9	9	9
85832-X20LF	C	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X21	E	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10
85832-X21LF	C	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X22	E	2	2	2	2	2	2	2	2	2	2
	D	4	4	4	4	4	4	4	4	4	4
85832-X22LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X23	E	19	19	19	19	19	19	19	19	19	19
	D	1	1	1	1	1	1	1	1	1	1
85832-X23LF	C	19	19	19	19	19	19	19	19	19	19
	B	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X24	E	20	20	20	20	20	20	20	20	20	20
	D	5	5	5	5	5	5	5	5	5	5
85832-X24LF	C	20	20	20	20	20	20	20	20	20	20
	B	5	5	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X25	E	22	22	22	22	22	22	22	22	22	22
	D	22	22	22	22	22	22	22	22	22	22
85832-X25LF	C	22	22	22	22	22	22	22	22	22	22
	B	22	22	22	22	22	22	22	22	22	22
	A	22	22	22	22	22	22	22	22	22	22

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X26	E	54	54	54	54	54	54	54	54	54	54
	D	55	55	55	55	55	55	55	55	55	55
85832-X26LF	C	56	56	56	56	56	56	56	56	56	56
	B	55	55	55	55	55	55	55	55	55	55
	A	54	54	54	54	54	54	54	54	54	54

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
lfr	ecr no.	dr	date	linear	0.X ± 0.3	projection	COPY		title			
U					0.XX ± 0.13					METAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT		
					.XXX ± 0.051							
				angles	0° $\pm 2^\circ$		product family	METRAL	code			
				dr	T.BRUNGARD 11/19/99					size	dwg no	213
				enrg	M.STRAWSE 11/19/99							
				chr	M.STRAWSE 11/19/99	scale	1:1	4				
				appd	M.STRAWSE 02/29/00				cage code	22526	4	
sheet	revision											
index	sheet											



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X27	E	48	48	48	48	48	48	48	48	48	48
	D	48	48	48	48	48	48	48	48	48	48
85832-X27LF	C	48	48	48	48	48	48	48	48	48	48
	B	48	48	48	48	48	48	48	48	48	48
	A	48	48	48	48	48	48	48	48	48	48

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X28	E	3	3	3	3	3	3	3	3	3	3
	D	19	19	19	19	19	19	19	19	19	19
85832-X28LF	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X29	E	56	56	56	56	56	56	56	56	56	56
	D	56	56	56	56	56	56	56	56	56	56
85832-X29LF	C	56	56	56	56	56	56	56	56	56	56
	B	56	56	56	56	56	56	56	56	56	56
	A	56	56	56	56	56	56	56	56	56	56

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X30	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X30LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X31	E	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3
85832-X31LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X32	E	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1
85832-X32LF	C	2	2	2	2	2	2	2	2	2	2
	B	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X33	E	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6
85832-X33LF	C	6	6	6	6	6	6	6	6	6	6
	B	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X34	E	21	21	21	21	21	21	21	21	21	21
	D	21	21	21	21	21	21	21	21	21	21
85832-X34LF	C	21	21	21	21	21	21	21	21	21	21
	B	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X35	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X35LF	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X36	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X36LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	59	59	59	59	59	59	59	59	59	59

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X37	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X37LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X38	E	60	60	60	60	60	60	60	60	60	60
	D	61	61	61	61	61	61	61	61	61	61
85832-X38LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X39	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X39LF	C	61	61	61	61	61	61	61	61	61	61
	B	61	61	61	61	61	61	61	61	61	61
	A	61	61	61	61	61	61	61	61	61	61

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
lfr	ecr no.	dr	date	linear	0.X ±0.3	COPY		projection		title	
U					0.XX ±0.13					METRAL SIGNAL HEADER	
				angles	.XXX ±.051					2 MOD, 5 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99			product family		METRAL	
				enr	M.STRAWSER 11/19/99			size		dwg no	
				chr	M.STRAWSER 11/19/99			A		85832	
				appd	M.STRAWSER 02/29/00			scale		213	
								1:1		sheet	
sheet	revision									5	
index	sheet										



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X40	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X40LF	C	60	60	60	60	60	60	60	60	60	60
	B	62	62	62	62	62	62	62	62	62	62
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X41	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X41LF	C	62	62	62	62	62	62	62	62	62	62
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X42	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X42LF	C	61	61	61	61	61	61	61	61	61	61
	B	63	63	63	63	63	63	63	63	63	63
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X43	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X43LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X44	E	62	62	62	62	62	62	62	62	62	62
	D	62	62	62	62	62	62	62	62	62	62
85832-X44LF	C	62	62	62	62	62	62	62	62	62	62
	B	62	62	62	62	62	62	62	62	62	62
	A	62	62	62	62	62	62	62	62	62	62

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X45	E	63	63	63	63	63	63	63	63	63	63
	D	63	63	63	63	63	63	63	63	63	63
85832-X45LF	C	63	63	63	63	63	63	63	63	63	63
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X46	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X46LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	40	40	40	40	40	40	40	40	40	40

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X47	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X47LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X48	E	25	25	25	25	25	25	25	25	25	25
	D	41	41	41	41	41	41	41	41	41	41
85832-X48LF	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X49	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X49LF	C	41	41	41	41	41	41	41	41	41	41
	B	41	41	41	41	41	41	41	41	41	41
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X50	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25
85832-X50LF	C	25	25	25	25	25	25	25	25	25	25
	B	42	42	42	42	42	42	42	42	42	42
	A	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X51	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X51LF	C	42	42	42	42	42	42	42	42	42	42
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X52	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X52LF	C	41	41	41	41	41	41	41	41	41	41
	B	43	43	43	43	43	43	43	43	43	43
	A	41	41	41	41	41	41	41	41	41	41

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	projection	title	
U					0.XX ±0.13			METRAL SIGNAL HEADER	
					.XXX ±.051			2 MOD, 5 ROW PRESS-FIT	
				angles	0° ±2°			product family	
				dr	T.BRUNGARD 11/19/99			METRAL	
				enrg	M.STRAWSE 11/19/99			code	
				chr	M.STRAWSE 11/19/99			213	
				appd	M.STRAWSE 02/29/00			sheet	
sheet		revision				scale		6	
index		sheet				1:1			

sheet		revision				cage code		22526	
index		sheet							



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X53	E	42	42	42	42	42	42	42	42	42	42
	D	42	42	42	42	42	42	42	42	42	42
85832-X53LF	C	42	42	42	42	42	42	42	42	42	42
	B	42	42	42	42	42	42	42	42	42	42
	A	42	42	42	42	42	42	42	42	42	42

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X54	E	43	43	43	43	43	43	43	43	43	43
	D	43	43	43	43	43	43	43	43	43	43
85832-X54LF	C	43	43	43	43	43	43	43	43	43	43
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X55	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X55LF	C	12	12	12	12	12	12	12	12	12	12
	B	21	21	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X56	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X56LF	C	11	11	11	11	11	11	11	11	11	11
	B	21	21	21	21	21	21	21	21	21	21
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X57	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X57LF	C	8	8	8	8	8	8	8	8	8	8
	B	20	20	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X58	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X58LF	C	7	7	7	7	7	7	7	7	7	7
	B	20	20	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X59	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X59LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X60	E	4	4	4	4	4	4	4	4	4	4
	D	4	4	4	4	4	4	4	4	4	4
85832-X60LF	C	4	4	4	4	4	4	4	4	4	4
	B	1	1	1	1	1	1	1	1	1	1
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X61	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X61LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X62	E	64	64	64	64	64	64	64	64	64	64
	D	64	64	64	64	64	64	64	64	64	64
85832-X62LF	C	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64
	A	64	64	64	64	64	64	64	64	64	64

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X63	E	1	1	1	1	1	1	1	1	1	1
	D	2	2	2	2	2	2	2	2	2	2
85832-X63LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X64	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X64LF	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.XX ±0.13	COPY		projection		title	
U				angles						METRAL SIGNAL HEADER	
				dr	T.BRUNGARD	11/19/99	MM		product family		code
				enrg	M.STRAWSER	11/19/99	scale		METRAL		213
				chr	M.STRAWSER	11/19/99	1:1		size		sheet
				appd	M.STRAWSER	02/29/00			dwg no		7
sheet index	revision	sheet							cage code		
									22526		

PRODUCT NUMBER

85832-XYX

85832-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
85832-XYX IS SnPb
85832-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.



ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

10. REFER TO 89007 FOR OTHER LOAD VARIATIONS.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-IT			
U					0.XX ±0.13		projection						
				angles	.XXX ±.051								
					0° ±2°								
				dr	T.BRUNGARD	11/19/99	MM		product family		METRAL		code
				enrg	M.STRAWSER	11/19/99			size		dwg no		213
				chr	M.STRAWSER	11/19/99	scale		A		85832		sheet
				appd	M.STRAWSER	02/29/00	1:1						8
sheet	revision												
index	sheet												

cage code 22526

Pro/E

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А