



Amphenol
FCI

© 2016 APCI

© 2016 APCI

© 2016 APCI

10069524-

AA B C D E V F F

AA	POSITION
04	2X20
06	2X30
08	2X40
10	2X50
12	2X60
14	2X70
16	2X80
18	2X90
20	2X100

B	FOR PLUG, SEE DWG. NO. 10069525			
COMBINATION OF MATED HEIGHT	Plug 1	Plug 2	Plug 3	Plug 4
Recep 1				
Recep 2				
Recep 3				
Recep 4				

NOTES:

- MATERIAL
HOUSING: LCP UL 94V-0
TERMINAL: NICKEL COPPER
- PLATING
AS SHOWN IN TABLE.
- SEE GS-12-547 FOR PRODUCT SPEC.
- SEE GS-14-551 AND GS-14-816 FOR THE DETAILS OF PACKAGING.
PRODUCT WILL BE PACKED IN ACCORDANCE TO GLOBAL PROCEDURE GS-14-920.
- PACKAGING OPTION 2: "NOT ALL SIZES AVAILABLE; CHECK WITH FACTORY".
- THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WITH STAND EXPOSURE UP TO 260° PEAK TEMPERATURE FOR 30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR REFLOW OVEN.
- PLATING OPTION "4" IS LEADFREE ALTERNATIVE FOR OPTION "0", AND OPTION "6" IS LEADFREE ALTERNATIVE FOR OPTION "1".
- THIS PARTNUMBER ONLY CATER FOR SPECIAL CUSTOMER REQUIREMENT OF COPLANARITY OF 0.1 FOR ALL POSITION.

V	MANDATORY CODE
/	STANDARD
H	FOR HUAWEI





E	PACKAGING
0	TUBE WITHOUT METAL CAP
2	T&R WITH METAL CAP
9	TUBE WITH METAL CAP

D	POLARIZATION PEG	HOLD DOWN
0	YES	NO
2	NO	NO

C	PLATING ON CONTACT AREA	FF
0	GOLD 0.2um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
1	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
4	GOLD 0.2um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
5	GOLD 0.38um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
6	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
9	GOLD 0.2um MIN / GOLD 0.05um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF

mat'l. code				surface		tolerance		projection		product family			
				ISO 1302 ✓		ISO 406 ISO 1101				BERGSTAK HPL545			
ltr	ecn no	dr	date	tolerances unless otherwise specified		angles				title			
A	S06-0286	MCH	08/25/06			linear		.0±.2		RECEPTACLE ASSY BERGSTAK 0.8MM			
B	S06-0316	MCH	09/25/06					.00±.15					
C	S09-0326	MCH	10/21/09	X±2"				.000±.10					
D	ELX-N-20407	Jim	03/26/15	dr	M. Cheong	08/25/06				dwg no		sheet 1 of 6	size
E	ELX-N-28867	Bob	12/22/17	engr	Bob Gu	11/22/18				10069524		A3	
F	ELX-N-31885	Bob	11/22/18	chr	LQ Lei	11/22/18							
				appd	Tim Yao	11/22/18							
sheet index		revision		E	F					type Product Customer Drawing			
		sheet		1~6	1~6								


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-041***	2X20	15.2	21.8	20.2
10069524-061***	2X30	23.2	29.8	28.2
10069524-081***	2X40	31.2	37.8	36.2
10069524-101***	2X50	39.2	45.8	44.2
10069524-121***	2X60	47.2	53.8	52.2
10069524-141***	2X70	55.2	61.8	60.2
10069524-161***	2X80	63.2	69.8	68.2
10069524-181***	2X90	71.2	77.8	76.2
10069524-201***	2X100	79.2	85.8	84.2




RECEPTACLE 1

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn	no	dr	date	tolerances unless otherwise specified	mm	title RECEPTACLE ASSY BERGSTAK 0.8MM			
F					angles linear	mm				
					X±2'	scale 1:1				
				dr	M. Cheong	08/25/06	dwg no			
				enr	Bob Gu	11/22/18	sheet2 of 6			
				chr	LQ Lei	11/22/18	size			
				appd	Tim Yao	11/22/18	10069524			
								type		
								Product Customer Drawing		
sheet index	revision	F								
	sheet	1~6								


RECEPTACLE 1



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60






RECOMMENDED PCB LAYOUT WITHOUT PEGS



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100


mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm	title			
F				angles	linear		RECEPTACLE ASSY BERGSTAK 0.8MM			
				X'±2'		scale 1:1	dwg no			
				dr	M. Cheong	08/25/06	sheet 3 of 6			
				engr	Bob Gu	11/22/18	10069524			
				chr	LQ Lei	11/22/18	A3			
				appd	Tim Yao	11/22/18	type Product Customer Drawing			
sheet index	revision	F								
	sheet	1~6								

PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-042***	2X20	15.2	21.8	20.2
10069524-062***	2X30	23.2	29.8	28.2
10069524-082***	2X40	31.2	37.8	36.2
10069524-102***	2X50	39.2	45.8	44.2
10069524-122***	2X60	47.2	53.8	52.2
10069524-142***	2X70	55.2	61.8	60.2
10069524-162***	2X80	63.2	69.8	68.2
10069524-182***	2X90	71.2	77.8	76.2
10069524-202***	2X100	79.2	85.8	84.2



COPLANARITY OF TAIL
0.1 MAX APPLIED TO 2X20 TO 2X100 POS.




DETAIL C
SCALE 8:1



RECEPTACLE 2

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn	no	dr	date	tolerances unless otherwise specified	mm	title RECEPTACLE ASSY BERGSTAK 0.8MM			
F					angles linear	mm				
					X±2'	scale 1:1				
					dr M. Cheong	08/25/06	dwg no			
					engr Bob Gu	11/22/18	sheet4 of 6			
					chr LQ Lei	11/22/18	size			
					appd Tim Yao	11/22/18	10069524			
								type		
								Product Customer Drawing		
sheet index	revision	F								
	sheet	1~6								


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-043***	2X20	15.2	21.8	20.2
10069524-063***	2X30	23.2	29.8	28.2
10069524-083***	2X40	31.2	37.8	36.2
10069524-103***	2X50	39.2	45.8	44.2
10069524-123***	2X60	47.2	53.8	52.2
10069524-143***	2X70	55.2	61.8	60.2
10069524-163***	2X80	63.2	69.8	68.2
10069524-183***	2X90	71.2	77.8	76.2
10069524-203***	2X100	79.2	85.8	84.2




RECEPTACLE 3

mat'l. code				surface	ISO 1302	✓	tolerance	ISO 406	ISO 1101	projection	product family			
litr				ecn	no	dr	date	tolerances	unless	otherwise	BERGSTAK HPL545			
F								angles	linear	.0±.2	title			
								X'±2'		.00±.15	RECEPTACLE ASSY			
										.000±.10	BERGSTAK 0.8MM			
								dr	M. Cheong	08/25/06	dwg no			
								engr	Bob Gu	11/22/18	sheet5 of 6			
								chr	LQ Lei	11/22/18	size			
								appd	Tim Yao	11/22/18	10069524			
											A3			
sheet index				revision	F						type			
				sheet	1~6						Product Customer Drawing			


RECEPTACLE 2 & 3



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60



RECOMMENDED PCB LAYOUT WITHOUT PEGS AND HOLDDOWN



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100

mat'l. code				surface	ISO 1302	tolerance	ISO 406	ISO 1101	projection	product family
litr				ecn no	dr	date	tolerances unless otherwise specified			BERGSTAK HPL545
F							angles	.0±.2	mm	title
							linear	.00±.15		RECEPTACLE ASSY
							X'±2'	.000±.10	scale 1:1	BERGSTAK 0.8MM
							dr	M. Cheong	08/25/06	dwg no
							enr	Bob Gu	11/22/18	sheet 6 of 6
							chr	LQ Lei	11/22/18	size
							appd	Tim Yao	11/22/18	A3
sheet index				revision	F					type
				sheet	1~6					Product Customer Drawing

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А