










13	12	11	10	9	8	7	6	5	4	3	2	1																																																									
MAT'L NO.		INTERNAL THREAD	DIM. "A"	MATERIAL / PLATING		NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm.																																																															
74962-1000		4-40 UNC-2B	.338 / 8.60	STAINLESS STEEL 303																																																																	
74962-2000		M3x0.5 CLASS 6H	.338 / 8.60																																																																		
74962-3000		4-40 UNC-2B	.378 / 9.60	STAINLESS STEEL 303																																																																	
74962-4000		M3x0.5 CLASS 6H	.378 / 9.60																																																																		
74962-0005		4-40 UNC-2B	.421 / 10.69	STAINLESS STEEL 303																																																																	
74962-0006		M3x0.5 CLASS 6H	.421 / 10.69																																																																		
  																																																																					
<table><tr><td rowspan="5">INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04</td><td rowspan="5">DESCRIPTION REV</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="2" rowspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE 10:1</td><td>DESIGN UNITS INCH</td><td colspan="2" rowspan="2">THIRD ANGLE PROJECTION</td><td colspan="2" rowspan="2">TITLE TDP 3/16" HEX JACKPOST</td></tr><tr><td>mm</td><td>INCH</td><td>DRAWN BY TIBARRA</td><td>DATE 2014/08/01</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY MPOFF</td><td>DATE 2014/08/29</td><td colspan="2" rowspan="2">molex</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .010</td><td>APPROVED BY SMILLER</td><td>DATE 2014/09/04</td><td colspan="2" rowspan="2">DOCUMENT NO. SD-74962-1000</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± ---</td><td colspan="2" rowspan="2">MATERIAL NO. SEE TABLE</td><td colspan="2" rowspan="2">SHEET NO. 1 OF 1</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td><td colspan="10" rowspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr></table>													INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		TITLE TDP 3/16" HEX JACKPOST		mm	INCH	DRAWN BY TIBARRA	DATE 2014/08/01	4 PLACES	± ---	± ---	CHECKED BY MPOFF	DATE 2014/08/29	molex		3 PLACES	± ---	± .010	APPROVED BY SMILLER	DATE 2014/09/04	DOCUMENT NO. SD-74962-1000		2 PLACES	± 0.25	± ---	MATERIAL NO. SEE TABLE		SHEET NO. 1 OF 1		1 PLACE	± ---	± ---	0 PLACE	±	±	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		TITLE TDP 3/16" HEX JACKPOST																																																										
					mm	INCH	DRAWN BY TIBARRA	DATE 2014/08/01																																																													
			4 PLACES	± ---	± ---	CHECKED BY MPOFF	DATE 2014/08/29	molex																																																													
			3 PLACES	± ---	± .010	APPROVED BY SMILLER	DATE 2014/09/04			DOCUMENT NO. SD-74962-1000																																																											
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE TABLE		SHEET NO. 1 OF 1																																																													
1 PLACE	± ---	± ---																																																																			
0 PLACE	±	±	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																					
12	11	10	9	8	7	6	5	4	3	2	1																																																										

13	12	11	10	9	8	7	6	5	4	3	2	1																														
MAT'L NO.		INTERNAL THREAD	EXTERNAL THREAD	DIM. "A"	MATERIAL / PLATING			NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm. 3. NYLOK® TORQUE PATCH LOCATED TO THE LEFT OF THE FIRST OR SECOND FULL THREADS AND COVERS 3 THREADS MINIMUM.																																		
74962-1110		4-40 UNC-2B	4-40 UNC-2A	.338 / 8.60	STAINLESS STEEL 303 / NYLON TORQUE PATCH																																					
  																																										
MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B QUALITY SYMBOLS = 0 = 0 = 0 DESCRIPTION REV GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± .005</td><td>± .0005</td></tr><tr><td>3 PLACES</td><td>± .005</td><td>± .0010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .005</td></tr><tr><td>1 PLACE</td><td>± .005</td><td>± .005</td></tr><tr><td>0 PLACE</td><td>± .005</td><td>± .005</td></tr></table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>TIBARRA</td><td>2015/07/09</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>DMORGAN</td><td>2017/07/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SMILLER</td><td>2015/08/14</td></tr></table> MATERIAL NO. SEE TABLE SCALE 10:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH DOCUMENT NO. SD-74962-1110 SHEET NO. 1 OF 1														mm	INCH	4 PLACES	± .005	± .0005	3 PLACES	± .005	± .0010	2 PLACES	± 0.25	± .005	1 PLACE	± .005	± .005	0 PLACE	± .005	± .005	DRAWN BY	DATE	TIBARRA	2015/07/09	CHECKED BY	DATE	DMORGAN	2017/07/09	APPROVED BY	DATE	SMILLER	2015/08/14
	mm	INCH																																								
4 PLACES	± .005	± .0005																																								
3 PLACES	± .005	± .0010																																								
2 PLACES	± 0.25	± .005																																								
1 PLACE	± .005	± .005																																								
0 PLACE	± .005	± .005																																								
DRAWN BY	DATE																																									
TIBARRA	2015/07/09																																									
CHECKED BY	DATE																																									
DMORGAN	2017/07/09																																									
APPROVED BY	DATE																																									
SMILLER	2015/08/14																																									
tb_frame_C_P_AM_T Rev. G 2012/01/11	12	11	10	9	8	7	6	5	4	3	2	1																														



MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH				
			4 PLACES	± ---	± ---	CHECKED BY DMORGAN	DATE 2017/07/09					
			3 PLACES	± ---	± .010							
			2 PLACES	± 0.25	± ---							
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
			0 PLACE	±	±	SMILLER	2015/08/14					
			ANGULAR ±1/2°			MATERIAL NO.		DOCUMENT NO.			SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-74962-1110			1 OF 1	
						SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А