



SIZE	Part Number	Jack Screw Thread	Packing
25	8655MH2501LF	UNC 4-40	bulk : Qty 60
	8655MH2511LF		individual set 50 sets/carton
	8655MH2502LF	M3	bulk : Qty 60
	8655MH2512LF		individual set 50 sets/carton



NOTE:RoHS INFORMATIONS

-The LF product meets European union Directives and other country regulations as described in GS-22-009
 -The product is not intended to be exposed to a manufacturing solder process
 -Packaging spec:see GS-14-920



JACKSCREW
THREAD

M3



SCALE 1:1

NOTES : for every sizes

Material and finish : Zinc die-cast
 nickel plated
 Cable strain relief : Zinc die-cast
 Jackscrew : Steel,nickel plated
 UNC 4-40 or M3 (see tables)
 Temperature range : -55°C to +125 °C
 Attenuation factor : >40 dB between 10 MHz

Other size details : see on next pages.



Copyright FCI.

www.fciconnect.com			surface - ☒ ISO 1302	tolerance std ☒ ISO 406 ☒ ISO 1101	projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	M PESSON	2008/02/19	ANGULAR	0.X	±/	size	Scale
Eng	M PESSON	2008/02/19	LINEAR	0.XX	±/	A3	3:2
Chr	P LEGARE	2008/02/19	0° ±/°	0.XXX	±/	ECN	FII-0066
Appr	P LEGARE	2008/02/19	Product family			Spec ref	
			FCI			dwg no	Rev.
			title STRAIGHT METAL HOODS			C-8655-1685C	B
			WITH 2 METAL CLAMPS				
			catalog no			CUSTOMER	sheet 1 of 4

rev	ecn no	dr	date
A	LS08-0058	MPE	2008/02/21
B	F11-0066	APA	2011/05/30



REV C - 2006-03-28

PDM: Rev:B

STATUS:Released


Printed: Jun 14, 2011

SIZE	Part Number	Jack Screw Thread	Packing
09	8655MH0901LF	UNC 4-40	bulk : Qty 80
	8655MH0911LF		individual set 50 sets/carton
	8655MH0902LF	M3	bulk : Qty 80
	8655MH0912LF		individual set 50 sets/carton



PRODUCT WITH
M3 THREAD
JACKSCREWS

SIZE	Part Number	Jack Screw Thread	Packing
15	8655MH1501LF	UNC 4-40	bulk : Qty 80
	8655MH1511LF		individual set 50 sets/carton
	8655MH1502LF	M3	bulk : Qty 80
	8655MH1512LF		individual set 50 sets/carton





www.fciconnect.com			surface ISO 1302		- ✓ tolerance std ISO 406 ISO 1101		projection 		mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale		
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3/2		
Chr	P LEGARE	2008/02/19	0° ±/°		0.XXX	±/	ECN	F11-0066		
Appr	P LEGARE	2008/02/19	Product family				-	Spec ref		
	title	STRAIGHT METAL HOODS					dwg no	C -8655-1685C		Rev. B
		WITH 2 METAL CLAMPS								
		catalog no	-	CUSTOMER		sheet 2 of 4				





Copyright FCI.

SIZE	Part Number	Jack Screw Thread	Packing
37	8655MH3701LF	UNC 4-40	bulk : Qty 40
	8655MH3711LF		individual set 50 sets/carton
	8655MH3702LF	M3	bulk : Qty 40
	8655MH3712LF		individual set 50 sets/carton



SIZE	Part Number	Jack Screw Thread	Packing
50	8655MH5001LF	UNC 4-40	bulk : Qty 40
	8655MH5011LF		individual set 50 sets/carton
	8655MH5002LF	M3	bulk : Qty 40
	8655MH5012LF		individual set 50 sets/carton



www.fciconnect.com			surface ISO 1302		- ✓	tolerance std ISO 406 ISO 1101		projection 	mm 
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale	
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3/2	
Chr	P LEGARE	2008/02/19			0° ±°	0.XXX	±/	ECN	F11-0066
Appr	P LEGARE	2008/02/19	Product family					Spec ref	
	title	STRAIGHT METAL HOODS				dwg no	C-8655-1685C		Rev
		WITH 2 METAL CLAMPS					B		
		catalog no					-	CUSTOMER	sheet 3 of 4

REV C - 2006-03-28


PDM: Rev:B

STATUS:Released

Printed: Jun 14, 2011


CABLING INSTRUCTIONS

1- Strip the cable and solder or crimp the wires




SCALE 3:2

2-Put the connector into a half hood and tighten the jacket with a metal clamp




SCALE 3:2

3-To get the electrical continuity between the cable outer conductor and the hood tighten the outer conductor with the other metal clamp as shown



SCALE 3:2

4-Mount the jackscrews, the other half hood and tighten with 2 screws



Copyright FCI.

www.fciconnect.com			surface ISO 1302	- ✓	tolerance std ISO 406 ISO 1101	projection ⊕	mm ↔
			TOLERANCES UNLESS OTHERWISE SPECIFIED				size A3
Dr	M PESSON	2008/02/19	ANGULAR	0.X	±/	Scale 3:2	
Eng	M PESSON	2008/02/19	LINEAR	0.XX	±/	ECN F11-0066	
Chr	P LEGARE	2008/02/19	0° ±/°	0.XXX	±/	Spec ref	
Appr	P LEGARE	2008/02/19	Product family		-		
Title STRAIGHT METAL HOODS WITH 2 METAL CLAMPS			dwg no C-8655-1685C			Rev. B	
catalog no			CUSTOMER			sheet 4 of 4	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А