

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 20 X 20 X 6           | AD2005DX-K70      | HYPRO        | 5         | 0.06        | 0.30      | 7000        | 0.4            | 0.022             | 12.0         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2005LX-K70      | HYPRO        | 5         | 0.10        | 0.50      | 10500       | 0.6            | 0.066             | 19.5         | 4          | 0                  | TUV,CE           | 600           | 12.28          |
| 20 X 20 X 6           | AD2005MX-K70      | HYPRO        | 5         | 0.15        | 0.75      | 14000       | 0.7            | 0.103             | 26.9         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2005MX-K73      | HYPRO        | 5         | 0.12        | 0.60      | 14000       | 0.7            | 0.130             | 26.0         | 4          | 3                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2005DB-K70(S)   | 1B,1S        | 5         | 0.04        | 0.20      | 7000        | 0.4            | 0.022             | 12.0         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2005LB-K70(S)   | 1B,1S        | 5         | 0.05        | 0.25      | 10500       | 0.6            | 0.066             | 19.5         | 4          | 0                  | TUV,CE           | 600           | 12.28          |
| 20 X 20 X 6           | AD2005MB-K70(S)   | 1B,1S        | 5         | 0.13        | 0.65      | 14000       | 0.7            | 0.103             | 26.9         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2012LX-K70      | HYPRO        | 12        | 0.06        | 0.72      | 10500       | 0.6            | 0.066             | 19.5         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2012MX-K70      | HYPRO        | 12        | 0.07        | 0.84      | 14000       | 0.7            | 0.103             | 26.9         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2012LB-K70(S)   | 1B,1S        | 12        | 0.06        | 0.72      | 10500       | 0.6            | 0.066             | 19.5         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 6           | AD2012MB-K70(S)   | 1B,1S        | 12        | 0.07        | 0.84      | 14000       | 0.7            | 0.103             | 26.9         | 4          | 0                  | CE               | 600           | 12.28          |
| 20 X 20 X 10          | AD2005MX-G70      | HYPRO        | 5         | 0.14        | 0.70      | 11500       | 0.8            | 0.072             | 26.0         | 6          | 0                  | UL,CUL,CE        | 900           | 17.60          |
| 20 X 20 X 10          | AD2005MX-G73      | HYPRO        | 5         | 0.11        | 0.55      | 10000       | 0.8            | 0.072             | 26.0         | 6          | 3                  | CE               | 900           | 17.60          |
| 20 X 20 X 10          | AD2005LB-G70      | Bor1B1S      | 5         | 0.06        | 0.30      | 9000        | 0.6            | 0.055             | 26.0         | 6          | 0                  | UL,CUL,CE        | 900           | 17.60          |
| 20 X 20 X 10          | AD2005LB-G73      | BALL         | 5         | 0.08        | 0.40      | 8000        | 0.4            | 0.039             | 11.0         | 6          | 3                  | CE               | 900           | 17.60          |
| 20 X 20 X 10          | AD2005MB-G70      | Bor1B1S      | 5         | 0.07        | 0.35      | 11500       | 0.8            | 0.072             | 20.0         | 6          | 0                  | UL,CUL,TUV,CE    | 900           | 17.60          |
| 20 X 20 X 10          | AD2005MB-G73      | Bor1B1S      | 5         | 0.08        | 0.40      | 10000       | 0.8            | 0.072             | 26.0         | 6          | 3                  | CE               | 900           | 17.60          |
| 20 X 20 X 10          | AD2012LX-G70      | HYPRO        | 12        | 0.06        | 0.72      | 9000        | 0.6            | 0.055             | 20.0         | 6          | 0                  | UL,CUL,CE        | 900           | 17.60          |
| 20 X 20 X 10          | AD2012LB-G70      | BALL         | 12        | 0.07        | 0.84      | 9000        | 0.6            | 0.055             | 20.0         | 6          | 0                  | CE               | 900           | 17.60          |
| 20 X 20 X 10          | AD2012LM-G70      | BALL         | 12        | 0.06        | 0.72      | 11500       | 0.8            | 0.072             | 26.0         | 6          | 0                  | CE               | 900           | 17.60          |
| 25 X 25 X 6           | AD0205LX-K50      | HYPRO        | 5         | 0.08        | 0.40      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 0                  | TUV,CE           | 600           | 13.60          |
| 25 X 25 X 6           | AD0205LX-K53      | HYPRO        | 5         | 0.06        | 0.30      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 3                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0205MX-K50      | HYPRO        | 5         | 0.13        | 0.65      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0205MX-K53      | HYPRO        | 5         | 0.12        | 0.60      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 3                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0205LB-K50(S)   | 1B,1S        | 5         | 0.05        | 0.25      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 0                  | TUV,CE           | 600           | 13.60          |
| 25 X 25 X 6           | AD0205LB-K53(S)   | 1B,1S        | 5         | 0.05        | 0.25      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 3                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0205MB-K50(S)   | 1B,1S        | 5         | 0.09        | 0.45      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0205MB-K53(S)   | 1B,1S        | 5         | 0.07        | 0.35      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 3                  | UL,CUL,TUV,CE    | 600           | 13.60          |
| 25 X 25 X 6           | AD0205HB-K50(S)   | 1B,1S        | 5         | 0.09        | 0.45      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0212LX-K50      | HYPRO        | 12        | 0.06        | 0.72      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0212MX-K50      | HYPRO        | 12        | 0.09        | 1.08      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0212LB-K50(S)   | BALL         | 12        | 0.06        | 0.72      | 9000        | 1.8            | 0.100             | 20.5         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 6           | AD0212MB-K50(S)   | BALL         | 12        | 0.07        | 0.84      | 12000       | 2.4            | 0.185             | 26.0         | 5          | 0                  | CE               | 600           | 13.60          |
| 25 X 25 X 10          | AD0205LX-G50      | HYPRO        | 5         | 0.10        | 0.50      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205LX-G50(D)   | HYPRO        | 5         | 0.08        | 0.40      | 4500        | 1.0            | 0.034             | 2.4          | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205LX-G53GL    | HYPRO        | 5         | 0.08        | 0.40      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 3                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205MX-G50GL    | HYPRO        | 5         | 0.12        | 0.60      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205MX-G53GL    | HYPRO        | 5         | 0.12        | 0.60      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 3                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205HX-G50      | HYPRO        | 5         | 0.18        | 0.90      | 12000       | 2.8            | 0.236             | 28.0         | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205LB-G50GL    | BALL         | 5         | 0.10        | 0.50      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0205LB-G50(D)   | BALL         | 5         | 0.07        | 0.35      | 6500        | 1.4            | 0.064             | 12.0         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0205LB-G53GL    | BALL         | 5         | 0.06        | 0.30      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 3                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0205MB-G50GL    | BALL         | 5         | 0.12        | 0.60      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 0                  | UL,CUL,CE        | 600           |                |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 25 X 25 X 10          | AD0205MB-G53      | BALL         | 5         | 0.07        | 0.35      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 3                  | TUV,CE           | 600           |                |
| 25 X 25 X 10          | AD0205HB-G50GL    | BALL         | 5         | 0.14        | 0.70      | 12000       | 2.8            | 0.236             | 28.0         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0205HB-G53      | BALL         | 5         | 0.12        | 0.60      | 12000       | 2.8            | 0.236             | 28.0         | 8          | 3                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0212LX-G50      | HYPRO        | 12        | 0.07        | 0.84      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0212MX-G50GL    | HYPRO        | 12        | 0.08        | 0.96      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0212HX-G50GL    | HYPRO        | 12        | 0.09        | 1.08      | 12000       | 2.8            | 0.236             | 28.0         | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0212LB-G50      | BALL         | 12        | 0.07        | 0.84      | 8000        | 1.8            | 0.116             | 15.6         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 10          | AD0212MB-G50      | BALL         | 12        | 0.08        | 0.96      | 10000       | 2.3            | 0.173             | 23.1         | 8          | 0                  | UL,CUL,TUV,CE    | 600           |                |
| 25 X 25 X 10          | AD0212HB-G50      | BALL         | 12        | 0.09        | 1.08      | 12000       | 2.8            | 0.236             | 28.0         | 8          | 0                  | UL,CUL,CE        | 600           |                |
| 25 X 25 X 15          | AD0205LX-D50      | HYPRO        | 5         | 0.08        | 0.40      | 5000        | 1.2            | 0.040             | 7.2          | 8          | 0                  | CE               |               |                |
| 25 X 25 X 15          | AD0205LB-D50      | BALL         | 5         | 0.06        | 0.30      | 5000        | 1.2            | 0.040             | 7.2          | 8          | 0                  | CE               |               |                |
| 25 X 25 X 15          | AD0205MB-D50      | BALL         | 5         | 0.09        | 0.45      | 6000        | 1.4            | 0.054             | 10.0         | 8          | 0                  | CE               |               |                |
| 25 X 25 X 15          | AD0205HB-D50      | BALL         | 5         | 0.13        | 0.65      | 8000        | 1.9            | 0.114             | 19.2         | 8          | 0                  | CE               |               |                |
| 25 X 25 X 15          | AD0205HB-D53      | BALL         | 5         | 0.13        | 0.65      | 8000        | 1.9            | 0.114             | 19.2         | 8          | 3                  | UL,CUL,TUV,CE    |               |                |
| 25 X 25 X 15          | AD0205HB-D53(A)   | BALL         | 5         | 0.13        | 0.65      | 7500        | 1.8            | 0.091             | 16.7         | 8          | 3                  | UL,CUL,TUV,CE    |               |                |
| 30 X 30 X 6           | AD0305LX-K70      | HYPRO        | 5         | 0.09        | 0.45      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 0                  | UL,CUL,TUV,CE    | 400           | 12.30          |
| 30 X 30 X 6           | AD0305LX-K73      | HYPRO        | 5         | 0.07        | 0.35      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305MX-K70      | HYPRO        | 5         | 0.12        | 0.60      | 9000        | 3.3            | 0.138             | 27.9         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305MX-K73      | HYPRO        | 5         | 0.10        | 0.50      | 8000        | 8.3            | 0.196             | 34.7         | 11         | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305HX-K70      | HYPRO        | 5         | 0.18        | 0.90      | 10500       | 3.6            | 0.164             | 32.1         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305HX-K73      | HYPRO        | 5         | 0.11        | 0.55      | 10500       | 3.6            | 0.164             | 32.1         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305LB-K70(S)   | 1B,1S        | 5         | 0.06        | 0.30      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 0                  | UL,CUL,TUV,CE    | 400           | 12.30          |
| 30 X 30 X 6           | AD0305LB-K73(S)   | 1B,1S        | 5         | 0.05        | 0.25      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305MB-K70(S)   | BALL         | 5         | 0.08        | 0.40      | 9000        | 3.3            | 0.138             | 27.9         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305MB-K73(S)   | 1B,1S        | 5         | 0.06        | 0.30      | 9000        | 3.3            | 0.138             | 27.9         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305MB-K73(Y)   | 1B,1S        | 5         | 0.08        | 0.40      | 9000        | 7.2            | 0.120             | 34.0         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0305HB-K73(S)   | 1B,1S        | 5         | 0.07        | 0.35      | 10500       | 3.6            | 0.164             | 32.1         | 6          | 3                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0312LX-K70      | HYPRO        | 12        | 0.06        | 0.72      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 0                  | UL,CUL,TUV,CE    | 400           | 12.30          |
| 30 X 30 X 6           | AD0312MX-K70      | HYPRO        | 12        | 0.10        | 1.20      | 9000        | 3.3            | 0.138             | 27.9         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0312HX-K70      | HYPRO        | 12        | 0.08        | 0.96      | 10500       | 3.6            | 0.164             | 32.1         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0312LB-K70(S)   | BALL         | 12        | 0.06        | 0.72      | 7500        | 2.5            | 0.082             | 20.0         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 6           | AD0312MB-K70(S)   | BALL         | 12        | 0.06        | 0.72      | 9000        | 3.3            | 0.138             | 27.9         | 6          | 0                  | UL,CUL,TUV,CE    | 400           | 12.30          |
| 30 X 30 X 6           | AD0312HB-K70(S)   | BALL         | 12        | 0.09        | 1.08      | 10500       | 3.6            | 0.164             | 32.1         | 6          | 0                  | CE               | 400           | 12.30          |
| 30 X 30 X 10          | AD0305DX-G50      | HYPRO        | 5         | 0.09        | 0.45      | 5500        | 1.8            | 0.080             | 17.0         | 8          | 0                  | UL,CUL,CE        | 400           | 14.00          |
| 30 X 30 X 10          | AD0305LX-G50      | HYPRO        | 5         | 0.12        | 0.60      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 0                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0305LX-G53      | HYPRO        | 5         | 0.09        | 0.45      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 3                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0305MX-G53      | HYPRO        | 5         | 0.11        | 0.55      | 9000        | 4.1            | 0.148             | 27.9         | 8          | 3                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0305HX-G50      | HYPRO        | 5         | 0.17        | 0.85      | 10500       | 4.2            | 0.210             | 30.7         | 8          | 0                  | CE               | 400           | 14.00          |
| 30 X 30 X 10          | AD0305DB-G50      | BALL         | 5         | 0.06        | 0.30      | 5500        | 1.8            | 0.080             | 17.0         | 8          | 0                  | UL,CUL,CE        | 400           | 14.00          |
| 30 X 30 X 10          | AD0305LB-G50      | BALL         | 5         | 0.12        | 0.60      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 0                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0305LB-G53      | BALL         | 5         | 0.08        | 0.40      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 3                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0305MB-G50      | Bor1B1S      | 5         | 0.13        | 0.65      | 9000        | 4.1            | 0.148             | 27.9         | 8          | 0                  | UL,CUL,CE        | 400           | 14.00          |
| 30 X 30 X 10          | AD0305MB-G53      | Bor1B1S      | 5         | 0.11        | 0.55      | 9000        | 4.1            | 0.148             | 27.9         | 8          | 3                  | UL,CUL,TUV,CE    | 400           | 14.00          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 30 X 30 X 10          | AD0305DX-G50      | HYPRO        | 5         | 0.06        | 0.72      | 6000        | 2.5            | 0.068             | 16.0         | 8          | 0                  | CE               | 400           | 14.00          |
| 30 X 30 X 10          | AD0312LX-G50      | HYPRO        | 12        | 0.07        | 0.84      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 0                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0312MX-G50      | HYPRO        | 12        | 0.12        | 1.44      | 9000        | 4.1            | 0.148             | 27.9         | 8          | 0                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0312DB-G50      | Bor1B1S      | 12        | 0.05        | 0.60      | 6000        | 2.5            | 0.068             | 16.0         | 8          | 0                  | UL,CUL,CE        | 400           | 14.00          |
| 30 X 30 X 10          | AD0312LB-G50      | BALL         | 12        | 0.06        | 0.72      | 8000        | 3.0            | 0.115             | 20.2         | 8          | 0                  | UL,CUL,TUV,CE    | 400           | 14.00          |
| 30 X 30 X 10          | AD0312MB-G50      | Bor1B1S      | 12        | 0.12        | 1.44      | 9000        | 4.1            | 0.148             | 27.9         | 8          | 0                  | UL,CUL,CE        | 400           | 14.00          |
| 30 X 30 X 10          | AD0312HB-G50      | Bor1B1S      | 12        | 0.11        | 1.32      | 10500       | 4.2            | 0.210             | 30.7         | 8          | 0                  | CE               | 400           | 14.00          |
| 30 X 30 X 15          | AD0305LB-D50      | BALL         | 5         | 0.07        | 0.35      | 4500        | 2.2            | 0.045             | 10.0         | 10         | 0                  | CE               |               |                |
| 30 X 30 X 15          | AD0305MB-D50      | BALL         | 5         | 0.08        | 0.40      | 5500        | 2.6            | 0.074             | 16.0         | 10         | 0                  | CE               |               |                |
| 30 X 30 X 15          | AD0305MB-D50(S)   | 1B,1S        | 5         | 0.10        | 0.50      | 5500        | 2.6            | 0.074             | 16.0         | 10         | 0                  | CE               |               |                |
| 30 X 30 X 15          | AD0305MB-D53      | BALL         | 5         | 0.06        | 0.30      | 5500        | 2.6            | 0.074             | 16.0         | 10         | 3                  | UL,CUL,TUV,CE    |               |                |
| 30 X 30 X 15          | AD0305HB-D50      | Bor1B1S      | 5         | 0.13        | 0.65      | 7000        | 3.7            | 0.110             | 22.5         | 10         | 0                  | CE               |               |                |
| 30 X 30 X 15          | AD0305HB-D53      | BALL         | 5         | 0.10        | 0.50      | 7000        | 3.7            | 0.110             | 22.5         | 10         | 3                  | UL,CUL,TUV,CE    |               |                |
| 35 X 35 X 6           | AD3505LX-K70      | HYPRO        | 5         | 0.10        | 0.50      | 6500        | 3.5            | 0.063             | 19.0         | 7          | 0                  | TUV,CE           | 400           | 13.00          |
| 35 X 35 X 6           | AD3505LX-K73      | HYPRO        | 5         | 0.08        | 0.40      | 6500        | 3.5            | 0.063             | 19.0         | 7          | 3                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505MX-K70      | HYPRO        | 5         | 0.14        | 0.70      | 8000        | 4.7            | 0.111             | 28.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505MX-KBO      | HYPRO        | 5         | 0.14        | 0.70      | 7000        | 3.6            | 0.097             | 29.0         | 4          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505LB-K70(S)   | 1B,1S        | 5         | 0.06        | 0.30      | 6500        | 3.5            | 0.063             | 19.0         | 7          | 0                  | TUV,CE           | 400           | 13.00          |
| 35 X 35 X 6           | AD3505MB-K70(S)   | 1B,1S        | 5         | 0.10        | 0.50      | 8000        | 4.7            | 0.111             | 28.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505MB-K73(S)   | 1B,1S        | 5         | 0.08        | 0.40      | 8000        | 4.7            | 0.111             | 28.0         | 7          | 3                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505HB-K70(S)   | 1B,1S        | 5         | 0.13        | 0.65      | 9500        | 4.9            | 0.150             | 35.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3505HB-K73(S)   | 1B,1S        | 5         | 0.09        | 0.45      | 9500        | 4.9            | 0.150             | 35.0         | 7          | 3                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3512LX-K70      | HYPRO        | 12        | 0.06        | 0.72      | 6500        | 3.5            | 0.063             | 19.0         | 7          | 0                  | TUV,CE           | 400           | 13.00          |
| 35 X 35 X 6           | AD3512MX-K70      | HYPRO        | 12        | 0.08        | 0.96      | 8000        | 4.7            | 0.111             | 28.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3512HX-K70      | HYPRO        | 12        | 0.10        | 1.20      | 9500        | 4.9            | 0.150             | 35.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 6           | AD3512LB-K70(S)   | BALL         | 12        | 0.05        | 0.60      | 6500        | 3.5            | 0.063             | 19.0         | 7          | 0                  | TUV,CE           | 400           | 13.00          |
| 35 X 35 X 6           | AD3512MB-K70(S)   | BALL         | 12        | 0.06        | 0.72      | 8000        | 4.7            | 0.111             | 28.0         | 7          | 0                  | TUV,CE           | 400           | 13.00          |
| 35 X 35 X 6           | AD3512HB-K70      | BALL         | 12        | 0.08        | 0.96      | 9500        | 4.9            | 0.150             | 35.0         | 7          | 0                  | CE               | 400           | 13.00          |
| 35 X 35 X 10          | AD3505LX-G53      | HYPRO        | 5         | 0.09        | 0.45      | 7000        | 5.1            | 0.100             | 27.5         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505MX-G50      | HYPRO        | 5         | 0.17        | 0.85      | 8000        | 6.0            | 0.131             | 30.0         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505MX-G53      | HYPRO        | 5         | 0.13        | 0.65      | 8000        | 6.0            | 0.138             | 30.0         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505HX-G53      | HYPRO        | 5         | 0.17        | 0.85      | 9500        | 7.1            | 0.174             | 37.6         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505LB-G50      | BALL         | 5         | 0.12        | 0.60      | 7000        | 5.1            | 0.100             | 27.5         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505MB-G50      | BALL         | 5         | 0.13        | 0.65      | 8000        | 6.0            | 0.131             | 30.0         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505MB-G53      | BALL         | 5         | 0.13        | 0.65      | 8000        | 6.2            | 0.160             | 27.0         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3505MB-G53(S)   | 1B,1S        | 5         | 0.13        | 0.65      | 8000        | 6.0            | 0.138             | 30.0         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512LX-G50      | HYPRO        | 12        | 0.08        | 0.96      | 7000        | 5.1            | 0.100             | 27.5         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512MX-G50      | HYPRO        | 12        | 0.09        | 1.08      | 8000        | 6.0            | 0.138             | 30.0         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512HX-G50      | HYPRO        | 12        | 0.11        | 1.32      | 9500        | 7.1            | 0.174             | 37.6         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512LB-G50      | BALL         | 12        | 0.08        | 0.96      | 7000        | 5.1            | 0.100             | 27.5         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512MB-G50      | BALL         | 12        | 0.09        | 1.08      | 8000        | 6.0            | 0.138             | 30.0         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 35 X 35 X 10          | AD3512HB-G50      | BALL         | 12        | 0.11        | 1.32      | 9500        | 7.1            | 0.174             | 37.6         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405LX-K90      | HYPRO        | 5         | 0.05        | 0.25      | 4500        | 4.2            | 0.044             | 19.5         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 6           | AD0405LX-KC0      | HYPRO        | 5         | 0.11        | 0.55      | 4500        | 3.6            | 0.061             | 22.4         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405LX-KC3      | HYPRO        | 5         | 0.08        | 0.40      | 4500        | 4.6            | 0.068             | 27.1         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MX-K90      | HYPRO        | 5         | 0.09        | 0.45      | 5500        | 5.2            | 0.064             | 23.8         | 9          | 0,6                | UL,TUV,CE        | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MX-KC0      | HYPRO        | 5         | 0.20        | 1.00      | 5500        | 4.6            | 0.093             | 28.6         | 9          | 0,3                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MX-KC3(Y)   | HYPRO        | 5         | 0.11        | 0.55      | 5500        | 4.6            | 0.093             | 28.6         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405HX-K90      | HYPRO        | 5         | 0.12        | 0.60      | 6300        | 6.0            | 0.079             | 27.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405HX-KC0      | HYPRO        | 5         | 0.23        | 1.15      | 6000        | 5.0            | 0.110             | 31.2         | 9          | 0                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405HX-KC3      | HYPRO        | 5         | 0.13        | 0.65      | 6000        | 5.0            | 0.110             | 31.2         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405LB-K90(S)   | 1B,1S        | 5         | 0.05        | 0.25      | 4800        | 4.5            | 0.051             | 19.9         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MB-K90(S)   | 1B,1S        | 5         | 0.09        | 0.45      | 5800        | 5.5            | 0.067             | 25.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MB-KC3      | BALL         | 5         | 0.11        | 0.55      | 5800        | 4.9            | 0.102             | 30.0         | 9          | 3                  | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405HB-K90(S)   | 1B,1S        | 5         | 0.12        | 0.60      | 6600        | 6.0            | 0.090             | 30.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0405MS-K90      | S            | 5         | 0.09        | 0.45      | 5500        | 5.2            | 0.064             | 23.8         | 9          | 0                  | CE               | 400           | 13.20          |
| 40 X 40 X 6           | AD0412LX-K90      | HYPRO        | 12        | 0.06        | 0.72      | 4500        | 4.4            | 0.049             | 20.9         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0412MX-K90      | HYPRO        | 12        | 0.06        | 0.72      | 5500        | 5.2            | 0.064             | 23.8         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0412HX-K90      | HYPRO        | 12        | 0.08        | 0.96      | 6300        | 5.9            | 0.079             | 27.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0412LB-K90(S)   | 1B,1S        | 12        | 0.06        | 0.72      | 4800        | 4.7            | 0.049             | 21.6         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0412MB-K90(S)   | 1B,1S        | 12        | 0.06        | 0.72      | 5800        | 5.5            | 0.067             | 25.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 6           | AD0412HB-K90(S)   | 1B,1S        | 12        | 0.08        | 0.96      | 6600        | 6.0            | 0.090             | 30.0         | 9          | 0,6                | UL,CUL,TUV,CE    | 400           | 13.20          |
| 40 X 40 X 8           | AD0405LX-J90      | HYPRO        | 5         | 0.12        | 0.60      | 4100        | 5.1            | 0.058             | 20.0         | 5          | 0                  | CE               |               |                |
| 40 X 40 X 8           | AD0405MX-J90      | HYPRO        | 5         | 0.16        | 0.80      | 5500        | 6.3            | 0.094             | 28.7         | 5          | 0                  | CE               |               |                |
| 40 X 40 X 8           | AD0405MX-J93      | HYPRO        | 5         | 0.15        | 0.75      | 5500        | 6.8            | 0.098             | 29.0         | 5          | 3                  | CE               |               |                |
| 40 X 40 X 8           | AD0405HX-J91      | HYPRO        | 5         | 0.23        | 1.15      | 6000        | 7.5            | 0.110             | 31.0         | 5          | 1,3                | CE               |               |                |
| 40 X 40 X 8           | AD0405MB-J90      | BALL         | 5         | 0.20        | 1.00      | 5000        | 6.1            | 0.089             | 26.0         | 5          | 0                  | CE               |               |                |
| 40 X 40 X 8           | AD0412MX-J90      | HYPRO        | 12        | 0.13        | 1.56      | 5000        | 6.1            | 0.089             | 26.0         | 5          | 0                  | CE               |               |                |
| 40 X 40 X 9           | AD0405HX-RA3      | HYPRO        | 5         | 0.25        | 1.25      | 6000        | 3.1            | 0.334             | 40.3         | 5          | 3                  | CE               |               |                |
| 40 X 40 X 10          | AD0405DX-G70      | HYPRO        | 5         | 0.07        | 0.35      | 3300        | 3.8            | 0.044             | 14.5         | 24         | 0                  | CE               | 700           |                |
| 40 X 40 X 10          | AD0405LX-G70      | HYPRO        | 5         | 0.08        | 0.40      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405LX-G76      | HYPRO        | 5         | 0.08        | 0.40      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 6                  | UL,CUL,CE        | 700           |                |
| 40 X 40 X 10          | AD0405MX-G70      | HYPRO        | 5         | 0.11        | 0.55      | 4800        | 5.7            | 0.780             | 19.0         | 24         | 0                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405MX-G7       | HYPRO        | 5         | 0.11        | 0.55      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 6                  | UL,CUL,CE        | 700           |                |
| 40 X 40 X 10          | AD0405HX-G70      | HYPRO        | 5         | 0.19        | 0.95      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405DB-G70      | BALL         | 5         | 0.07        | 0.35      | 3300        | 3.8            | 0.044             | 14.5         | 24         | 0                  | CE               | 700           |                |
| 40 X 40 X 10          | AD0405LB-G70      | BALL         | 5         | 0.08        | 0.40      | 4600        | 5.0            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405MB-G70      | BALL         | 5         | 0.11        | 0.55      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405MB-G72      | BALL         | 5         | 0.15        | 0.75      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 2                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405MB-G73      | BALL         | 5         | 0.15        | 0.75      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 3                  | CE               | 700           |                |
| 40 X 40 X 10          | AD0405MB-G76      | BALL         | 5         | 0.11        | 0.55      | 5000        | 6.0            | 0.080             | 20.0         | 24         | 6                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405HB-G70      | BALL         | 5         | 0.19        | 0.95      | 6000        | 6.8            | 0.100             | 25.0         | 24         | 0                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405HB-G72      | BALL         | 5         | 0.25        | 1.25      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 2                  | CE               | 700           |                |
| 40 X 40 X 10          | AD0405HB-G76      | BALL         | 5         | 0.19        | 0.95      | 6000        | 6.8            | 0.100             | 25.0         | 24         | 6                  | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405LS-G70      | S            | 5         | 0.08        | 0.40      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 700           |                |
| 40 X 40 X 10          | AD0405MS-G70      | S            | 5         | 0.11        | 0.55      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0,2,6              | UL,CUL,TUV,CE    | 700           |                |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 40 X 40 X 10          | AD0405HS-G70      | S            | 5         | 0.19        | 0.95      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0405HS-G7B      | S            | 5         | 0.15        | 0.75      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0409HS-G70      | S            | 9         | 0.13        | 1.17      | 6000        | 6.8            | 0.100             | 25.0         | 24         | 0                  | UL,CE             | 700           |                |
| 40 X 40 X 10          | AD0409LS-G70      | S            | 9         | 0.08        | 0.72      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0409MS-G70      | S            | 9         | 0.10        | 0.90      | 4800        | 5.6            | 0.080             | 19.0         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0409US-G70      | S            | 9         | 0.15        | 1.35      | 7000        | 7.7            | 0.068             | 29.7         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412DX-G70      | HYPRO        | 12        | 0.07        | 0.84      | 3300        | 3.8            | 0.044             | 14.5         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412LX-G70      | HYPRO        | 12        | 0.07        | 0.84      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412MX-G70      | HYPRO        | 12        | 0.08        | 0.96      | 4800        | 5.7            | 0.078             | 19.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412HX-G70      | HYPRO        | 12        | 0.10        | 1.20      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412HX-G71      | HYPRO        | 12        | 0.10        | 1.20      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 1                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412DB-G70      | BALL         | 12        | 0.07        | 0.84      | 3300        | 3.8            | 0.044             | 14.5         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412LB-G70      | BALL         | 12        | 0.07        | 0.84      | 4600        | 5.0            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412MB-G70      | BALL         | 12        | 0.08        | 0.96      | 5000        | 5.9            | 0.080             | 20.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412MB-G72      | BALL         | 12        | 0.09        | 1.08      | 5000        | 6.0            | 0.080             | 20.0         | 24         | 2                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412MB-G73      | BALL         | 12        | 0.09        | 1.08      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 3                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412HB-G70      | BALL         | 12        | 0.10        | 1.20      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412HB-G70(U)   | BALL         | 12        | 0.10        | 1.20      | 6800        | 7.9            | 0.129             | 28.0         | 24         | 0                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412HB-G72      | BALL         | 12        | 0.10        | 1.20      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 2,3                | CE                | 700           |                |
| 40 X 40 X 10          | AD0412UB-G70      | BALL         | 12        | 0.10        | 1.20      | 6800        | 7.9            | 0.129             | 28.0         | 24         | 0,6                | CE                | 700           |                |
| 40 X 40 X 10          | AD0412DS-G70      | S            | 12        | 0.07        | 0.84      | 3300        | 3.8            | 0.044             | 14.5         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0412LS-G70      | S            | 12        | 0.07        | 0.84      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412MS-G70      | S            | 12        | 0.08        | 0.96      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0412HS-G70      | S            | 12        | 0.10        | 1.20      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424LX-G70(T)   | HYPRO        | 24        | 0.07        | 1.68      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424MX-G70      | HYPRO        | 24        | 0.05        | 1.20      | 4200        | 4.7            | 0.068             | 17.2         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0424MX-G70(T)   | HYPRO        | 24        | 0.08        | 1.92      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424HX-G70      | HYPRO        | 24        | 0.09        | 2.16      | 6000        | 6.8            | 0.100             | 25.0         | 24         | 0                  | UL,CUL,CSA,TUV,CE | 700           |                |
| 40 X 40 X 10          | AD0424HX-G76(T)   | HYPRO        | 24        | 0.09        | 2.16      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424LB-G70      | BALL         | 24        | 0.07        | 1.68      | 4600        | 5.0            | 0.060             | 14.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424MB-G70      | BALL         | 24        | 0.08        | 1.92      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424MB-G76      | BALL         | 24        | 0.08        | 1.92      | 5000        | 5.9            | 0.080             | 20.0         | 24         | 6                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0424HB-G70      | BALL         | 24        | 0.09        | 2.16      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0                  | UL,CUL,CSA,TUV,CE | 700           |                |
| 40 X 40 X 10          | AD0424HB-G76      | BALL         | 24        | 0.09        | 2.16      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 6                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424LS-G70      | S            | 24        | 0.07        | 1.68      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 0                  | CE                | 700           |                |
| 40 X 40 X 10          | AD0424LS-G76      | S            | 24        | 0.07        | 1.68      | 4200        | 4.7            | 0.060             | 14.0         | 24         | 6                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424MS-G70      | S            | 24        | 0.08        | 1.92      | 4800        | 5.7            | 0.078             | 20.0         | 24         | 0,6                | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 10          | AD0424HS-G70      | S            | 24        | 0.09        | 2.16      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 0                  | UL,CUL,CSA,TUV,CE | 700           |                |
| 40 X 40 X 10          | AD0424HS-G76      | S            | 24        | 0.09        | 2.16      | 6000        | 6.7            | 0.100             | 25.0         | 24         | 6                  | UL,CUL,TUV,CE     | 700           |                |
| 40 X 40 X 15          | AD0412LX-D50      | HYPRO        | 12        | 0.08        | 0.96      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 0                  | CE                | 700           | 44.00          |
| 40 X 40 X 15          | AD0412LX-D52      | HYPRO        | 12        | 0.10        | 1.20      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 2                  | UL,CUL,TUV,CE     | 700           | 44.00          |
| 40 X 40 X 15          | AD0412LX-D56      | HYPRO        | 12        | 0.08        | 0.96      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 6                  | UL,CUL,CE         | 700           | 44.00          |
| 40 X 40 X 15          | AD0412MX-D50      | HYPRO        | 12        | 0.10        | 1.20      | 7000        | 8.1            | 0.210             | 31.8         | 27         | 0,6                | UL,CUL,CE         | 500           | 44.00          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 15          | AD0412MX-D52      | HYPRO        | 12        | 0.12        | 1.44      | 7000        | 8.1            | 0.210             | 31.8         | 27         | 2                  | UL,CUL,TUV,CE    | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HX-D50      | HYPRO        | 12        | 0.12        | 1.44      | 8000        | 9.2            | 0.287             | 39.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412LB-D50      | BALL         | 12        | 0.08        | 0.96      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412LB-D50(S)   | 1B & 1S      | 12        | 0.08        | 0.96      | 6500        | 7.3            | 0.183             | 30.6         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412LB-D52      | BALL         | 12        | 0.10        | 1.20      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 2                  | UL,CUL,TUV,CE    | 500           | 44.00          |
| 40 X 40 X 15          | AD0412MB-D50      | BALL         | 12        | 0.10        | 1.20      | 7000        | 8.1            | 0.210             | 31.8         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412MB-D50(S)   | 1B & 1S      | 12        | 0.10        | 1.20      | 7500        | 8.5            | 0.231             | 33.5         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412MB-D52      | BALL         | 12        | 0.12        | 1.44      | 7000        | 8.1            | 0.210             | 31.8         | 27         | 2                  | UL,CUL,TUV,CE    | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HB-D50      | BALL         | 12        | 0.12        | 1.44      | 8000        | 9.2            | 0.287             | 39.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HB-D50(S)   | 1B & 1S      | 12        | 0.12        | 1.44      | 8500        | 10.2           | 0.298             | 39.8         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HB-D52      | BALL         | 12        | 0.15        | 1.80      | 8000        | 9.2            | 0.287             | 39.3         | 27         | 2                  | UL,CUL,TUV,CE    | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HB-D56      | BALL         | 12        | 0.12        | 1.44      | 8000        | 9.2            | 0.287             | 39.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412LS-D50      | S            | 12        | 0.08        | 0.96      | 6000        | 6.8            | 0.161             | 30.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412MS-D50      | S            | 12        | 0.10        | 1.20      | 7000        | 8.1            | 0.210             | 31.8         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 15          | AD0412HS-D50      | S            | 12        | 0.12        | 1.44      | 8000        | 9.2            | 0.287             | 39.3         | 27         | 0,6                | UL,CUL,CE        | 500           | 44.00          |
| 40 X 40 X 20          | AD0405LX-C50      | HYPRO        | 5         | 0.14        | 0.70      | 5700        | 7.2            | 0.142             | 22.4         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405MX-C50      | HYPRO        | 5         | 0.16        | 0.80      | 6300        | 7.8            | 0.171             | 26.3         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HX-C50      | HYPRO        | 5         | 0.29        | 1.45      | 7500        | 9.2            | 0.250             | 31.0         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HX-C52      | HYPRO        | 5         | 0.40        | 2.00      | 7500        | 9.2            | 0.250             | 31.0         | 28         | 2                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405DB-C50      | BALL         | 5         | 0.12        | 0.60      | 4200        | 4.9            | 0.080             | 16.5         | 28         | 0,6                | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0405LB-C50      | BALL         | 5         | 0.14        | 0.70      | 6000        | 7.2            | 0.142             | 22.4         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405MB-C50      | BALL         | 5         | 0.16        | 0.80      | 6500        | 8.1            | 0.171             | 27.0         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HB-C50      | BALL         | 5         | 0.29        | 1.45      | 7800        | 9.9            | 0.256             | 31.9         | 28         | 0                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HB-C52      | BALL         | 5         | 0.40        | 2.00      | 7800        | 9.9            | 0.256             | 31.9         | 28         | 2                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HB-C56      | BALL         | 5         | 0.29        | 1.45      | 7800        | 9.9            | 0.256             | 31.9         | 28         | 6                  | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0405DS-C50      | S            | 5         | 0.12        | 0.60      | 3700        | 4.7            | 0.064             | 10.0         | 28         | 0                  | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0405LS-C50      | S            | 5         | 0.14        | 0.70      | 5700        | 7.2            | 0.142             | 22.4         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405MS-C50      | S            | 5         | 0.16        | 0.80      | 6300        | 7.8            | 0.171             | 26.3         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HS-C50      | S            | 5         | 0.29        | 1.45      | 7500        | 9.2            | 0.250             | 31.0         | 28         | 0                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0405HS-C56      | S            | 5         | 0.29        | 1.45      | 7500        | 9.2            | 0.250             | 31.0         | 28         | 6                  | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0412DX-C50      | HYPRO        | 12        | 0.05        | 0.60      | 3700        | 4.7            | 0.064             | 10.0         | 27         | 0,6                | UL,CUL,CE        | 500           | 36.96          |
| 40 X 40 X 20          | AD0412LX-C50      | HYPRO        | 12        | 0.07        | 0.84      | 6000        | 7.5            | 0.154             | 23.9         | 27         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412MX-C50      | HYPRO        | 12        | 0.08        | 0.96      | 6700        | 8.3            | 0.180             | 27.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412MX-C53      | HYPRO        | 12        | 0.13        | 1.56      | 6700        | 8.3            | 0.180             | 27.5         | 28         | 3                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HX-C50      | HYPRO        | 12        | 0.11        | 1.32      | 7500        | 9.6            | 0.240             | 31.0         | 27         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412DB-C50      | BALL         | 12        | 0.05        | 0.60      | 4200        | 4.9            | 0.080             | 16.5         | 27         | 0                  | UL,CUL,CE        | 500           | 36.96          |
| 40 X 40 X 20          | AD0412LB-C50      | BALL         | 12        | 0.07        | 0.84      | 6200        | 7.7            | 0.165             | 25.0         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412LB-C51      | BALL         | 12        | 0.11        | 1.32      | 6200        | 7.7            | 0.165             | 25.0         | 28         | 1,2                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412MB-C50      | BALL         | 12        | 0.08        | 0.96      | 6900        | 8.5            | 0.190             | 28.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412MB-C52      | BALL         | 12        | 0.13        | 1.56      | 6900        | 8.5            | 0.190             | 28.5         | 28         | 2,3                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HB-C50      | BALL         | 12        | 0.10        | 1.20      | 7800        | 10.1           | 0.263             | 31.9         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HB-C52      | BALL         | 12        | 0.15        | 1.80      | 7800        | 10.1           | 0.263             | 31.9         | 28         | 2                  | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HB-C53      | BALL         | 12        | 0.15        | 1.80      | 7800        | 10.1           | 0.263             | 31.9         | 28         | 3                  | UL,CUL,TUV,CE    | 500           | 36.96          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 20          | AD0412UB-C50      | BALL         | 12        | 0.14        | 1.68      | 8500        | 10.6           | 0.325             | 36.1         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412DS-C56      | S            | 12        | 0.05        | 0.60      | 3700        | 4.7            | 0.064             | 10.0         | 27         | 6                  | UL,CUL,CE        | 500           | 36.96          |
| 40 X 40 X 20          | AD0412LS-C50      | S            | 12        | 0.07        | 0.84      | 6000        | 7.5            | 0.154             | 23.9         | 27         | 0                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412LS-C56      | S            | 12        | 0.07        | 0.84      | 6000        | 7.5            | 0.154             | 23.9         | 27         | 6                  | CE               | 500           | 36.96          |
| 40 X 40 X 20          | AD0412MS-C50      | S            | 12        | 0.08        | 0.96      | 6700        | 8.3            | 0.180             | 27.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HS-C50      | S            | 12        | 0.11        | 1.32      | 7500        | 9.6            | 0.240             | 31.0         | 27         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412HS-C52      | S            | 12        | 0.15        | 1.80      | 7500        | 9.6            | 0.240             | 31.0         | 28         | 2                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0412US-C50      | S            | 12        | 0.14        | 1.68      | 8200        | 10.3           | 0.305             | 35.0         | 28         | 0                  | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424LX-C50      | B or S       | 24        | 0.06        | 1.44      | 6000        | 7.5            | 0.154             | 23.9         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424MX-C50      | B or S       | 24        | 0.07        | 1.68      | 6700        | 8.3            | 0.180             | 27.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424HX-C50      | B or S       | 24        | 0.09        | 2.16      | 7500        | 9.6            | 0.240             | 31.0         | 27         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424LB-C50      | BALL         | 24        | 0.06        | 1.44      | 6200        | 7.7            | 0.165             | 25.0         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424MB-C50      | BALL         | 24        | 0.07        | 1.68      | 6900        | 8.5            | 0.190             | 28.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424HB-C50      | BALL         | 24        | 0.09        | 2.16      | 7800        | 10.1           | 0.263             | 31.9         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424LS-C50      | S            | 24        | 0.06        | 1.44      | 6000        | 7.5            | 0.154             | 23.9         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424MS-C50      | S            | 24        | 0.07        | 1.68      | 6700        | 8.3            | 0.180             | 27.5         | 28         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 40 X 40 X 20          | AD0424HS-C50      | S            | 24        | 0.09        | 2.16      | 7500        | 9.6            | 0.240             | 31.0         | 27         | 0,6                | UL,CUL,TUV,CE    | 500           | 36.96          |
| 45 X 45 X 6           | AD4505LX-K90      | HYPRO        | 5         | 0.10        | 0.50      | 4300        | 6.2            | 0.056             | 23.0         | 24         | 0                  | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4505MX-K90      | HYPRO        | 5         | 0.12        | 0.60      | 5000        | 7.1            | 0.074             | 25.5         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4505HX-K90      | HYPRO        | 5         | 0.14        | 0.70      | 6000        | 9.2            | 0.103             | 32.6         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4505LB-K90(S)   | 1B & 1S      | 5         | 0.10        | 0.50      | 4500        | 6.5            | 0.059             | 23.3         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4505MB-K90(S)   | 1B & 1S      | 5         | 0.12        | 0.60      | 5500        | 7.2            | 0.085             | 26.5         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4505HB-K90(S)   | 1B & 1S      | 5         | 0.14        | 0.70      | 6200        | 9.5            | 0.111             | 33.0         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512LX-K90      | HYPRO        | 12        | 0.08        | 0.96      | 4300        | 6.2            | 0.056             | 23.0         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512MX-K90      | HYPRO        | 12        | 0.09        | 1.08      | 5000        | 7.1            | 0.074             | 25.5         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512HX-K90      | HYPRO        | 12        | 0.10        | 1.20      | 6000        | 9.2            | 0.103             | 32.6         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512LB-K90(S)   | 1B & 1S      | 12        | 0.08        | 0.96      | 4500        | 6.5            | 0.059             | 23.3         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512MB-K90(S)   | 1B & 1S      | 12        | 0.09        | 1.08      | 5500        | 7.2            | 0.085             | 26.5         | 24         | 0                  | CE               | 560           | 19.30          |
| 45 X 45 X 6           | AD4512HB-K90(S)   | 1B & 1S      | 12        | 0.10        | 1.20      | 6200        | 9.5            | 0.111             | 33.0         | 24         | 0,6                | CE               | 560           | 19.30          |
| 45 X 45 X 7           | AD4505MX-QA0      | HYPRO        | 5         | 0.09        | 0.45      | 5000        | 1.6            | 0.224             | 25.5         | 23         | 0                  | CE               | 480           |                |
| 45 X 45 X 7           | AD4505HX-QA0      | HYPRO        | 5         | 0.14        | 0.70      | 5700        | 1.8            | 0.332             | 28.5         | 23         | 0,6                | CE               | 480           |                |
| 45 X 45 X 7           | AD4505HX-QA3      | HYPRO        | 5         | 0.12        | 0.60      | 6200        | 2.1            | 0.397             | 31.2         | 23         | 3                  | CE               | 480           |                |
| 45 X 45 X 7           | AD4505HB-QA3      | BALL         | 5         | 0.12        | 0.60      | 6200        | 2.1            | 0.397             | 31.2         | 23         | 3                  | CE               | 480           |                |
| 45 X 45 X 9           | AD4505HX-RB3      | HYPRO        | 5         | 0.22        | 1.10      | 4500        | 3.1            | 0.213             | 31.8         | 26         | 3                  | CE               | 500           |                |
| 45 X 45 X 10          | AD4505LX-G70(T)   | HYPRO        | 5         | 0.16        | 0.80      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MX-G70      | HYPRO        | 5         | 0.10        | 0.50      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0,6                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MX-G70(T)   | HYPRO        | 5         | 0.18        | 0.90      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MX-GD0      | HYPRO        | 5         | 0.25        | 1.25      | 4200        | 2.0            | 0.290             | 22.0         | 26         | 0,6                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MX-GD1      | HYPRO        | 5         | 0.15        | 0.75      | 5000        | 2.3            | 0.342             | 31.1         | 26         | 1                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HX-G70      | HYPRO        | 5         | 0.20        | 1.00      | 5500        | 9.1            | 0.107             | 27.4         | 24         | 0                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HX-G76      | HYPRO        | 5         | 0.20        | 1.00      | 5500        | 9.1            | 0.109             | 28.6         | 24         | 6                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HX-GD0      | HYPRO        | 5         | 0.22        | 1.10      | 5200        | 2.7            | 0.434             | 27.4         | 26         | 0,3                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HX-GD1      | HYPRO        | 5         | 0.17        | 0.85      | 4800        | 7.0            | 0.050             | 28.9         | 26         | 1                  | CE               | 500           | 24.64          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 45 X 45 X 10          | AD4505LB--G70     | BALL         | 5         | 0.16        | 0.80      | 4200        | 7.0            | 0.066             | 20.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MB-G70      | BALL         | 5         | 0.16        | 0.80      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MB-G76      | BALL         | 5         | 0.18        | 0.90      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 6                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MB-GD0      | BALL         | 5         | 0.25        | 1.25      | 4200        | 2.0            | 0.290             | 22.0         | 26         | 0,6                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HB-G70      | BALL         | 5         | 0.20        | 1.00      | 5000        | 8.2            | 0.101             | 26.2         | 24         | 0                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HB-G70(S)   | 1B & 1S      | 5         | 0.20        | 1.00      | 5500        | 9.8            | 0.116             | 27.5         | 24         | 0                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HB-G70(T)   | BALL         | 5         | 0.20        | 1.00      | 5500        | 9.1            | 0.107             | 27.4         | 24         | 0,6                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HB-GD0      | BALL         | 5         | 0.22        | 1.10      | 5200        | 2.7            | 0.434             | 35.3         | 26         | 0,6                | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505LS-G70(T)   | S            | 5         | 0.16        | 0.80      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MS-G70      | S            | 5         | 0.16        | 0.80      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4505MS-G76      | S            | 5         | 0.18        | 0.90      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 6                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HS-G70      | S            | 5         | 0.20        | 1.00      | 5500        | 9.1            | 0.107             | 27.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4505HS-GD0(Y)   | S            | 5         | 0.22        | 1.10      | 5200        | 2.7            | 0.434             | 35.3         | 26         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512LX-G70(T)   | HYPRO        | 12        | 0.06        | 0.72      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MX-G70      | HYPRO        | 12        | 0.07        | 0.84      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MX-G70(T)   | HYPRO        | 12        | 0.07        | 0.84      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HX-G70      | HYPRO        | 12        | 0.09        | 1.08      | 6500        | 10.4           | 0.145             | 31.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HX-G70(T)   | HYPRO        | 12        | 0.09        | 1.08      | 5500        | 9.1            | 0.107             | 27.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512LB-G70      | BALL         | 12        | 0.06        | 0.72      | 4200        | 7.0            | 0.066             | 20.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MB-G70      | Bor1B1S      | 12        | 0.07        | 0.84      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MB-G70(T)   | BALL         | 12        | 0.07        | 0.84      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MB-G72(S)   | 1B & 1S      | 12        | 0.08        | 0.96      | 4800        | 7.9            | 0.081             | 23.7         | 24         | 2                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HB-G70      | Bor1B1S      | 12        | 0.09        | 1.08      | 5000        | 8.3            | 0.097             | 26.1         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HB-G70(T)   | BALL         | 12        | 0.09        | 1.08      | 5500        | 9.1            | 0.107             | 27.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512LS-G70(T)   | S            | 12        | 0.06        | 0.72      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MS-G70      | S            | 12        | 0.07        | 0.84      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 0                  | CE               | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MS-G76      | S            | 12        | 0.07        | 0.84      | 4200        | 6.9            | 0.069             | 21.6         | 24         | 6                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512MS-G70(T)   | S            | 12        | 0.07        | 0.84      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HS-G70      | S            | 12        | 0.09        | 1.08      | 5000        | 8.3            | 0.097             | 26.1         | 24         | 0                  | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4512HS-G70(T)   | S            | 12        | 0.09        | 1.08      | 5500        | 9.1            | 0.109             | 28.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524LX-G70(T)   | HYPRO        | 24        | 0.06        | 1.44      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524MX-G70(T)   | HYPRO        | 24        | 0.07        | 1.68      | 4800        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524HX-G70(T)   | HYPRO        | 24        | 0.08        | 1.92      | 5500        | 9.1            | 0.109             | 28.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524LB-G70(T)   | BALL         | 24        | 0.06        | 1.44      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524LB-G70(S)   | BALL         | 24        | 0.06        | 1.44      | 4200        | 7.0            | 0.066             | 20.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524MB-G70(T)   | BALL         | 24        | 0.09        | 2.16      | 4500        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524MB-G70(S)   | BALL         | 24        | 0.07        | 1.68      | 4800        | 7.9            | 0.081             | 23.7         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524HB-G70(T)   | BALL         | 24        | 0.08        | 1.92      | 5500        | 9.1            | 0.109             | 28.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524LS-G70(T)   | BALL         | 24        | 0.06        | 1.44      | 3800        | 6.8            | 0.062             | 17.5         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524MS-G70(T)   | BALL         | 24        | 0.07        | 1.68      | 4800        | 7.5            | 0.078             | 22.0         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524HS-G70(T)   | BALL         | 24        | 0.08        | 1.92      | 5500        | 9.1            | 0.109             | 28.6         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 45 X 45 X 10          | AD4524HB-G70(S)   | BALL         | 24        | 0.08        | 1.92      | 5700        | 9.8            | 0.107             | 27.4         | 24         | 0,6                | UL,CUL,TUV,CE    | 500           | 24.64          |
| 50 X 50 X 15          | AD5005MS-D70      | S            | 5         | 0.24        | 1.20      | 4300        | 12.6           | 0.113             | 29.0         | 55         | 0                  | CE               |               |                |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 50 X 50 X 15          | AD5012LX-D70      | HYPRO        | 12        | 0.08        | 0.96      | 3600        | 10.8           | 0.084             | 23.6         | 55         | 0                  | CE               |               |                |
| 50 X 50 X 15          | AD5012MX-D70      | HYPRO        | 12        | 0.10        | 1.20      | 4300        | 12.6           | 0.113             | 29.0         | 55         | 0                  | CE               |               |                |
| 50 X 50 X 15          | AD5012HX-D70      | HYPRO        | 12        | 0.14        | 1.68      | 4800        | 14.4           | 0.141             | 30.7         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012UX-D76      | HYPRO        | 12        | 0.20        | 2.40      | 5500        | 16.5           | 0.181             | 33.8         | 55         | 6                  | CE               |               |                |
| 50 X 50 X 15          | AD5012LB-D70      | BALL         | 12        | 0.08        | 0.96      | 3600        | 10.8           | 0.084             | 23.6         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012MB-D70      | BALL         | 12        | 0.10        | 1.20      | 4300        | 12.6           | 0.113             | 29.0         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012MB-D76(S)   | 1B & 1S      | 12        | 0.10        | 1.20      | 4500        | 28.5           | 0.126             | 13.4         | 55         | 6                  | CE               |               |                |
| 50 X 50 X 15          | AD5012HB-D70      | BALL         | 12        | 0.14        | 1.68      | 4800        | 14.4           | 0.141             | 30.7         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012HB-D70(S)   | 1B & 1S      | 12        | 0.14        | 1.68      | 500         | 15.0           | 0.152             | 31.4         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012UB-D70      | BALL         | 12        | 0.20        | 2.40      | 5500        | 16.5           | 0.181             | 33.8         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012UB-D70(S)   | 1B & 1S      | 12        | 0.20        | 2.40      | 5700        | 17.1           | 0.194             | 34.5         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012LS-D70      | S            | 12        | 0.08        | 0.96      | 3600        | 10.8           | 0.084             | 23.6         | 55         | 0                  | CE               |               |                |
| 50 X 50 X 15          | AD5012MS-D70      | S            | 12        | 0.10        | 1.20      | 4300        | 12.6           | 0.113             | 29.0         | 55         | 0,6                | CE               |               |                |
| 50 X 50 X 15          | AD5012HS-D76      | S            | 12        | 0.14        | 1.68      | 4800        | 14.4           | 0.141             | 30.7         | 55         | 6                  | CE               |               |                |
| 50 X 50 X 15          | AD5012US-D76      | S            | 12        | 0.20        | 2.40      | 5500        | 16.5           | 0.181             | 33.8         | 55         | 6                  | CE               |               |                |
| 52 X 52 X 9           | AD0505MX-RB1      | HYPRO        | 5         | 0.17        | 0.85      | 4800        | 3.0            | 0.320             | 34.0         | 28         | 0,3                | CE               |               |                |
| 52 X 52 X 9           | AD0505HX-RB0      | HYPRO        | 5         | 0.22        | 1.10      | 5000        | 3.2            | 0.320             | 34.0         | 28         | 0,3                | CE               |               |                |
| 52 X 52 X 9           | AD0505HX-RB1      | HYPRO        | 5         | 0.22        | 1.10      | 5000        | 9.5            | 0.100             | 31.7         | 28         | 1                  | CE               |               |                |
| 52 X 52 X 9           | AD0505MB-RB1      | BALL         | 5         | 0.17        | 0.85      | 4800        | 3.0            | 0.320             | 34.0         | 28         | 1                  | CE               |               |                |
| 52 X 52 X 9           | AD0512MX-RB0      | HYPRO        | 12        | 0.10        | 1.20      | 4800        | 3.0            | 0.320             | 34.0         | 28         | 0                  | CE               |               |                |
| 52 X 52 X 10          | AD0505LX-G70(T)   | HYPRO        | 5         | 0.12        | 0.60      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MX-G70      | HYPRO        | 5         | 0.18        | 0.90      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MX-G90      | HYPRO        | 5         | 0.12        | 0.60      | 3300        | 8.5            | 0.068             | 24.9         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0505HX-G70(T)   | HYPRO        | 5         | 0.23        | 1.15      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505HX-G90      | HYPRO        | 5         | 0.15        | 0.75      | 3800        | 9.8            | 0.082             | 28.6         | 50         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0505LB-G70(T)   | BALL         | 5         | 0.12        | 0.60      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505LB-G70(TS)  | 1B & 1S      | 5         | 0.12        | 0.60      | 3900        | 9.4            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MB-G70      | BALL         | 5         | 0.14        | 0.70      | 4600        | 10.5           | 0.100             | 24.0         | 18         | 0                  | CE               |               |                |
| 52 X 52 X 10          | AD0505MB-G70(T)   | BALL         | 5         | 0.18        | 0.90      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MB-G70(TS)  | 1B & 1S      | 5         | 0.18        | 0.90      | 4500        | 10.8           | 0.100             | 25.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505HB-G70(T)   | BALL         | 5         | 0.23        | 1.15      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505HB-G90      | BALL         | 5         | 0.15        | 0.75      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0505HB-G96      | BALL         | 5         | 0.15        | 0.75      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 6                  | CE               |               |                |
| 52 X 52 X 10          | AD0505LS-G70      | S            | 5         | 0.12        | 0.60      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0                  | TUV,CE           |               |                |
| 52 X 52 X 10          | AD0505LS-G76      | S            | 5         | 0.12        | 0.60      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MS-G70(T)   | S            | 5         | 0.18        | 0.90      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505MS-G90      | S            | 5         | 0.12        | 0.60      | 3300        | 8.5            | 0.068             | 24.9         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0505HS-G70      | S            | 5         | 0.18        | 0.90      | 5200        | 11.9           | 0.130             | 28.0         | 18         | 0                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0505HS-G70(T)   | S            | 5         | 0.23        | 1.15      | 500         | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512LX-G70(T)   | HYPRO        | 12        | 0.10        | 0.72      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512MX-G70(T)   | HYPRO        | 12        | 0.07        | 0.84      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512MX-G72      | HYPRO        | 12        | 0.10        | 1.20      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 2                  | CE               |               |                |
| 52 X 52 X 10          | AD0512MX-G90      | HYPRO        | 12        | 0.07        | 0.84      | 3300        | 8.5            | 0.068             | 24.9         | 50         | 0                  | UL,CUL,CE        |               |                |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 52 X 52 X 10          | AD0512HX-G70      | HYPRO        | 12        | 0.09        | 1.08      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512HX-G76(UT   | HYPRO        | 12        | 0.09        | 1.08      | 5600        | 12.4           | 0.112             | 26.4         | 18         | 6                  | CE               |               |                |
| 52 X 52 X 10          | AD0512HX-G90      | HYPRO        | 12        | 0.08        | 0.96      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0512LB-G70      | BALL         | 12        | 0.06        | 0.72      | 3900        | 9.4            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512LB-G72      | BALL         | 12        | 0.09        | 1.08      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 2                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512LB-G73      | BALL         | 12        | 0.06        | 0.72      | 3900        | 9.4            | 0.067             | 20.0         | 18         | 3                  | CE               |               |                |
| 52 X 52 X 10          | AD0512MB-G70(S)   | Bor1B1S      | 12        | 0.07        | 0.84      | 4600        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512MB-G73      | BALL         | 12        | 0.10        | 1.20      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 3                  | CE               |               |                |
| 52 X 52 X 10          | AD0512MB-G90(S)   | Bor1B1S      | 12        | 0.07        | 0.84      | 3300        | 8.5            | 0.068             | 24.9         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0512MB-G96(S)   | 1B & 1S      | 12        | 0.07        | 0.84      | 3300        | 8.5            | 0.068             | 24.9         | 24         | 6                  | CE               |               |                |
| 52 X 52 X 10          | AD0512HB-G70(S)   | Bor1B1S      | 12        | 0.09        | 1.08      | 5200        | 11.9           | 0.130             | 28.0         | 18         | 0                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512HB-G72      | BALL         | 12        | 0.11        | 1.32      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 2                  | CE               |               |                |
| 52 X 52 X 10          | AD0512HB-G73(S)   | 1B & 1S      | 12        | 0.09        | 1.08      | 5200        | 11.9           | 0.130             | 28.0         | 18         | 3                  | CE               |               |                |
| 52 X 52 X 10          | AD0512HB-G76      | BALL         | 12        | 0.09        | 1.08      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 6                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512HB-G90(S)   | Bor1B1S      | 12        | 0.08        | 0.96      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0512LS-G70      | S            | 12        | 0.06        | 0.72      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512MS-G70      | S            | 12        | 0.07        | 0.84      | 4600        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512MS-G90      | S            | 12        | 0.08        | 0.96      | 3300        | 8.5            | 0.068             | 24.9         | 24         | 0,6                | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0512HS-G70      | S            | 12        | 0.09        | 1.08      | 5200        | 11.9           | 0.130             | 28.0         | 18         | 0                  | CE               |               |                |
| 52 X 52 X 10          | AD0512HS-G70(T)   | S            | 12        | 0.09        | 1.08      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512HS-G70(U)   | S            | 12        | 0.09        | 1.08      | 5600        | 12.4           | 0.112             | 26.4         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0512HS-G90      | S            | 12        | 0.08        | 0.96      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 0                  | UL,CUL,CE        |               |                |
| 52 X 52 X 10          | AD0512HS-G96      | S            | 12        | 0.08        | 0.96      | 3800        | 9.8            | 0.082             | 28.6         | 24         | 6                  | CE               |               |                |
| 52 X 52 X 10          | AD0524LX-G70      | HYPRO        | 24        | 0.07        | 1.68      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524MX-G70      | HYPRO        | 24        | 0.08        | 1.92      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524HX-G70      | HYPRO        | 24        | 0.09        | 2.16      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524LB-G70      | BALL         | 24        | 0.07        | 1.68      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524LB-G70(S)   | 1B & 1S      | 24        | 0.07        | 1.68      | 3900        | 9.4            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524MB-G70(S)   | Bor1B1S      | 24        | 0.10        | 2.40      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524MB-G90      | BALL         | 24        | 0.06        | 1.44      | 3300        | 8.3            | 1.650             | 27.5         | 50         | 0                  | CE               |               |                |
| 52 X 52 X 10          | AD0524HB-G70      | BALL         | 24        | 0.11        | 2.64      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | CE               |               |                |
| 52 X 52 X 10          | AD0524HB-G70(S)   | 1B & 1S      | 24        | 0.09        | 2.16      | 5200        | 11.8           | 0.130             | 27.0         | 18         | 0,6                | CE               |               |                |
| 52 X 52 X 10          | AD0524HB-G90      | BALL         | 24        | 0.09        | 2.16      | 3800        | 9.8            | 0.082             | 28.6         | 50         | 0                  | CE               |               |                |
| 52 X 52 X 10          | AD0524LS-G70      | S            | 24        | 0.07        | 1.68      | 3700        | 9.0            | 0.060             | 20.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524MS-G70      | S            | 24        | 0.08        | 1.92      | 4300        | 10.5           | 0.100             | 24.0         | 18         | 0                  | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 10          | AD0524HS-G70      | S            | 24        | 0.09        | 2.16      | 5000        | 11.2           | 0.130             | 26.0         | 18         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 52 X 52 X 15          | AD0505HX-D71      | HYPRO        | 5         | 0.26        | 1.30      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505MB-D71      | BALL         | 5         | 0.16        | 0.80      | 3700        | 9.7            | 0.106             | 22.6         | 55         | 1                  | CUL,UL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505HB-D70      | BALL         | 5         | 0.20        | 1.00      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 0                  | CUL,UL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505HB-D71      | BALL         | 5         | 0.26        | 1.30      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | CUL,UL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505MS-D71      | S            | 5         | 0.16        | 0.80      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 1                  | CUL,UL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505HS-D70      | S            | 5         | 0.20        | 1.00      | 4600        | 12.0           | 0.166             | 28.7         | 55         | 0                  | CUL,UL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0505HS-D71      | S            | 5         | 0.26        | 1.30      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | CUL,UL,TUV,CE    | 480           | 46.20          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 52 X 52 X 15          | AD0512MX-D70      | HYPRO        | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 55         | 0                  | UL,CUL,CE        | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MX-D71      | HYPRO        | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MX-D72      | HYPRO        | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 2                  | CE+              | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HX-D71      | HYPRO        | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HX-D76      | HYPRO        | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 6                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0512LB-D70      | BALL         | 12        | 0.06        | 0.72      | 2800        | 6.3            | 0.059             | 14.4         | 55         | 0                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MB-D70      | BALL         | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 55         | 0,6                | UL,CUL,CE        | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MB-D71(S)   | Bor1B1S      | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MB-D72      | BALL         | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 2,3                | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HB-D70      | BALL         | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 55         | 0                  | UL,CUL,CE        | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HB-D71      | Bor1B1S      | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HB-D73      | Bor1B1S      | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 3,6                | CE               | 480           | 46.20          |
| 53 X 52 X 15          | AD0512UB-D71      | BALL         | 12        | 0.11        | 1.32      | 5300        | 13.0           | 0.200             | 35.0         | 36         | 1                  | CE               | 480           | 46.20          |
| 54 X 52 X 15          | AD0512UB-D72      | BALL         | 12        | 0.11        | 1.32      | 5300        | 12.5           | 0.200             | 33.3         | 36         | 2                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MS-D70      | S            | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 55         | 0                  | UL,CUL,CE        | 480           | 46.20          |
| 52 X 52 X 15          | AD0512MS-D71      | S            | 12        | 0.09        | 1.08      | 3700        | 9.7            | 0.106             | 22.6         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HS-D70      | S            | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 55         | 0                  | UL,CUL,CE        | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HS-D71      | S            | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | UL,CUL,TUV,CE    | 480           | 46.20          |
| 52 X 52 X 15          | AD0512HS-D76      | S            | 12        | 0.10        | 1.20      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 6                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0524HX-D71      | HYPRO        | 24        | 0.08        | 1.92      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0524HB-D71      | BALL         | 24        | 0.08        | 1.92      | 4600        | 12.0           | 0.166             | 28.7         | 55         | 1                  | CE               | 480           | 46.20          |
| 52 X 52 X 15          | AD0524HS-D71      | S            | 24        | 0.08        | 1.92      | 4600        | 12.0           | 0.166             | 28.7         | 36         | 1                  | CE               | 480           | 46.20          |
| 60 X 60 X 10          | AD0605LX-G90      | HYPRO        | 5         | 0.15        | 0.75      | 3000        | 11.9           | 0.060             | 23.1         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0605LX-G70      | HYPRO        | 5         | 0.13        | 0.65      | 3500        | 10.0           | 0.060             | 23.0         | 30         | 0                  | CE               | 480           | 35.50          |
| 60 X 60 X 10          | AD0605MX-G70      | HYPRO        | 5         | 0.15        | 0.75      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0605LB-G70      | BALL         | 5         | 0.13        | 0.65      | 3500        | 10.0           | 0.060             | 23.0         | 30         | 0                  | CE               | 480           | 35.50          |
| 60 X 60 X 10          | AD0605MB-G70      | BALL         | 5         | 0.15        | 0.75      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0605HB-G90      | BALL         | 5         | 0.27        | 1.35      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0605LS-G70      | S            | 5         | 0.13        | 0.65      | 3500        | 10.0           | 0.060             | 23.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0605LS-G90      | S            | 5         | 0.14        | 0.70      | 3000        | 11.9           | 0.060             | 23.1         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0605MS-G70      | S            | 5         | 0.15        | 0.75      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0605HS-G90      | S            | 5         | 0.27        | 1.35      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 0                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LX-G70      | HYPRO        | 12        | 0.11        | 1.32      | 3500        | 11.7           | 0.050             | 23.0         | 30         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LX-G76      | HYPRO        | 12        | 0.11        | 1.32      | 3500        | 11.7           | 0.050             | 23.0         | 30         | 6                  | CE               | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MX-G70      | HYPRO        | 12        | 0.13        | 1.56      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0,6                | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MX-G90      | HYPRO        | 12        | 0.12        | 1.44      | 3600        | 14.1           | 0.086             | 28.5         | 30         | 0,6                | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MX-G96      | HYPRO        | 12        | 0.12        | 1.44      | 3600        | 14.1           | 0.086             | 28.5         | 30         | 6                  | CE               | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HX-G70      | HYPRO        | 12        | 0.15        | 1.80      | 4900        | 14.5           | 0.108             | 32.0         | 23         | 0,6                | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HX-G90      | HYPRO        | 12        | 0.14        | 1.68      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 0                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LB-G70(S)   | Bor1B1S      | 12        | 0.11        | 1.32      | 3500        | 11.7           | 0.050             | 23.0         | 30         | 0,6                | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LB-G90      | BALL         | 12        | 0.11        | 1.32      | 3000        | 11.9           | 0.060             | 23.1         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LB-G96      | BALL         | 12        | 0.11        | 1.32      | 3000        | 11.9           | 0.060             | 23.1         | 30         | 6                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MB-G70(S)   | Bor1B1S      | 12        | 0.13        | 1.56      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0,6                | TUV,CE           | 480           | 35.50          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 60 X 60 X 10          | AD0612MB-G90(S)   | Bor1B1S      | 12        | 0.12        | 1.44      | 3600        | 14.1           | 0.086             | 28.5         | 30         | 0,6                | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MB-GA6      | BALL         | 12        | 0.19        | 2.28      | 4000        | 17.3           | 0.127             | 31.7         | 30         | 6                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HB-G70(S)   | Bor1B1S      | 12        | 0.15        | 1.80      | 4900        | 14.5           | 0.108             | 32.0         | 23         | 0,6                | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HB-G90(S)   | Bor1B1S      | 12        | 0.14        | 1.68      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 0                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HB-G96(S)   | 1B & 1S      | 12        | 0.14        | 1.68      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 6                  | CE               | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HB-GA6(S)   | 1B & 1S      | 12        | 0.25        | 3.00      | 4600        | 21.0           | 0.165             | 35.8         | 30         | 6                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LS-G70      | S            | 12        | 0.11        | 1.32      | 3500        | 11.7           | 0.050             | 23.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LS-G90      | S            | 12        | 0.11        | 1.32      | 300         | 11.9           | 0.060             | 23.1         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0612LS-G96      | S            | 12        | 0.11        | 1.32      | 300         | 11.9           | 0.060             | 23.1         | 30         | 6                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612MS-G70      | S            | 12        | 0.13        | 1.56      | 4200        | 12.0           | 0.090             | 28.0         | 23         | 0,6                | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HS-G90      | S            | 12        | 0.15        | 1.80      | 4900        | 14.5           | 0.108             | 32.0         | 23         | 0                  | TUV,CE           | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HS-G96      | S            | 12        | 0.15        | 1.80      | 4900        | 14.5           | 0.108             | 32.0         | 23         | 6                  | UL,CUL,TUV,CE    | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HS-G90      | S            | 12        | 0.14        | 1.68      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 0                  | UL,CUL,CE        | 480           | 35.50          |
| 60 X 60 X 10          | AD0612HS-G96      | S            | 12        | 0.14        | 1.68      | 4200        | 16.6           | 0.115             | 32.8         | 30         | 6                  | CE               | 480           | 35.50          |
| 60 X 60 X 15          | AD0605LB-D70GL    | BALL         | 5         | 0.20        | 1.00      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 0,1                | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0605MB-D71GL    | BALL         | 5         | 0.25        | 1.25      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 1,2,3              | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0605HB-D70GL    | BALL         | 5         | 0.25        | 1.25      | 4500        | 15.7           | 0.163             | 33.2         | 38         | 0                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0605HB-D71GL    | BALL         | 5         | 0.37        | 1.85      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 1,2                | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0605HB-D73GL    | BALL         | 5         | 0.37        | 1.85      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 3                  | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0605MS-D71GL    | S            | 5         | 0.25        | 1.25      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 1                  | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0605HS-D70GL    | S            | 5         | 0.25        | 1.25      | 4500        | 15.7           | 0.163             | 33.2         | 38         | 0                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0605HS-D71GL    | S            | 5         | 0.37        | 1.85      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 1                  | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612DX-D70GL    | HYPRO        | 12        | 0.07        | 0.84      | 3100        | 12.2           | 0.086             | 24.9         | 38         | 0,6                | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612LX-D70GL    | HYPRO        | 12        | 0.09        | 1.08      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 0                  | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612LX-D76GL    | HYPRO        | 12        | 0.09        | 1.08      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 6                  | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MX-D70GL    | HYPRO        | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 0,1,2,3            | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MX-D76GL    | B,S,or X     | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 6                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0612HX-D70GL    | HYPRO        | 12        | 0.13        | 1.56      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 0,1,6              | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612HX-D72GL    | HYPRO        | 12        | 0.13        | 1.56      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 2,3                | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612DB-D70GL    | BALL         | 12        | 0.07        | 0.84      | 3100        | 12.2           | 0.086             | 24.9         | 38         | 0,2                | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0612DB-D70(T)   | BALL         | 12        | 0.07        | 0.84      | 3100        | 10.7           | 0.086             | 23.8         | 38         | 0,6                | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612LB-D70GL    | BALL         | 12        | 0.09        | 1.08      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 0,1                | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612LB-D76GL    | BALL         | 12        | 0.09        | 1.08      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 6                  | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MB-D70GL    | BALL         | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 0,1,3              | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MB-D76GL    | BALL         | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 6                  | UL,CUL,CE        | 300           | 25.70          |
| 60 X 60 X 15          | AD0612HB-D70GL    | BALL         | 12        | 0.13        | 1.56      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 0,1,2,3,6          | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612UB-D71GL    | BALL         | 12        | 0.16        | 1.92      | 5100        | 18.0           | 0.176             | 39.3         | 38         | 1,2,6              | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612UB-D73GL    | BALL         | 12        | 0.16        | 1.92      | 5100        | 18.0           | 0.176             | 39.3         | 38         | 3                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0612UB-D96      | BALL         | 12        | 0.31        | 3.72      | 6000        | 28.5           | 0.231             | 40.4         | 38         | 6                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0612LS-D70GL    | S            | 12        | 0.09        | 1.08      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 0,1                | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MS-D70GL    | S            | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 0,1,6              | UL,CUL,TUV,CE    | 300           | 25.70          |
| 60 X 60 X 15          | AD0612MS-D72GL    | S            | 12        | 0.11        | 1.32      | 3900        | 14.2           | 0.118             | 28.8         | 38         | 2                  | CE               | 300           | 25.70          |
| 60 X 60 X 15          | AD0612HS-D70GL    | S            | 12        | 0.13        | 1.56      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 0,1,6              | UL,CUL,TUV,CE    | 300           | 25.70          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 15          | AD0612HS-D73GL    | S            | 12        | 0.13        | 1.56      | 4500        | 16.6           | 0.152             | 32.4         | 38         | 3                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624LX-D70GL    | HYPRO        | 24        | 0.05        | 1.20      | 3500        | 12.0           | 0.010             | 27.2         | 38         | 0                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MX-D71GL    | HYPRO        | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 1                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HX-D71GL    | HYPRO        | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 1                  | TUV,CE            | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MB-D70GL    | BALL         | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 0                  | UL,CUL,CE         | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MB-D71GL    | BALL         | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 1                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MB-D72GL    | BALL         | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 2                  | TUV,CE            | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HB-D70GL    | BALL         | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 0,6                | UL,CUL,CE         | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HB-D71GL    | BALL         | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 1,2                | TUV,CE            | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HB-D73GL    | BALL         | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 3                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624LS-D70GL    | S            | 24        | 0.05        | 1.20      | 3500        | 13.0           | 0.110             | 27.2         | 38         | 0                  | CE                | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MS-D70GL    | S            | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 0                  | UL,CUL,CE         | 300           | 25.70          |
| 60 X 60 X 15          | AD0624MS-D71GL    | S            | 24        | 0.07        | 1.68      | 3900        | 15.0           | 0.138             | 30.7         | 38         | 1                  | TUV,CE            | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HS-D70GL    | S            | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 0                  | UL,CUL,CE         | 300           | 25.70          |
| 60 X 60 X 15          | AD0624HS-D71GL    | S            | 24        | 0.09        | 2.16      | 4500        | 17.0           | 0.173             | 33.3         | 38         | 1                  | TUV,CE            | 300           | 25.70          |
| 60 X 60 X 20          | AD0605HX-C70GL    | HYPRO        | 5         | 0.25        | 1.25      | 4500        | 16.3           | 0.156             | 29.8         | 49         | 0                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0605MB-C70GL    | BALL         | 5         | 0.24        | 1.20      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0605HB-C70GL    | BALL         | 5         | 0.30        | 1.50      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0                  | TUV,CE            | 300           | 40.00          |
| 60 X 60 X 20          | AD0605HB-C72GL    | BALL         | 5         | 0.30        | 1.50      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 2                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0605HS-C70GL    | HYPRO        | 5         | 0.30        | 1.50      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612DX-C76GL    | HYPRO        | 12        | 0.07        | 0.84      | 3000        | 10.7           | 0.054             | 18.4         | 49         | 6                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LX-C70GL    | HYPRO        | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 0,6                | UL,CSA,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MX-C70GL    | HYPRO        | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0                  | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MX-C72GL    | HYPRO        | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 2,3,6              | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HX-C70GL    | HYPRO        | 12        | 0.16        | 1.92      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0                  | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HX-C72GL    | HYPRO        | 12        | 0.16        | 1.92      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 2                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HX-C73GL    | HYPRO        | 12        | 0.16        | 1.92      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 3,6                | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612DB-C76GL    | BALL         | 12        | 0.07        | 0.84      | 3000        | 10.7           | 0.054             | 18.4         | 49         | 6                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LB-C70GL    | BALL         | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 0,1                | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LB-C73GL    | BALL         | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 3                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LB-C76GL    | BALL         | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 6                  | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MB-C70GL    | BALL         | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0,3                | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MB-C72GL    | BALL         | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 2,6                | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HB-C70GL    | BALL         | 12        | 0.16        | 1.92      | 4600        | 16.4           | 0.139             | 29.7         | 49         | 0,1,6              | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HB-C72GL    | BALL         | 12        | 0.16        | 1.92      | 4600        | 16.4           | 0.139             | 29.7         | 49         | 2,3                | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612UB-C71GL    | BALL         | 12        | 0.17        | 2.04      | 5100        | 18.7           | 0.160             | 34.6         | 49         | 1                  | CE                | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LS-C70GL    | S            | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 0                  | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LS-C71GL    | S            | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 1                  | UL,CUL,TUV,CSA,CE | 300           | 40.00          |
| 60 X 60 X 20          | AD0612LS-C76GL    | S            | 12        | 0.08        | 0.96      | 3500        | 13.3           | 0.096             | 21.6         | 49         | 6                  | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MS-C70GL    | S            | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0,1,6              | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612MS-C72GL    | S            | 12        | 0.13        | 1.56      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 2,3                | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HS-C70GL    | BALL         | 12        | 0.16        | 1.92      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0,1,6              | UL,TUV,CSA,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0612HS-C72GL    | BALL         | 12        | 0.16        | 1.92      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 2,3                | UL,CUL,CE         | 300           | 40.00          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 20          | AD0624MX-C70GL    | HYPRO        | 24        | 0.08        | 1.92      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0                  | UL,CUL,TUV,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0624HX-C70GL    | HYPRO        | 24        | 0.09        | 2.16      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0                  | UL,CUL,TUV,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0624MB-C70GL    | BALL         | 24        | 0.08        | 1.92      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0                  | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0624HB-C70GL    | BALL         | 24        | 0.09        | 2.16      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0,1                | UL,CUL,TUV,CE     | 300           | 40.00          |
| 60 X 60 X 20          | AD0624HB-C70(T)   | BALL         | 24        | 0.09        | 2.16      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0,6                | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0624MS-C70GL    | S            | 24        | 0.08        | 1.92      | 3900        | 14.5           | 0.111             | 25.7         | 49         | 0                  | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 20          | AD0624HS-C70GL    | S            | 24        | 0.09        | 2.16      | 4500        | 16.4           | 0.139             | 29.7         | 49         | 0                  | UL,CUL,TUV,CE     | 300           | 40.00          |
| 60 X 60 X 25          | AD0605MX-A70GL    | HYPRO        | 5         | 0.32        | 1.60      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0                  | UL,CUL,CE         | 300           | 44.00          |
| 60 X 60 X 25          | AD0605MB-A70GL    | BALL         | 5         | 0.32        | 1.60      | 3500        | 18.0           | 0.188             | 24.0         | 68         | 0                  | UL,TUV,CE         | 300           | 40.00          |
| 60 X 60 X 25          | AD0605HB-A70GL    | BALL         | 5         | 0.45        | 2.25      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,2                | TUV,CE            | 300           | 44.00          |
| 60 X 60 X 25          | AD0605HB-A73GL    | BALL         | 5         | 0.45        | 2.25      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 3                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0605MS-A70GL    | S            | 5         | 0.32        | 1.60      | 3500        | 18.0           | 0.188             | 24.0         | 68         | 0                  | UL,CUL,CE         | 300           | 40.00          |
| 60 X 60 X 25          | AD0605HS-A71GL    | S            | 5         | 0.60        | 3.00      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 1                  | CE                | 300           | 40.00          |
| 60 X 60 X 25          | AD0612LX-A70GL    | HYPRO        | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LX-A72GL    | HYPRO        | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 2,3                | UL,TUV,CSA,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MX-A70GL    | HYPRO        | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.188             | 24.0         | 68         | 0,6                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MX-A73GL    | HYPRO        | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.188             | 24.0         | 68         | 3                  | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HX-A70GL    | HYPRO        | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,1,2              | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HX-A73GL    | HYPRO        | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 3,6                | UL,TUV,CSA,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UX-A70GL    | HYPRO        | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 0                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UX-A71GL    | HYPRO        | 12        | 0.27        | 3.24      | 5300        | 28.3           | 0.250             | 37.0         | 68         | 1                  | UL,CUL,CE         | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UX-A72GL    | HYPRO        | 12        | 0.27        | 3.24      | 5300        | 28.3           | 0.250             | 37.0         | 68         | 2,3                | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LB-A70GL    | BALL         | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LB-A70(T)   | BALL         | 12        | 0.08        | 0.96      | 2300        | 10.7           | 0.041             | 14.5         | 68         | 0,6                | UL,TUV,CSA,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MB-A70GL    | BALL         | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0                  | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MB-A71GL    | BALL         | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 1                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MB-A72GL    | BALL         | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 2,3                | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MB-A76GL    | BALL         | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 6                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HB-A70GL    | BALL         | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HB-A72GL    | BALL         | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 2,3,6              | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UB-A70GL    | BALL         | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UB-A71GL    | BALL         | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 1                  | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UB-A72GL    | BALL         | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 2,3                | UL,CUL,CE         | 300           | 44.00          |
| 60 X 60 X 25          | AD0612UB-A76GL    | BALL         | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 6                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612XB-A71GL    | BALL         | 12        | 0.38        | 4.56      | 6100        | 31.4           | 0.320             | 42.9         | 68         | 1,2,3              | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612XB-A72/UP   | BALL         | 12        | 0.65        | 7.80      | 7400        | 38.1           | 0.500             | 47.8         | 68         | 2                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LS-A70GL    | S            | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LS-A73GL    | S            | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 3                  | UL,CUL,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0612LS-A76GL    | S            | 12        | 0.08        | 0.96      | 2500        | 13.2           | 0.063             | 16.1         | 68         | 6                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MS-A70GL    | S            | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612MS-A76GL    | S            | 12        | 0.14        | 1.68      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 6                  | TUV,CE            | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HS-A70GL    | S            | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0612HS-A72GL    | S            | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 2,6                | CE                | 300           | 44.00          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 25          | AD0612HS-A73GL    | S            | 12        | 0.23        | 2.76      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 3                  | UL,CE             | 300           | 44.00          |
| 60 X 60 X 25          | AD0612US-A70GL    | S            | 12        | 0.25        | 3.00      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 0,6                | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0612US-A71GL    | S            | 12        | 0.27        | 3.24      | 5300        | 28.3           | 0.250             | 37.0         | 68         | 1                  | TUV,CE            | 300           | 44.00          |
| 60 X 60 X 25          | AD0612US-A73GL    | S            | 12        | 0.27        | 3.24      | 5300        | 28.3           | 0.250             | 37.0         | 68         | 3                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624MX-A70GL    | HYPRO        | 24        | 0.08        | 1.92      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624MX-A76GL    | HYPRO        | 24        | 0.08        | 1.92      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 6                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HX-A70GL    | HYPRO        | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HX-A72GL    | HYPRO        | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 2                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624UX-A71GL    | HYPRO        | 24        | 0.16        | 3.84      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 1,2                | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624LB-A70GL    | BALL         | 24        | 0.05        | 1.20      | 2500        | 16.0           | 0.079             | 16.1         | 68         | 0                  | UL,CUL,CE         | 300           | 44.00          |
| 60 X 60 X 25          | AD0624MB-A70GL    | BALL         | 24        | 0.08        | 1.92      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HB-A70GL    | BALL         | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HB-A71GL    | BALL         | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 1                  | UL,CSA,TUV,CE     | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HB-A72GL    | BALL         | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 2,3                | UL,CUL,CE         | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HB-A76GL    | BALL         | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 6                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624UB-A70GL    | BALL         | 24        | 0.16        | 3.84      | 5000        | 26.5           | 0.204             | 38.1         | 68         | 0,1,2,3            | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624LS-A70GL    | S            | 24        | 0.05        | 1.20      | 2500        | 16.0           | 0.079             | 16.1         | 68         | 0                  | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624MS-A70GL    | S            | 24        | 0.08        | 1.92      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624MS-A72GL    | S            | 24        | 0.08        | 1.92      | 3500        | 18.0           | 0.118             | 24.0         | 68         | 2                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HS-A70GL    | S            | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 0,1                | UL,CUL,TUV,CSA,CE | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HS-A72GL    | S            | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 2                  | CE                | 300           | 44.00          |
| 60 X 60 X 25          | AD0624HS-A73GL    | S            | 24        | 0.15        | 3.60      | 4500        | 23.2           | 0.188             | 32.3         | 68         | 3                  | UL,CE             | 300           | 44.00          |
| 60 X 60 X 25          | AD0624US-A71GL    | S            | 24        | 0.16        | 3.84      | 5000        | 28.3           | 0.250             | 37.0         | 68         | 1                  | TUV,CE            | 300           | 44.00          |
| 70 X 70 X 15          | AD0712HB-DA6      | BALL         | 12        | 0.27        | 3.24      | 4200        | 32.3           | 0.164             | 37.3         | 54         | 6                  | CE                |               |                |
| 70 X 70 X 15          | AD0712UB-DA6      | BALL         | 12        | 0.30        | 3.60      | 4500        | 34.8           | 0.193             | 43.4         | 54         | 6                  | CE                |               |                |
| 70 X 70 X 25          | AD0705MX-A76GL    | HYPRO        | 5         | 0.30        | 1.50      | 3800        | 31.0           | 0.176             | 32.0         | 61         | 6                  | CE                |               |                |
| 70 X 70 X 25          | AD0705MB-A76GL    | BALL         | 5         | 0.30        | 1.50      | 3800        | 31.0           | 0.176             | 32.0         | 61         | 6                  | CE                |               |                |
| 70 X 70 X 25          | AD0712-LX-A70GL   | HYPRO        | 12        | 0.12        | 1.44      | 3300        | 27.0           | 0.134             | 28.0         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712-MX-A70GL   | HYPRO        | 12        | 0.16        | 1.92      | 3800        | 31.0           | 0.176             | 32.0         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712-HX-A70GL   | HYPRO        | 12        | 0.19        | 2.28      | 4200        | 34.0           | 0.217             | 35.5         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712LB-A70GL    | BALL         | 12        | 0.12        | 1.44      | 3300        | 27.0           | 0.134             | 28.0         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712MB-A70GL    | BALL         | 12        | 0.16        | 1.92      | 3800        | 31.0           | 0.176             | 32.0         | 61         | 0,6                | CE                |               |                |
| 70 X 70 X 25          | AD0712HB-A70GL    | BALL         | 12        | 0.19        | 2.28      | 4200        | 34.0           | 0.217             | 35.5         | 61         | 0,6                | CE                |               |                |
| 70 X 70 X 25          | AD0712UB-A76GL    | BALL         | 12        | 0.24        | 2.88      | 4500        | 38.4           | 0.239             | 37.8         | 61         | 6                  | CE                |               |                |
| 70 X 70 X 25          | AD0712LS-A70GL    | S            | 12        | 0.12        | 1.44      | 3300        | 27.0           | 0.134             | 28.0         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712MS-A70GL    | S            | 12        | 0.16        | 1.92      | 3800        | 31.0           | 0.176             | 32.0         | 61         | 0                  | CE                |               |                |
| 70 X 70 X 25          | AD0712HS-A70GL    | S            | 12        | 0.19        | 2.28      | 4200        | 34.0           | 0.217             | 35.5         | 61         | 0,6                | CE                |               |                |
| 70 X 70 X 25          | AD0712US-A76GL    | S            | 12        | 0.24        | 2.88      | 4500        | 38.4           | 0.239             | 37.8         | 61         | 6                  | CE                |               |                |
| 70 X 70 X 25          | AD0724HB-A70GL    | BALL         | 24        | 0.13        | 3.12      | 4200        | 34.0           | 0.218             | 35.5         | 61         | 0                  | CE                |               |                |
| 75 X 75 X 30          | AD7512MX          | HYPRO        | 12        | 0.20        | 2.40      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0                  | CE                |               |                |
| 75 X 75 X 30          | AD7512HX          | HYPRO        | 12        | 0.30        | 3.60      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 1                  | UL,CUL,CE         |               |                |
| 75 X 75 X 30          | AD7512HX          | HYPRO        | 12        | 0.30        | 3.60      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 3                  | CE                |               |                |
| 75 X 75 X 30          | AD7512UX          | HYPRO        | 12        | 0.55        | 6.60      | 4200        | 13.1           | 0.822             | 44.7         | 80         | 0,2,3              | CE                |               |                |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 75 X 75 X 30          | AD7512LB          | BALL         | 12        | 0.11        | 1.32      | 2200        | 6.9            | 0.190             | 29.0         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7512MB          | BALL         | 12        | 0.15        | 1.80      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0,3                | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7512HB          | BALL         | 12        | 0.24        | 2.88      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 0,2,3              | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7512UB          | BALL         | 12        | 0.52        | 6.24      | 4200        | 13.1           | 0.822             | 44.7         | 80         | 0,2,3              | CE               |               |                |
| 75 X 75 X 30          | AD7512MS          | S            | 12        | 0.20        | 2.40      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0                  | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7512HS          | S            | 12        | 0.30        | 3.60      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 0,2                | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7524MX          | HYPRO        | 24        | 0.14        | 3.36      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7524HX          | HYPRO        | 24        | 0.20        | 4.80      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7524UX          | HYPRO        | 24        | 0.27        | 6.48      | 4200        | 13.1           | 0.822             | 44.7         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7524MB          | BALL         | 24        | 0.14        | 3.36      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0                  | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7524HB          | BALL         | 24        | 0.16        | 3.84      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 0                  | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7524UB          | BALL         | 24        | 0.27        | 6.48      | 4200        | 13.1           | 0.822             | 44.7         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7524LS          | S            | 24        | 0.12        | 2.88      | 2200        | 6.9            | 0.190             | 29.0         | 80         | 0                  | CE               |               |                |
| 75 X 75 X 30          | AD7524MS          | S            | 24        | 0.14        | 3.36      | 2600        | 7.8            | 0.228             | 34.9         | 80         | 0                  | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7524HS          | S            | 24        | 0.16        | 3.84      | 3000        | 10.3           | 0.350             | 38.5         | 80         | 0                  | UL,CUL,CE        |               |                |
| 75 X 75 X 30          | AD7524US          | S            | 24        | 0.27        | 6.48      | 4200        | 13.1           | 0.822             | 44.7         | 80         | 0                  | CE               |               |                |
| 80 X 80 X 15          | AD0805MX-D71      | HYPRO        | 5         | 0.24        | 1.20      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,CE        | 200           | 32.34          |
| 80 X 80 X 15          | AD0805HX-D71      | HYPRO        | 5         | 0.43        | 2.15      | 3200        | 29.9           | 0.129             | 31.4         | 63         | 1                  | UL,CUL,CE        | 200           | 32.34          |
| 80 X 80 X 15          | AD0805MB-D71      | BALL         | 5         | 0.24        | 1.20      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.24          |
| 80 X 80 X 15          | AD0805HB-D70      | BALL         | 5         | 0.40        | 2.00      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 0                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0805HB-D71      | BALL         | 5         | 0.43        | 2.15      | 3200        | 29.9           | 0.129             | 31.4         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0805MS-D71      | S            | 5         | 0.24        | 1.20      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0805HS-D70      | S            | 5         | 0.40        | 2.00      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 0                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0805HS-D71      | S            | 5         | 0.43        | 2.15      | 3200        | 29.9           | 0.129             | 31.4         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812LX-D70      | HYPRO        | 12        | 0.09        | 1.08      | 2000        | 20.0           | 0.050             | 19.6         | 63         | 0                  | UL,CUL,TUV,CE    | 200           | 32.24          |
| 80 X 80 X 15          | AD0812MX-D70      | HYPRO        | 12        | 0.12        | 1.44      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 0,6                | UL,CUL,TUV,CE    |               |                |
| 80 X 80 X 15          | AD0812MX-D71      | HYPRO        | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MX-D73      | HYPRO        | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 3                  | CE               |               |                |
| 80 X 80 X 15          | AD0812HX-D70      | HYPRO        | 12        | 0.18        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 0,6                | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HX-D71      | HYPRO        | 12        | 0.19        | 2.28      | 3200        | 28.0           | 0.107             | 28.1         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HX-D73      | HYPRO        | 12        | 0.19        | 2.28      | 3200        | 28.0           | 0.107             | 28.1         | 63         | 3                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0812LB-D70      | BALL         | 12        | 0.09        | 1.08      | 2000        | 20.0           | 0.050             | 19.6         | 63         | 0,6                | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812LB-D73      | BALL         | 12        | 0.09        | 1.08      | 2000        | 20.0           | 0.050             | 19.6         | 63         | 3                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MB-D70      | BALL         | 12        | 0.12        | 1.44      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 0,6                | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MB-D71      | BALL         | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MB-D73      | BALL         | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 3                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MB-D74      | BALL         | 12        | 0.08        | 0.96      | 2440        | 22.1           | 0.087             | 25.4         | 63         | 4                  | UL,CUL,CE        | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HB-D70      | BALL         | 12        | 0.18        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 0,6                | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HB-D71      | BALL         | 12        | 0.19        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 1                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HB-D72      | BALL         | 12        | 0.19        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 2                  | CE               | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HB-D73      | BALL         | 12        | 0.19        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 3                  | TUV,CE           | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HB-D74      | BALL         | 12        | 0.17        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 4                  | UL,CUL,TUV,CE    | 200           | 32.34          |
| 80 X 80 X 15          | AD0812LS-D70      | S            | 12        | 0.09        | 1.08      | 2000        | 20.0           | 0.050             | 19.6         | 63         | 0,6                | UL,CUL,TUV,CE    | 200           | 32.34          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 15          | AD0812MS-D70      | S            | 12        | 0.12        | 1.44      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 0,6                | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MS-D71      | S            | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0812MS-D73      | S            | 12        | 0.15        | 1.80      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 3                  | CE                | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HS-D70      | S            | 12        | 0.18        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 0,6                | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HS-D71      | S            | 12        | 0.19        | 2.28      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 1                  | UL,CUL,CE         | 200           | 32.34          |
| 80 X 80 X 15          | AD0812HS-D73      | S            | 12        | 0.18        | 2.16      | 3200        | 29.9           | 0.129             | 33.4         | 63         | 3                  | CE                | 200           | 32.34          |
| 80 X 80 X 15          | AD0824MX-D71      | HYPRO        | 24        | 0.10        | 2.40      | 2440        | 21.0           | 0.070             | 27.0         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0824HX-D71      | HYPRO        | 24        | 0.13        | 3.12      | 3200        | 29.0           | 0.116             | 33.5         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0824MB-D71      | BALL         | 24        | 0.10        | 2.40      | 2440        | 21.0           | 0.070             | 27.0         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0824HB-D70      | BALL         | 24        | 0.13        | 3.12      | 3200        | 32.0           | 0.131             | 33.6         | 63         | 0                  | CE                | 200           | 32.34          |
| 80 X 80 X 15          | AD0824HB-D71      | BALL         | 24        | 0.13        | 3.12      | 3200        | 32.0           | 0.131             | 33.6         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0824MS-D70      | S            | 24        | 0.08        | 1.92      | 2440        | 22.4           | 0.083             | 26.0         | 63         | 0                  | CE                | 200           | 32.34          |
| 80 X 80 X 15          | AD0824MS-D71      | S            | 24        | 0.10        | 2.40      | 2440        | 21.0           | 0.070             | 27.0         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 15          | AD0824HS-D71      | S            | 24        | 0.13        | 3.12      | 3200        | 29.0           | 0.116             | 33.5         | 63         | 1                  | UL,CUL,TUV,CE     | 200           | 32.34          |
| 80 X 80 X 20          | AD0805HX-C72      | HYPRO        | 5         | 0.32        | 3.84      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0805HB-C70      | BALL         | 5         | 0.43        | 5.16      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0805HB-C71      | BALL         | 5         | 0.32        | 3.84      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 1,2                | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812LX-C70      | HYPRO        | 12        | 0.10        | 1.20      | 2000        | 18.9           | 0.059             | 17.7         | 70         | 0                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MX-C70      | HYPRO        | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 0                  | UL,CUL,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MX-C76      | HYPRO        | 12        | 0.16        | 1.92      | 2440        | 21.8           | 0.085             | 25.0         | 70         | 6                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HX-C70      | HYPRO        | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0                  | UL,CUL,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HX-C72      | HYPRO        | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 2,3                | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812UX-C72      | HYPRO        | 12        | 0.29        | 3.48      | 4200        | 38.9           | 0.234             | 40.7         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812LB-C70      | BALL         | 12        | 0.10        | 1.20      | 2100        | 19.3           | 0.067             | 22.4         | 70         | 0                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812LB-C76      | BALL         | 12        | 0.10        | 1.20      | 2100        | 27.3           | 0.128             | 31.4         | 70         | 6                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MB-C70      | BALL         | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 0,6                | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MB-C71      | BALL         | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MB-C72      | BALL         | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 2,3                | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HB-C70      | BALL         | 12        | 0.24        | 2.88      | 3100        | 28.8           | 0.138             | 32.4         | 70         | 0,6                | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HB-C71      | BALL         | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 1                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HB-C72      | BALL         | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 2,3                | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812UB-C72      | BALL         | 12        | 0.29        | 3.48      | 4200        | 38.9           | 0.234             | 40.7         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812LS-C70      | S            | 12        | 0.24        | 2.88      | 2040        | 27.3           | 0.128             | 31.4         | 70         | 0                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 20          | AD0812LS-C76      | S            | 12        | 0.10        | 1.20      | 2040        | 27.3           | 0.128             | 31.4         | 70         | 6                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MS-C70      | S            | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MS-C71      | S            | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MS-C72      | S            | 12        | 0.16        | 1.92      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812MS-C76      | S            | 12        | 0.16        | 1.92      | 2400        | 21.8           | 0.085             | 25.0         | 70         | 6                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HS-C70      | S            | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0,6                | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HS-C70(UT)  | S            | 12        | 0.24        | 2.88      | 3750        | 33.5           | 0.194             | 34.0         | 70         | 0,6                | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HS-C71      | S            | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 20          | AD0812HS-C72      | S            | 12        | 0.24        | 2.88      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0824MX-C70      | HYPRO        | 24        | 0.13        | 3.12      | 2440        | 22.1           | 2.210             | 25.4         | 66         | 0,1,2,3            | UL,CUL,TUV,CSA,CE | 200           | 35.20          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 20          | AD0824HX-C70      | HYPRO        | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0                  | UL,CUL,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 20          | AD0824MB-C70      | BALL         | 24        | 0.13        | 3.12      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0824MB-C71      | BALL         | 24        | 0.13        | 3.12      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 20          | AD0824HB-C70      | BALL         | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0824HB-C71      | BALL         | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 1                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 20          | AD0824HB-C72      | BALL         | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 2                  | CE                | 200           | 35.20          |
| 80 X 80 X 20          | AD0824MS-C70      | S            | 24        | 0.13        | 3.12      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0824MS-C71      | S            | 24        | 0.13        | 3.12      | 2440        | 22.1           | 0.087             | 25.4         | 70         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 20          | AD0824HS-C70      | S            | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 20          | AD0824HS-C71      | S            | 24        | 0.15        | 3.60      | 3010        | 27.3           | 0.128             | 31.4         | 70         | 1                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812DX-A70GL    | HYPRO        | 12        | 0.08        | 0.96      | 1600        | 20.5           | 0.051             | 14.0         | 86         | 0,1,2              | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LX-A70GL    | HYPRO        | 12        | 0.12        | 1.44      | 2030        | 25.0           | 0.090             | 22.0         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LX-A72GL    | HYPRO        | 12        | 0.12        | 1.44      | 2030        | 25.0           | 0.090             | 22.0         | 86         | 2                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LX-A73GL    | HYPRO        | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 3                  | UL,TUV,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LX-A76GL    | HYPRO        | 12        | 0.12        | 1.44      | 2030        | 25.0           | 0.090             | 22.0         | 86         | 6                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MX-A70GL    | HYPRO        | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MX-A71GL    | HYPRO        | 12        | 0.15        | 1.80      | 2450        | 31.5           | 0.115             | 27.6         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MX-A76GL    | HYPRO        | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 6                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HX-A70GL    | HYPRO        | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 0,6                | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HX-A71GL    | HYPRO        | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HX-A72GL    | HYPRO        | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 2,3                | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UX-A70GL    | HYPRO        | 12        | 0.50        | 6.00      | 3700        | 48.3           | 0.268             | 40.0         | 86         | 0                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UX-A71GL    | HYPRO        | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 1                  | TUV,CE            | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UX-A72GL    | HYPRO        | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 2,3                | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812DB-A70GL    | BALL         | 12        | 0.08        | 0.96      | 1600        | 20.5           | 0.050             | 15.0         | 86         | 0,1,3              | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LB-A70GL    | BALL         | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 0,6                | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LB-A71GL    | BALL         | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LB-A72GL    | BALL         | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 2,3                | UL,TUV,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MB-A70GL    | BALL         | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MB-A70TS    | BALL         | 12        | 0.15        | 1.80      | 2700        | 33.0           | 0.130             | 29.0         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MB-A71GL    | BALL         | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 1,2                | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MB-A73GL    | BALL         | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 3                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MB-A76GL    | BALL         | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 6                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HB-A70GL    | BALL         | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 0,1                | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HB-A72GL    | BALL         | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 2,3                | UL,TUV,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HB-A74GL    | BALL         | 12        | 0.29        | 3.48      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 4                  | TUV,CE            | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HB-A76GL    | BALL         | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 6                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UB-A70GL    | BALL         | 12        | 0.30        | 3.60      | 3400        | 43.8           | 0.190             | 40.0         | 86         | 0                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UB-A71GL    | BALL         | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 1                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UB-A72GL    | BALL         | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 2                  | UL,CUL,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812UB-A73GL    | BALL         | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 3                  | UL,CUL,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812DS-A70GL    | S            | 12        | 0.08        | 0.96      | 1600        | 20.5           | 0.050             | 15.0         | 86         | 0,6                | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LS-A70GL    | S            | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 25          | AD0812LS-A71GL    | S            | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LS-A73GL    | S            | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 3                  | UL,TUL,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812LS-A76GL    | S            | 12        | 0.12        | 1.44      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 6                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MS-A70GL    | S            | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MS-A71GL    | S            | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 1,2                | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MS-A73GL    | S            | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 3                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0812MS-A76GL    | S            | 12        | 0.15        | 1.80      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 6                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HS-A70GL    | S            | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HS-A71GL    | S            | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1                  | UL,TUL,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HS-A72GL    | S            | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 2,3                | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0812HS-A76GL    | S            | 12        | 0.25        | 3.00      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 6                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0812US-A70GL    | S            | 12        | 0.38        | 4.56      | 3700        | 46.7           | 0.226             | 38.5         | 86         | 0                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812US-A71GL    | S            | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 1                  | TUV,CE            | 200           | 35.20          |
| 80 X 80 X 25          | AD0812US-A73GL    | S            | 12        | 0.45        | 5.40      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 3                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0812US-A76GL    | S            | 12        | 0.38        | 4.56      | 3700        | 46.7           | 0.226             | 38.5         | 86         | 6                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LX-A70GL    | HYPRO        | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 0                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MX-A70GL    | HYPRO        | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MX-A72GL    | HYPRO        | 24        | 0.09        | 2.16      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 2                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HX-A70GL    | HYPRO        | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.166             | 34.0         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HX-A71GL    | HYPRO        | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.166             | 34.0         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HX-A72GL    | HYPRO        | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.166             | 34.0         | 86         | 2                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824UX-A71GL    | HYPRO        | 24        | 0.26        | 6.24      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 0,1,2,3            | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LB-A70GL    | BALL         | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LB-A71GL    | BALL         | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LB-A73GL    | BALL         | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 3                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MB-A70GL    | BALL         | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MB-A71GL    | BALL         | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 1                  | UL,CUL,TUV,CSA,CE | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MB-A73GL    | BALL         | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 3                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HB-A70GL    | BALL         | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HB-A71GL    | BALL         | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HB-A72GL    | BALL         | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 2                  | UL,TUV,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HB-A73GL    | BALL         | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 3                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HB-A76GL    | BALL         | 24        | 0.16        | 3.84      | 3200        | 40.0           | 0.171             | 35.0         | 86         | 6                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824UB-A71GL    | BALL         | 24        | 0.26        | 6.24      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 1                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824UB-A72GL    | BALL         | 24        | 0.26        | 6.24      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 2                  | UL,CUL,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824UB-A73GL    | BALL         | 24        | 0.26        | 6.24      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 3                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LS-A70GL    | S            | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 0,1                | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824LS-A76GL    | S            | 24        | 0.09        | 2.16      | 2030        | 26.2           | 0.078             | 22.5         | 86         | 6                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MS-A70GL    | S            | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MS-A71GL    | S            | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 1                  | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MS-A72GL    | S            | 24        | 0.10        | 2.40      | 2440        | 31.4           | 0.114             | 28.3         | 86         | 2                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824MS-A76GL    | S            | 24        | 0.10        | 2.40      | 2400        | 30.0           | 0.100             | 27.0         | 86         | 6                  | UL,CE             | 200           | 35.20          |
| 80 X 80 X 25          | AD0824HS-A70GL    | S            | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 0                  | UL,TUV,CSA,CE     | 200           | 35.20          |

NOTE B=Ball S=Sleeve X=Hypro AT=Terminals AW=Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 25          | AD0824HS-A71GL    | S            | 24        | 0.16        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1,2                | UL,CSA,CE         | 200           | 35.20          |
| 80 X 80 X 25          | AD0824US-A70GL    | S            | 24        | 0.29        | 6.96      | 4100        | 52.5           | 0.253             | 42.0         | 86         | 0                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0824US-A71GL    | S            | 24        | 0.26        | 6.24      | 3900        | 50.0           | 0.279             | 41.0         | 86         | 1                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0848HB-A71GL    | BALL         | 48        | 0.11        | 5.28      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0848HB-A73GL    | BALL         | 48        | 0.11        | 5.28      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 3,6                | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0848XB-A76GL    | BALL         | 48        | 0.13        | 6.24      | 4500        | 55.2           | 0.302             | 44.8         | 86         | 6                  | CE                | 200           | 35.20          |
| 80 X 80 X 25          | AD0848HS-A71GL    | S            | 48        | 0.11        | 5.28      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 1                  | UL,CUL,TUV,CE     | 200           | 35.20          |
| 80 X 80 X 25          | AD0848HS-A73GL    | S            | 48        | 0.08        | 3.84      | 3010        | 38.6           | 0.160             | 34.4         | 86         | 3,6                | CE                | 200           | 35.20          |
| 92 X 92 X 20          | AD0912MX-C70      | HYPRO        | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 0                  | TUV,CSA,CE        | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HX-C70      | HYPRO        | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HX-C7       | HYPRO        | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 6                  | CE                | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MB-C70      | BALL         | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MB-C71      | BALL         | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MB-C72      | BALL         | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 2                  | TUV,CE            | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MB-C76      | BALL         | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 6                  | CE                | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HB-C70      | BALL         | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0,6                | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HB-C71      | BALL         | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HB-C72      | BALL         | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 2,3                | TUV,CE            | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MS-C70      | S            | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0912MS-C71      | S            | 12        | 0.16        | 1.92      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HS-C70      | S            | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HS-C71      | S            | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0912HS-C76      | S            | 12        | 0.25        | 3.00      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 6                  | CE                | 200           | 41.30          |
| 92 X 92 X 20          | AD0924MX-C70      | HYPRO        | 24        | 0.10        | 2.40      | 2430        | 29.0           | 2.110             | 28.9         | 78         | 0,1,2,3            | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HX-C70      | HYPRO        | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0                  | TUV,CSA,CE        | 200           | 41.30          |
| 92 X 92 X 20          | AD0924MB-C70      | BALL         | 24        | 0.10        | 2.40      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0924MB-C71      | BALL         | 24        | 0.10        | 2.40      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HB-C70      | BALL         | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HB-C71      | BALL         | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HB-C73      | BALL         | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 3                  | UL,CSA,CE         | 200           | 41.30          |
| 92 X 92 X 20          | AD0924MS-C70      | S            | 24        | 0.10        | 2.40      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0924MS-C71      | S            | 24        | 0.10        | 2.40      | 2430        | 29.0           | 0.083             | 28.9         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HS-C70      | S            | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 0                  | UL,CUL,TUV,CSA,CE | 200           | 41.30          |
| 92 X 92 X 20          | AD0924HS-C71      | S            | 24        | 0.14        | 3.36      | 2740        | 32.8           | 0.106             | 32.8         | 85         | 1                  | UL,TUV,CSA,CE     | 200           | 41.30          |
| 92 X 92 X 25          | AD0912DX-A70GL    | HYPRO        | 12        | 0.09        | 1.08      | 1600        | 28.0           | 0.060             | 22.0         | 101        | 0                  | UL,CUL,TUV,CE     | 200           | 52.36          |
| 92 X 92 X 25          | AD0912DX-A71GL    | HYPRO        | 12        | 0.07        | 0.84      | 1600        | 28.0           | 0.060             | 22.0         | 101        | 1                  | CE                | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LX-A70GL    | HYPRO        | 12        | 0.12        | 1.44      | 2100        | 37.9           | 0.073             | 26.5         | 101        | 0                  | UL,CUL,TUV,CE     | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LX-A72GL    | HYPRO        | 12        | 0.13        | 1.56      | 2200        | 35.9           | 0.097             | 29.3         | 101        | 2                  | UL,CUL,TUV,CE     | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LX-A76GL    | HYPRO        | 12        | 0.13        | 1.56      | 2000        | 32.4           | 0.054             | 23.5         | 101        | 6                  | UL,CUL,CE         | 200           | 52.36          |
| 92 X 92 X 25          | AD0912MX-A70GL    | HYPRO        | 12        | 0.17        | 2.04      | 2400        | 43.5           | 0.094             | 31.3         | 101        | 0,2,3              | UL,CUL,TUV,CE     | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HX-A70GL    | HYPRO        | 12        | 0.25        | 3.00      | 2700        | 50.0           | 0.117             | 33.7         | 101        | 0,2,3              | UL,CUL,TUV,CE     | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HX-A76GL    | HYPRO        | 12        | 0.25        | 3.00      | 2700        | 50.0           | 0.117             | 33.7         | 101        | 6                  | UL,CUL,CE         | 200           | 52.36          |
| 92 X 92 X 25          | AD0912UX-A71GL    | HYPRO        | 12        | 0.39        | 4.68      | 3200        | 57.8           | 0.158             | 38.6         | 101        | 1,2                | UL,CUL,TUV,CE     | 200           | 52.36          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 92 X 92 X 25          | AD0912UX-A76GL    | HYPRO        | 12        | 0.30        | 3.60      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 6                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912DB-A71GL    | BALL         | 12        | 0.07        | 0.84      | 1600        | 28.0           | 0.060             | 22.0         | 101        | 1                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LB-A70GL    | BALL         | 12        | 0.13        | 1.56      | 2050        | 36.0           | 0.063             | 25.0         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LB-A702GL   | BALL         | 12        | 0.12        | 1.44      | 2300        | 41.6           | 0.087             | 29.8         | 101        | 2,3                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LB-A76GL    | BALL         | 12        | 0.12        | 1.44      | 2300        | 41.6           | 0.087             | 29.8         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912MB-A70GL    | BALL         | 12        | 0.17        | 2.04      | 2600        | 47.2           | 0.108             | 32.7         | 101        | 0,1,2,3            | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912MB-A76GL    | BALL         | 12        | 0.17        | 2.04      | 2600        | 47.2           | 0.108             | 32.7         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HB-A70GL    | BALL         | 12        | 0.25        | 3.00      | 2900        | 52.5           | 0.133             | 35.0         | 101        | 0,1,2,3            | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HB-A76GL    | BALL         | 12        | 0.25        | 3.00      | 2900        | 52.5           | 0.133             | 35.0         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912UB-A71GL    | BALL         | 12        | 0.39        | 4.68      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 1,2,3              | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912UB-A76GL    | BALL         | 12        | 0.39        | 4.68      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 6                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912XB-A71GL    | BALL         | 12        | 0.55        | 6.60      | 3800        | 67.0           | 0.198             | 43.9         | 101        | 1                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0912DS-A70GL    | S            | 12        | 0.09        | 1.08      | 1600        | 28.0           | 0.060             | 22.0         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912DS-A71GL    | S            | 12        | 0.07        | 1.08      | 1600        | 28.0           | 0.060             | 22.0         | 101        | 1                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LS-A70GL    | S            | 12        | 0.13        | 1.56      | 2000        | 32.4           | 0.054             | 23.5         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LS-A73GL    | S            | 12        | 0.13        | 1.56      | 2100        | 37.9           | 0.073             | 26.5         | 101        | 3                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912LS-A76GL    | S            | 12        | 0.13        | 1.56      | 2000        | 32.4           | 0.054             | 23.5         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912MS-A70GL    | S            | 12        | 0.17        | 2.04      | 2350        | 43.0           | 0.087             | 31.0         | 101        | 0,3                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912MS-A76GL    | S            | 12        | 0.17        | 2.04      | 2350        | 43.0           | 0.087             | 31.0         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HS-A70GL    | S            | 12        | 0.25        | 3.00      | 2700        | 50.0           | 0.117             | 33.7         | 101        | 0,1,2,3            | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912HS-A76GL    | S            | 12        | 0.25        | 3.00      | 2700        | 50.0           | 0.117             | 33.7         | 101        | 6                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0912US-A70GL    | S            | 12        | 0.39        | 4.68      | 3200        | 57.8           | 0.156             | 39.4         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912US-A71GL    | S            | 12        | 0.39        | 4.68      | 3300        | 60.0           | 0.198             | 39.1         | 101        | 1,2                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0912US-A76GL    | S            | 12        | 0.30        | 3.60      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 6                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924LX-A70GL    | HYPRO        | 24        | 0.08        | 1.92      | 2100        | 37.9           | 0.073             | 26.5         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924MX-A70GL    | HYPRO        | 24        | 0.12        | 2.88      | 2400        | 43.5           | 0.094             | 31.3         | 101        | 0,2                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924MX-A71GL    | HYPRO        | 24        | 0.17        | 2.04      | 2700        | 43.2           | 0.140             | 35.0         | 101        | 1                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HX-A70GL    | HYPRO        | 24        | 0.15        | 3.60      | 2700        | 50.0           | 0.115             | 33.7         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924UX-A71GL    | HYPRO        | 24        | 0.21        | 5.04      | 3200        | 57.8           | 0.156             | 38.6         | 101        | 1,2                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924UX-A73GL    | HYPRO        | 24        | 0.21        | 5.04      | 3200        | 57.8           | 0.156             | 38.6         | 101        | 3                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0924LB-A70GL    | BALL         | 24        | 0.08        | 1.92      | 2100        | 37.9           | 0.074             | 26.5         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924LB-A72GL    | BALL         | 24        | 0.08        | 1.92      | 2300        | 41.6           | 0.086             | 29.8         | 101        | 2                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924LB-A76GL    | BALL         | 24        | 0.08        | 1.92      | 2300        | 41.6           | 0.086             | 29.8         | 101        | 6                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0924MB-A70GL    | BALL         | 24        | 0.12        | 2.88      | 2600        | 47.2           | 0.106             | 32.7         | 101        | 0,2                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HB-A70GL    | BALL         | 24        | 0.15        | 3.60      | 2900        | 52.5           | 0.131             | 35.0         | 101        | 0,1,2,3            | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HB-A76GL    | BALL         | 24        | 0.15        | 3.60      | 2900        | 52.5           | 0.131             | 35.0         | 101        | 6                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0924UB-A72GL    | BALL         | 24        | 0.21        | 5.04      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 2                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924XB-A71GL    | BALL         | 24        | 0.25        | 6.00      | 3800        | 66.9           | 0.186             | 42.6         | 101        | 1,2                | CE               | 200           | 25.36          |
| 92 X 92 X 25          | AD0924LS-A70GL    | S            | 24        | 0.08        | 1.92      | 2100        | 37.9           | 0.073             | 26.5         | 101        | 0,2                | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0924MS-A70GL    | S            | 24        | 0.12        | 2.88      | 2400        | 43.5           | 0.094             | 31.3         | 101        | 0,2                | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HS-A70GL    | S            | 24        | 0.15        | 3.60      | 2700        | 48.0           | 0.115             | 33.7         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HS-A72GL    | S            | 24        | 0.20        | 4.80      | 3000        | 48.4           | 0.169             | 38.0         | 101        | 2                  | UL,CUL,CE        | 200           | 52.36          |
| 92 X 92 X 25          | AD0924HS-A73GL    | S            | 24        | 0.20        | 4.80      | 3000        | 48.4           | 0.169             | 38.0         | 101        | 3                  | UL,CUL,TUV,CE    | 200           | 52.36          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 92 X 92 X 25          | AD0924US-A70GL    | S            | 24        | 0.21        | 5.04      | 3300        | 60.0           | 0.166             | 39.4         | 101        | 0                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0924US-A71GL    | S            | 24        | 0.21        | 5.04      | 3200        | 57.8           | 0.158             | 38.6         | 101        | 1                  | UL,CE            | 200           | 52.36          |
| 92 X 92 X 25          | AD0924US-A72GL    | S            | 24        | 0.21        | 5.04      | 3200        | 57.8           | 0.158             | 38.6         | 101        | 2                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0948HB-A71GL    | BALL         | 48        | 0.13        | 6.24      | 2900        | 52.5           | 0.133             | 35.0         | 101        | 1                  | UL,CUL,TUV,CE    | 200           | 52.36          |
| 92 X 92 X 25          | AD0948UB-A71GL    | BALL         | 48        | 0.16        | 7.68      | 3300        | 60.0           | 0.163             | 39.4         | 101        | 1                  | CE               | 200           | 52.36          |
| 92 X 92 X 25          | AD0948HS-A72GL    | S            | 48        | 0.07        | 3.36      | 2900        | 52.0           | 0.177             | 34.0         | 101        | 2                  | CE               | 200           | 52.36          |
| 120 X 120 X 25        | AD1212LX-A71GL    | HYPRO        | 12        | 0.24        | 2.88      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 1                  | UL,CUL,CE        | 90            | 30.80          |
| 120 X 120 X 25        | AD1212LX-A72GL    | HYPRO        | 12        | 0.24        | 2.88      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 2                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MX-A71GL    | HYPRO        | 12        | 0.34        | 4.08      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MX-A73GL    | HYPRO        | 12        | 0.34        | 4.08      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HX-A71GL    | HYPRO        | 12        | 0.44        | 5.28      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HX-A73GL    | HYPRO        | 12        | 0.44        | 5.28      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212UX-A71GL    | HYPRO        | 12        | 0.50        | 6.00      | 2500        | 98.6           | 0.179             | 43.3         | 156        | 1                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212LB-A71GL    | BALL         | 12        | 0.24        | 2.88      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 1,2                | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212LB-A73GL    | BALL         | 12        | 0.24        | 2.88      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MB-A71GL    | BALL         | 12        | 0.33        | 3.96      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MB-A72GL    | BALL         | 12        | 0.33        | 3.96      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 2                  | UL,CUL,CE        | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MB-A73GL    | BALL         | 12        | 0.33        | 3.96      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HB-A71GL    | BALL         | 12        | 0.37        | 4.44      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HB-A72GL    | BALL         | 12        | 0.37        | 4.44      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 2                  | UL,CUL,CE        | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HB-A73GL    | BALL         | 12        | 0.37        | 4.44      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212UB-A71GL    | BALL         | 12        | 0.50        | 6.00      | 2500        | 98.6           | 0.179             | 43.3         | 156        | 1                  | TUV,CE           | 90            | 30.80          |
| 120 X 120 X 25        | AD1212UB-A72GL    | BALL         | 12        | 0.50        | 6.00      | 2500        | 98.6           | 0.179             | 43.3         | 156        | 2,3                | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212LS-A71GL    | S            | 12        | 0.24        | 2.88      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 1,3                | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MS-A71GL    | S            | 12        | 0.34        | 4.08      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1,3                | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212MS-A72GL    | S            | 12        | 0.34        | 4.08      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 2                  | UL,CUL,CE        | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HS-A71GL    | S            | 12        | 0.44        | 5.28      | 220         | 85.2           | 0.136             | 39.1         | 158        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HS-A72GL    | S            | 12        | 0.44        | 5.28      | 220         | 85.2           | 0.136             | 39.1         | 158        | 2                  | UL,CUL,CE        | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HS-A73GL    | S            | 12        | 0.44        | 5.28      | 220         | 85.2           | 0.136             | 39.1         | 158        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1212HS-A74GL    | S            | 12        | 0.40        | 4.80      | 2200        | 85.2           | 0.134             | 39.1         | 156        | 4                  | TUV,CE           | 90            | 30.80          |
| 120 X 120 X 25        | AD1212US-A71GL    | S            | 12        | 0.50        | 6.00      | 2500        | 98.6           | 0.179             | 43.3         | 156        | 1,2,3              | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1224LX-A71GL    | HYPRO        | 24        | 0.14        | 3.36      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224MX-A71GL    | HYPRO        | 24        | 0.20        | 4.80      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224HX-A71GL    | HYPRO        | 24        | 0.24        | 5.76      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1,2                | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224HX-A73GL    | HYPRO        | 24        | 0.24        | 5.76      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 3                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1224UX-A72GL    | HYPRO        | 24        | 0.25        | 6.00      | 2500        | 98.6           | 0.176             | 43.3         | 156        | 2                  | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1224LB-A71GL    | BALL         | 24        | 0.14        | 3.36      | 1800        | 72.0           | 0.095             | 34.3         | 156        | 1,2                | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224MB-A71GL    | BALL         | 24        | 0.17        | 4.08      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224HB-A71GL    | BALL         | 24        | 0.19        | 4.56      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1,2,3              | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224UB-A71GL    | BALL         | 24        | 0.25        | 6.00      | 2500        | 98.6           | 0.176             | 43.3         | 156        | 1                  | TUV,CE           | 90            | 30.80          |
| 120 X 120 X 25        | AD1224UB-A72GL    | BALL         | 24        | 0.25        | 6.00      | 2500        | 98.6           | 0.176             | 43.3         | 156        | 2,3                | CE               | 90            | 30.80          |
| 120 X 120 X 25        | AD1224LS-A71GL    | S            | 24        | 0.14        | 3.36      | 1800        | 72.0           | 0.095             | 34.4         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |
| 120 X 120 X 25        | AD1224MS-A71GL    | S            | 24        | 0.20        | 4.80      | 2050        | 80.5           | 0.117             | 38.0         | 156        | 1                  | UL,CUL,TUV,CE    | 90            | 30.80          |

NOTE B=Ball S=Sleeve X=Hypro AT=Terminals AW=Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 120 X 120 X 25        | AD1224HS-A71GL    | S            | 24        | 0.24        | 5.76      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1                  | UL,CUL,TUV,CE     | 90            | 30.80          |
| 120 X 120 X 25        | AD1224HS-A73GL    | S            | 24        | 0.24        | 5.76      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 3                  | CE                | 90            | 30.80          |
| 120 X 120 X 25        | AD1224US-A71GL    | S            | 24        | 0.25        | 6.00      | 2500        | 98.6           | 0.176             | 43.3         | 156        | 1                  | CE                | 90            | 30.80          |
| 120 X 120 X 25        | AD1248HB-A71GL    | BALL         | 48        | 0.25        | 9.60      | 2200        | 85.2           | 0.136             | 39.1         | 156        | 1                  | CE                | 90            | 30.80          |
| 120 X 120 X 32        | AD2512LX          | HYPRO        | 12        | 0.15        | 1.80      | 1200        | 12.0           | 0.109             | 34.3         | 276        | 0                  | TUV,CE            |               |                |
| 120 X 120 X 32        | AD2512MX          | HYPRO        | 12        | 0.60        | 7.20      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | UL,CUL,CE         |               |                |
| 120 X 120 X 32        | AD2512LB          | BALL         | 12        | 0.15        | 1.80      | 1200        | 12.0           | 0.109             | 34.3         | 276        | 0,3                | TUV,CE            |               |                |
| 120 X 120 X 32        | AD2512MB          | BALL         | 12        | 0.60        | 7.20      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | UL,CUL,TUV,CE     |               |                |
| 120 X 120 X 32        | AD2512MB          | BALL         | 12        | 0.60        | 7.20      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 2                  | TUV,CE            |               |                |
| 120 X 120 X 32        | AD2512MB          | BALL         | 12        | 0.60        | 7.20      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 3                  | CE                |               |                |
| 120 X 120 X 32        | AD2512HB          | BALL         | 12        | 0.65        | 7.80      | 2500        | 25.2           | 0.640             | 51.0         | 276        | 0,3                | CE                |               |                |
| 120 X 120 X 32        | AD2512UB          | BALL         | 12        | 1.00        | 8.00      | 3200        | 33.1           | 1.121             | 55.8         | 276        | 0,2,3              | CE                |               |                |
| 120 X 120 X 32        | AD2512LS          | S            | 12        | 0.15        | 1.80      | 1200        | 12.0           | 0.109             | 34.3         | 276        | 0                  | TUV,CE            |               |                |
| 120 X 120 X 32        | AD2512MS          | S            | 12        | 0.60        | 7.20      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | TUV,CE            |               |                |
| 120 X 120 X 32        | AD2512HS          | S            | 12        | 0.65        | 7.80      | 2500        | 25.2           | 0.640             | 51.0         | 276        | 0                  | CE                |               |                |
| 120 X 120 X 32        | AD2512US          | S            | 12        | 1.00        | 8.00      | 3200        | 33.1           | 1.121             | 55.8         | 276        | 0                  | CE                |               |                |
| 120 X 120 X 32        | AD2524MX          | HYPRO        | 24        | 0.40        | 9.60      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | UL,TUV,CE         |               |                |
| 120 X 120 X 32        | AD2524MB          | BALL         | 24        | 0.40        | 9.60      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | UL,CUL,CSA,TUV,CE |               |                |
| 120 X 120 X 32        | AD2524HB          | BALL         | 24        | 0.43        | 9.80      | 2500        | 25.2           | 0.640             | 51.0         | 276        | 0                  | CE                |               |                |
| 120 X 120 X 32        | AD2524UB          | BALL         | 24        | 0.50        | 9.80      | 2800        | 29.4           | 0.800             | 52.5         | 276        | 0                  | CE                |               |                |
| 120 X 120 X 32        | AD2524MS          | S            | 24        | 0.40        | 9.60      | 2300        | 23.7           | 0.621             | 51.1         | 276        | 0                  | UL,CSA,TUV,CE     |               |                |
| 120 X 120 X 32        | AD2524US          | S            | 24        | 0.50        | 9.80      | 2800        | 29.4           | 0.800             | 52.5         | 276        | 0                  | CE                |               |                |
| 120 X 120 X 38        | AD1212LX-F51      | HYPRO        | 12        | 0.24        | 2.88      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1                  | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1212LX-F53      | HYPRO        | 12        | 0.24        | 2.88      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 3                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MX-F51      | HYPRO        | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,CSA,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MX-F53      | HYPRO        | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 3                  | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HX-F51      | HYPRO        | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,4                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HX-F52      | HYPRO        | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2                  | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HX-Y51      | HYPRO        | 12        | 0.40        | 4.80      | 2750        | 108.0          | 0.215             | 43.3         | 213        | 1                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1212LB-F51      | BALL         | 12        | 0.24        | 2.88      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1,3                | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1212LB-F52      | BALL         | 12        | 0.24        | 2.88      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 2                  | UL,CE             | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MB-F51      | BALL         | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MB-F52      | BALL         | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2,3,4,7            | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HB-F51      | BALL         | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,3                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HB-F52      | BALL         | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2,4                | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HB-F57      | BALL         | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 7                  | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HB-Y51      | BALL         | 12        | 0.40        | 4.80      | 2750        | 108.0          | 0.215             | 43.3         | 213        | 1,3                | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1212UB-F51      | BALL         | 12        | 0.07        | 0.84      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1,2,4              | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1212UB-F53      | BALL         | 12        | 0.07        | 0.84      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 3                  | UL,CUL,CE         | 40            | 33.66          |
| 120 X 120 X 38        | AD1212LS-F51      | S            | 12        | 0.24        | 2.88      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1                  | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MS-F51      | S            | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1212MS-F52      | S            | 12        | 0.35        | 4.20      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2,3,4,7            | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212HS-F51      | S            | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,4                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



**ADDA USA**  
**DC FAN SPECIFICATIONS**

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals  | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 120 X 120 X 38        | AD1212HS-F52      | S            | 12        | 0.50        | 6.00      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2,3,7              | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1212US-F51      | S            | 12        | 0.70        | 8.40      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MX-F51      | HYPRO        | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HX-F51      | HYPRO        | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,2                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224UX-F51      | HYPRO        | 24        | 0.40        | 9.60      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1                  | UL,CUL,CE         | 40            | 33.66          |
| 120 X 120 X 38        | AD1224UX-F52F     | HYPRO        | 24        | 0.40        | 9.60      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 2                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1224LB-F51      | BALL         | 24        | 0.14        | 3.36      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1                  | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MB-F51      | BALL         | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1,3                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MB-F52      | BALL         | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2                  | UL,CSA,CE         | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MB-F54      | BALL         | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 4                  | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HB-F51      | BALL         | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HB-F52      | BALL         | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2,3                | UL,CSA,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HB-F54      | BALL         | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 4,7                | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1224UB-F51      | BALL         | 24        | 0.40        | 9.60      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1,2,3              | UL,CUL,CE         | 40            | 33.66          |
| 120 X 120 X 38        | AD1224LS-F51      | S            | 24        | 0.14        | 3.36      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1                  | UL,CUL,TUV,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MS-F51      | S            | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224MS-F52      | S            | 24        | 0.23        | 5.52      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2,3,4              | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HS-F51      | S            | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1224HS-F52      | S            | 24        | 0.32        | 7.68      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2,3,4              | CSA,CE            | 40            | 33.66          |
| 120 X 120 X 38        | AD1224US-F51      | S            | 24        | 0.40        | 9.60      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1                  | UL,CUL,CE         | 40            | 33.66          |
| 120 X 120 X 38        | AD1248MX-F52      | HYPRO        | 48        | 0.14        | 6.72      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2                  | UL,CE             | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HX-F51      | HYPRO        | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HX-F52      | HYPRO        | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 2                  | UL,CUL,CSA,CE     | 40            | 33.66          |
| 120 X 120 X 38        | AD1248LS-F51      | S            | 48        | 0.10        | 4.80      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248MS-F51      | S            | 48        | 0.14        | 6.72      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248MS-F52      | S            | 48        | 0.14        | 6.72      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2                  | UL,CE             | 40            | 33.66          |
| 120 X 120 X 38        | AD1248LB-F51      | BALL         | 48        | 0.10        | 4.80      | 1950        | 72.3           | 0.135             | 32.9         | 297        | 1,3                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248MB-F51      | BALL         | 48        | 0.14        | 6.72      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 1                  | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248MB-F52      | BALL         | 48        | 0.14        | 6.72      | 2540        | 94.0           | 0.244             | 41.0         | 297        | 2,3                | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HB-F51      | BALL         | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,2                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HB-F53      | BALL         | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 3                  | UL,CE             | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HB-F54      | BALL         | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 4                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HB-Y56      | BALL         | 48        | 0.13        | 6.24      | 2750        | 108.0          | 0.215             | 43.3         | 213        | 6                  | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1248UB-F51      | BALL         | 48        | 0.23        | 9.80      | 3200        | 122.0          | 0.394             | 48.0         | 297        | 1,3                | CE                | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HS-F51      | S            | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 1,2                | UL,CUL,TUV,CSA,CE | 40            | 33.66          |
| 120 X 120 X 38        | AD1248HS-F53      | S            | 48        | 0.20        | 9.60      | 2800        | 104.8          | 0.270             | 42.8         | 297        | 3                  | CE                | 40            | 33.66          |

NOTE B=Ball S=Sleeve X= Hypro AT= Terminals AW= Wires

**ALL RIGHTS RESERVED**

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «**JONHON**», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «**FORSTAR**».



## JONHON

«**JONHON**» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«**FORSTAR**» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А