

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

## REVISIONS







| P | LTR | DESCRIPTION     | DATE      | DWN | APVD |
|---|-----|-----------------|-----------|-----|------|
|   | A   | INITIAL RELEASE | 23JUN2015 | DL  | CW   |
|   | AI  | ECR-17-001721   | 14FEB2017 | YC  | CW   |
|   |     |                 |           |     |      |
|   |     |                 |           |     |      |

## NOTES:

1. TECHNICAL CHARACTERISTICS:  
HOUSING MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

## 注释:

1. 技术参数:  
下壳材料: 铝合金  
表面处理: 粉末喷涂, 灰色  
防护等级: IP65 (配合)




TYPE I: TI660I63XXX-100 HI6B-SDRHM-LB-PG/M  
类型 I: TI660I63XXX-100 HI6B下壳, 表面安装, 彩锌单扣,  
PG/M, 高结构, 带金属保护盖, 灰色粉末喷涂

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±  
1 PLC ±  
2 PLC ±  
3 PLC ±  
4 PLC ±  
ANGLES ±

MATERIAL

FINISH

DWN 23JUN2015

DAVID LI

CHK 23JUN2015

CHRIS WANG

APVD 23JUN2015

XIANG XU

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

Customer Drawing



TE Connectivity

NAME

HI6B-SDRHM-LB-PG/M

SIZE

A3

CAGE CODE

-

DRAWING NO

C-TI660I6XXXXX00

RESTRICTED TO

-

SCALE

1:2

SHEET

1




OF

3





REV

AI


| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |



TYPE 2: TI660I63XXX-000 HI6B-SDRH-LB-PG/M  
OTHER SPEC REFER TO TYPE 1  
类型 2: TI660I63XXX-000HI6B下壳, 表面安装, 彩锌单扣, PG/M,  
高结构, 带塑料保护盖, 灰色粉末喷涂, 其余规范参照类型1



TYPE 3: TI660I60932-000 HI6B-SDRH-LB-M32/PG9  
OTHER SPEC REFER TO TYPE 2  
类型 3: TI660I60932-000 HI6B下壳, 表面安装, 彩锌单扣, 侧出PG9,  
底出M32, 高结构, 带塑料保护盖, 灰色粉末喷涂, 其余规范参照类型2

|                                                                                       |                                                                                                                        |                                |                                                                                                       |                                |                    |  |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------|--------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                                                                                                        | DWN<br>DAVID LI<br>23JUN2015   |  TE Connectivity |                                |                    |  |
| DIMENSIONS:<br>mm                                                                     | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br><br>0 PLC ±-<br>1 PLC ±-<br>2 PLC ±-<br>3 PLC ±-<br>4 PLC ±-<br>ANGLES ±- | CHK<br>CHRIS WANG<br>23JUN2015 | NAME<br>HI6B-SDRHM-LB-PG/M                                                                            |                                |                    |  |
|                                                                                       |                                                                                                                        | APVD<br>XIANG XU<br>23JUN2015  |                                                                                                       |                                |                    |  |
|  |                                                                                                                        | PRODUCT SPEC<br>108-137013     | SIZE<br>A3                                                                                            |                                |                    |  |
|                                                                                       |                                                                                                                        | APPLICATION SPEC<br>114-137013 |                                                                                                       |                                |                    |  |
| MATERIAL<br>-<br>-                                                                    | FINISH<br>-<br>-                                                                                                       | WEIGHT<br>-                    | CAGE CODE<br>-                                                                                        | DRAWING NO<br>C-TI660I6XXXXX00 | RESTRICTED TO<br>- |  |
| Customer Drawing                                                                      |                                                                                                                        |                                | SCALE<br>1:2                                                                                          | SHEET<br>2 OF 3                | REV<br>A1          |  |

|                              |                          |                      |
|------------------------------|--------------------------|----------------------|
| THIS DRAWING IS UNPUBLISHED. | RELEASED FOR PUBLICATION | 20                   |
| © COPYRIGHT 20               | BY -                     | ALL RIGHTS RESERVED. |

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |


NOTES:

SEE SHEET 1

注释:

参照 SHEET 1

|                    |                         |                                                                                                                                                                                                  |      |      |     |               |
|--------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|-----|---------------|
| TI660163121-100    | HI6B-SDRHM-LB-PG21      | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG21,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,PG21,高结构,带金属保护盖,灰色粉末喷涂                                    | PG21 | -    | -   | TYPE 1<br>类型1 |
| TI660163129-100    | HI6B-SDRHM-LB-PG29      | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG29,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,PG29,高结构,带金属保护盖,灰色粉末喷涂                                    | PG29 | -    | -   |               |
| TI660163132-100    | HI6B-SDRHM-LB-M32       | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M32,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,M32,高结构,带金属保护盖,灰色粉末喷涂                                      | M32  | -    | -   |               |
| TI660163221-100    | HI6B-SDRHM-LB-2PG21     | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG21,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2PG21,高结构,带金属保护盖,灰色粉末喷涂                                  | PG21 | PG21 | -   |               |
| TI660163229-100    | HI6B-SDRHM-LB-2PG29     | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG29,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2PG29,高结构,带金属保护盖,灰色粉末喷涂                                  | PG29 | PG29 | -   |               |
| TI660163232-100    | HI6B-SDRHM-LB-2M32      | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2M32,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2M32,高结构,带金属保护盖,灰色粉末喷涂                                    | M32  | M32  | -   | TYPE 2<br>类型2 |
| TI660163121-000    | HI6B-SDRH-LB-PG21       | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG21,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,PG21,高结构,带塑料保护盖,灰色粉末喷涂                                  | PG21 | -    | -   |               |
| TI660163129-000    | HI6B-SDRH-LB-PG29       | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG29,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,PG29,高结构,带塑料保护盖,灰色粉末喷涂                                  | PG29 | -    | -   |               |
| TI660163125-000    | HI6B-SDRH-LB-M25        | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M25,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,M25,高结构,带塑料保护盖,灰色粉末喷涂                                    | M25  | -    | -   |               |
| TI660163132-000    | HI6B-SDRH-LB-M32        | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,M32,高结构,带塑料保护盖,灰色粉末喷涂                                    | M32  | -    | -   |               |
| TI660163221-000    | HI6B-SDRH-LB-2PG21      | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG21,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2PG21,高结构,带塑料保护盖,灰色粉末喷涂                                | PG21 | PG21 | -   | TYPE 3<br>类型3 |
| TI660163229-000    | HI6B-SDRH-LB-2PG29      | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG29,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2PG29,高结构,带塑料保护盖,灰色粉末喷涂                                | PG29 | PG29 | -   |               |
| TI660163232-000    | HI6B-SDRH-LB-2M32       | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY<br>HI6B下壳,表面安装,彩锌单扣,2M32,高结构,带塑料保护盖,灰色粉末喷涂                                  | M32  | M32  | -   |               |
| TI660160932-000    | HI6B-SDRH-LB-M32/PG9    | HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,SIDE ENTRY PG9,BOTTOM ENTRY M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY / HI6B下壳,表面安装,彩锌单扣,侧出PG9,底出M32,高结构,带塑料保护盖,灰色粉末喷涂 | PG9  | -    | M32 |               |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                                                                                                                  | IG1  | IG2  | IG3 | TYPE<br>类型    |

|                                                                                       |                                                                       |                                |                                                                                                       |                |                              |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------|----------------|------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                                                       | DWN<br>DAVID LI<br>23JUN2015   |  TE Connectivity |                |                              |
|                                                                                       |                                                                       | CHK<br>CHRIS WANG<br>23JUN2015 |                                                                                                       |                |                              |
| DIMENSIONS:<br>mm                                                                     | TOLERANCES UNLESS OTHERWISE SPECIFIED:                                | APVD<br>XIANG XU<br>23JUN2015  | NAME<br>HI6B-SDRHM-LB-PG/M                                                                            |                |                              |
|  | 0 PLC ±-<br>1 PLC ±-<br>2 PLC ±-<br>3 PLC ±-<br>4 PLC ±-<br>ANGLES ±- | PRODUCT SPEC<br>108-137013     |                                                                                                       |                |                              |
| MATERIAL<br>-                                                                         | FINISH<br>-                                                           | APPLICATION SPEC<br>114-137013 | SIZE<br>A3                                                                                            | CAGE CODE<br>- | DRAWING NO<br>T166016XXXXX00 |
| -                                                                                     | -                                                                     | WEIGHT<br>-                    | RESTRICTED TO<br>-                                                                                    |                |                              |
| CUSTOMER DRAWING                                                                      |                                                                       | SCALE<br>1:2                   | SHEET<br>3                                                                                            | OF<br>3        | REV<br>A1                    |

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А