



| PRODUCT DESCRIPTION CODE | TE PN | STYLE & NUMBER OF POSITIONS | TERMINATION POSTS | LOADED ROWS | PERFORMANCE LEVEL | BOARD LOCKS |
|--------------------------|-------------|-----------------------------|--|------------------------------|-------------------|-------------|
| V42254-B2100-C960 | 1393640-1 | C96 | RIGHT-ANGLE SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-B640 | 1393640-4 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-B645 | 1393640-5 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 1 | NO |
| V42254-B2101-C300 | 1393640-6 | C30 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C480 | 1393640-7 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C483 | 1393640-8 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2101-C910 | 3-1392009-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | YES |
| V42254-B2101-C960 | 1393640-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C963 | 1-1393640-0 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2101-C968 | 1-1393640-1 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 1 | NO |
| V42254-B2102-B200 | 1-1393640-5 | B20 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B320 | 1-1393640-6 | B32 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B640 | 1-1393640-7 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B641 | 1-1393640-8 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2102-C303 | 2-1393640-0 | C30 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2102-C480 | 2-1393640-1 | C48 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-C910 | 2-1393640-3 | C96 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | YES |
| V42254-B2102-C960 | 2-1393640-4 | C96 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-C963 | 2-1393640-5 | C96 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2102-C968 | 2-1393640-6 | C96 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 1 | NO |
| V42254-B2103-B640 | 3-1393640-3 | B64 | 6,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2103-C960 | 3-1393640-4 | C96 | 6,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2104-C960 | 3-1393640-5 | C96 | 7,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-B640 | 3-1393640-7 | B64 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C960 | 3-1393640-8 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C960N | 3-1393640-9 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C963 | 4-1393640-0 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2130-B641 | 4-1393640-6 | B64 | 5,5 10mm SOLDER HOOKS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2135-B640 | 4-1393640-7 | B64 | 5,5 10mm SOLDER LUGS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2135-B641 | 4-1393640-8 | B64 | 5,5 10mm SOLDER LUGS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2135-C960 | 5-1393640-0 | C96 | 5,5 10mm SOLDER LUGS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2135-C963 | 5-1393640-1 | C96 | 5,5 10mm SOLDER LUGS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2140-B640 | 5-1393640-8 | B64 | 13mm STRAIGHT WIRE-WRAP PINS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2140-C960 | 6-1393640-0 | C96 | 13mm STRAIGHT WIRE-WRAP PINS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2140-C963 | 6-1393640-1 | C96 | 13mm STRAIGHT WIRE-WRAP PINS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2200-C960 | 7-1393640-0 | C96 | RIGHT-ANGLE SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2200-C963 | 7-1393640-1 | C96 | RIGHT-ANGLE SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-B200 | 7-1393640-2 | B20 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B310 | 7-1393640-3 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-B320 | 7-1393640-4 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B325 | 7-1393640-5 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-B640 | 7-1393640-8 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B641 | 7-1393640-9 | B64 | 2,9mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2201-C300 | 8-1393640-0 | C30 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C313 | 8-1393640-2 | C30 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C410 | 8-1393640-3 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-C413 | 8-1393640-4 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C480 | 8-1393640-5 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C483 | 8-1393640-6 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-C485 | 8-1393640-7 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C488 | 8-1393640-8 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C910 | 8-1393640-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-C913 | 9-1393640-0 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C960 | 9-1393640-2 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C963 | 9-1393640-3 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-C965 | 9-1393640-4 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C968 | 9-1393640-5 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 2 | NO |
| V42254-B2202-B200 | 1-1393641-0 | B20 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B320 | 1-1393641-1 | B32 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B321 | 1-1393641-2 | B32 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B640 | 1-1393641-4 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B640N | 1-1393641-5 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B641 | 1-1393641-6 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B641N | 1-1393641-7 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B645 | 1-1393641-8 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |

- 3) ACCORDING TO BT 236 LEVEL 2.
- 2) CONNECTORS HAVE A FLUX-TIGHT COATING.
- 1) NO COMPANY NAME MARKED ON THE CONNECTOR.

ACTIVE PART NUMBERS.
CONTACT TE FOR OTHER CONFIGURATION AVAILABILITY

| | | | |
|--|--|----------------------------|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN CUVELIER 14FEB89 | TE Connectivity |
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD | NAME |
| | 0 PLC ± - | PRODUCT SPEC | RECEPTACLE ASSEMBLY EUROCARD TYPES B,C AND SHORT VERSIONS (PN:V42254-B2***-C***-*-7626) |
| | 1 PLC ± - | APPLICATION SPEC | SIZE CASE CODE DRAWING NO RESTRICTED TO |
| MATERIAL | FINISH | WEIGHT | A1 00779 1393640-1 |
| CUSTOMER DRAWING | | SCALE | NTS SHEET 2 OF 2 REV B11 |

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А