





MATERIAL CODE
(.28)/.0106 THK
BLANK=BRASS
B=PHOS BRONZE

2578 - * - * * *



OPTIONS
BLANK=AS SHOWN
1 = WITH CAT EARS

1. MATERIAL: SEE LEGEND
2. FINISH: SEE LEGEND
3. PRODUCT SPECIFICATION: PS-08-50
4. CRIMP ACCEPTS 22 TO 26 GA. WIRE WITH (1.65)/0.65 MAX INSULATION DIA.
5. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
6. OPTIONAL DESIGN (.86±.05)/.034±.002
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002

WINDING SPEC.
A=PER ES-339-A
BLANK=PER ES-339-B
L=LOOSE

PLATING CODE
(PER SDES-88)

- (122) - OVERALL TIN: (0.00381)/.000150 MIN. OVER (0.00076)/.000030 MIN. NICKEL
- (154) - OVERALL TIN (0.00254)/.000100 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (224) - OVERALL MATTE TIN: (0.00508)/.000200 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (550) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (555) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (558) - SELECT GOLD: (0.00076)/.000030 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
- (P909) - OVERALL HOT TIN DIP: (0.00254)/.000100 MIN



CHANGE PLATING		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: UCP2012-1821	2012/01/11	DRAWN BY	CHYOKHI PER	2012/01/16	2012/02/02	mm	INCH	PEREZ/AR	DATE	INCH	DATE	DATE	DATE
3 PLACES ± .010	± .010	4 PLACES ± .010	± .010	2 PLACES ± 0.25	± .014	1 PLACE ± 0.36	± .014	APPROVED BY	DATE	DATE	DATE	DATE	DATE
ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°	ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS	DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS
MATERIAL NO.		SEE CHART		DOCUMENT NO.		SD-2578		SHEET NO.		1 OF 2		1 OF 2	
SIZE		D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

	13	12	11	10	9	8	7	6	5	4	3	2	1				
J	2578-(***)*			2578-B-(***)*										J			
	PART NO.	ENG. NO.		PART NO.	ENG. NO.												
	08-50-0107	2578-(P909)		08-50-0133	2578-B-(P909)												
	08-50-0108	2578-(P909)L		08-50-0134	2578-B-(P909)L												
	08-50-0111	2578-(154)		08-65-0116	2578-B-(555)												
I	08-50-0112	2578-(154)L		08-65-0117	2578-B-(555)L									I			
	08-56-0107	2578-(550)		08-60-0003	2578-B-(122)												
	08-56-0108	2578-(550)L		08-60-0004	2578-B-(122)L												
	08-55-0105	2578-(555)		08-65-0110	2578-B-(558)												
	08-55-0106	2578-(555)L		08-65-0111	2578-B-(558)L												
	08-50-0061	2578-(224)		08-58-0125	2578-B-(550)												
	08-50-0062	2578-(224)L		08-58-0126	2578-B-(550)L												
H	08-55-0137	2578-(558)A												H			
		2578-(558)L															
	08-50-0018	2578-(154)															
	08-50-0019	2578-(154)L															
	08-55-0123	2578-(558)															
		2578-(558)L															
G														G			
F														F			
E														E			
D														D			
C														C			
B														B			
A														A			
				SEE SHEET 1 EC NO: UCP2012-1821 DRWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02		QUALITY SYMBOLS ▽=0 ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2°		DIMENSION STYLE MM/IN DRAWN BY PEREZ/AR DATE 01/29/87 CHECKED BY PATEL DATE 01/29/87 APPROVED BY LENZ DATE 01/29/87		SCALE -- DESIGN UNITS INCH		THIRD ANGLE PROJECTION CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE MOLEX INCORPORATED		SHEET NO. 2 OF 2	
				X		REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
tb_frame_C_P_ME_T Rev. F 2009/06/18	12	11	10	9	8	7	6	5	4	3	2	1					

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А