







PRODUCT NUMBER
10127403-13HI400LF



spec ref		-		dr		Kaka Zhang	2015/07/22	projection				size		A2	scale		2:1				
tolerance std		-		eng		De-Ming Lu	2015/12/29			mm		ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang	2015/12/29														
				appr		Pei-Ming Zheng	2015/12/29														
								product family		PwrBlade ULTRA											
surface				linear				title		10HP+33S, SOLDER-TO-BOARD VERT RECEPTACLE, PwrBlade ULTRA		dwg no		10127403-13HI400		rev		A			
				0.X																±0.5	
				0.XX																±0.25	
ASME Y14.5				0.XXX		±0.130															
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3					

PDS: Rev :A

STATUS:Released

Printed: Dec 30, 2015

Technical drawing of a rectangular plate with dimensions and tolerances. The drawing includes the following specifications:

- Dimensions and Tolerances:**
 - Overall width: 91.00 MIN
 - Overall height: 12.52 MIN
 - Top edge dimensions: 33.78, 5.00 TYP, 4.95, 2.54 TYP, 2.54 TYP
 - Bottom edge dimensions: 3.65, 2.61 REF, 85.79, 1.68 TYP
 - Right edge dimensions: 2.00 TYP, 6.93 REF, 3.29
- Geometric Features:**
 - Two circular features on the top edge with diameter $\varnothing 1.02 \pm 0.07$ TYP.
 - Two circular features on the bottom edge with diameter $\varnothing 2.49 \pm 0.07$.
 - A grid of small circular features (holes) in the center.
- Notes and References:**
 - NOTE 4: Points to the central grid of holes.
 - NOTE 5: Points to the bottom edge dimension 85.79.
 - NOTE 6: Points to the bottom edge dimension 2.00 TYP.
 - NOTE 7: Points to the top edge dimension 5.00 TYP.
- Surface Finish:**
 - Surface finish symbol: $\sqrt{R}$ with a value of 3.2.
- Material and Section:**
 - Material: 304 STAINLESS STEEL
 - Section: 1/2



	1	2	3	4	5	6	7	8
A	PRODUCT NUMBER							
	10127403-13HI400LF							
B	NOTES:							
	1. "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE. 2. MATERIALS: HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0. POWER CONTACTS: COPPER ALLOY. SIGNAL CONTACTS: COPPER ALLOY. HOLD DOWN: COPPER ALLOY. 3. PLATING SPECIFICATION: FCI 10135186. 4. DENOTES CONNECTOR KEEP OUT ZONE. 5. DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER. 6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES. 7. 1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER 25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE. 8. PRODUCT SPECIFICATION: FCI GS-12-1176. APPLICATION SPECIFICATION: FCI GS-20-0389. PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354. 9. THE VOID CORING BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.							
C								
D								
E								
F	spec ref - tolerance std - ASME Y14.5 TOLERANCES UNLESS OTHERWISE SPECIFIED surface ✓ ASME Y14.5 linear 0.X ±0.5 0.XX ±0.25 0.XXX ±0.130 angular 0° ±2° dr Kaka Zhang 2015/07/22 eng De-Ming Lu 2015/12/29 chr Fancy Zhang 2015/12/29 appr Pei-Ming Zheng 2015/12/29							

projection

mm

size

A2

scale

2:1

ecn no

-

product family

PwrBlade ULTRA

rel level

Released

title

10HP+33S, SOLDER-TO-BOARD
VERT RECEPTACLE, PwrBlade ULTRA

cat. no.

-

Product - Customer Drw

sheet 3 of 3

www.fci.com

FCI

10127403-13HI400

rev

A

PDS: Rev :A

STATUS:Released

Printed: Dec 30, 2015

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А